

No.IPH-SE-P&-II-EE-GWA/2016-17:-

64-87

**Himachal Pradesh
I&PH Department**

Dated the Shimla-9.

13th April 2017

To

1. The Principal Chief Conservator,
Forests Department, Shimla-1. Member
2. The Director of Industries,
Himachal Pradesh, Shimla-9. Member
3. The Director,
Rural Development and Panchayati Raj,
Shimla-9. Member
4. The Director,
Agriculture Department, Himachal Pradesh,
Shimla-5. Member
5. The Head, Remote Sensing Cell,
Himachal Pradesh Shimla-9. Member
6. The Member Secretary,
Pollution Control Board, Himachal Pradesh,
Shimla-9. Member
7. Chairman H.P. State,
Electricity Board, Himachal Pradesh,
Shimla Member
8. The Regional Director,
Central Ground Water Board,
Himachal Pradesh, Dharamshala. Member
9. Sh C.L. Sood,
Chief Engineer, IPH (Retd.)
42, The Mall Shimla-1 Member
(Non Official)
10. Sh Ravel Singh,
Registrar, IPH (Retd.)
Vill. Ghanala, P.O. Sandhole
Tehsil Sarkaghat Distt. Mandi H.P. Member
(Non Official)
11. Sh Harbans Lal,
Ex. MLA (Jwali) V.P.O. Soldha
P.O. Trilokpur Tehsil Jwali,
Distt. Kangra H.P. Member
(Non Official)


- 12. Sh Ram Singh,
Ex. President and Member Nagar
Parishad Kullu, Himalya Cap House,
Akhara Bazar, Distt. Kullu H.P. Member
(Non Official)
- 13. Sh Darshan Lal,
Executive Engineer (Retd.)
VPO Kolar, Poanta Sahib,
Distt. Sirmour H.P. Member
(Non Official)

Subject:- Minutes of 26th Meeting of Sub-Committee Himachal Pradesh Ground Water Authority to process the applications received for registration/grant of permits under section 7 & 8 of the Act.

A Sub-Committee was constituted to process the applications received for registration of the existing users and permit to be issued to the new users under section 7 & 8 of Himachal Pradesh Ground Water Act, 2005, in the 2nd meeting of HPGWA held on 20th of March, 2010.

The 26th meeting of the Sub-Committee was held on 11th April, 2017 under the Chairmanship of Member Secretary HPGWA-cum-Superintending Engineer, P&I-II Jal Bhawan, Kasumpti Shimla-9. The minutes of meeting are enclosed for information & necessary action please.


Encl:- As above.


**Member-Secretary, HPGWA-cum-Superintending Engineer,
 P&I-II Unit, I&PH Department,
 Jal Bhawan, Kasumpti, Shimla-9.**

Copy to Chairman H.P. Ground Water Authority Cum Engineer-in-Chief, I&PH Department, U.S. Club, Shimla-1 a/w minutes of meeting for information please.

Copy to the Executive Engineers, I&PH Division, **Nahan, Paonta, Solan, Nalagarh, No-I Una, No-II Una, Nurpur, Jawali & Indora** a/w minutes of meeting for information. They are directed to **take appropriate immediate necessary action** as approved in the Sub-Committee (HPGWA) meeting for each case pertaining to their Division.

Copy to Sr. Hydrogeologist, G.W.O, I&PH Department, Una a/w minutes of meeting for information & further necessary action.


**Member-Secretary, HPGWA-cum-Superintending Engineer,
 P&I-II Unit, I&PH Department,
 Jal Bhawan, Kasumpti, Shimla-9.**

Minutes of 26th meeting of Sub-Committee, Himachal Pradesh Ground Water Authority to process the applications received for grant of permit/registration under Section 7 & 8 of Himachal Pradesh Ground Water Act, 2005 held under the Chairmanship of Member Secretary, HPGWA-cum-Superintending Engineer, P&I-II on 11.04.2016.

The meeting was convened under the Chairmanship of Er. D. K. Negi, Member Secretary, HPGWA-cum-Superintending Engineer, P&I-II, I&PH Deptt., Jal Bhawan, Kasumpti, Shimla. The following members were present:-

1. Sh. K. S. Mandhotra,
Sr. Hydrogeologist, G.W.O, I&PH Deptt., Una. Member
2. Sh. Vidya Nand Negi, Scientist 'D'.
Representative of Regional Director CGWB, Dharmshala Member
3. Sh. Sunil Verma, Asstt. Geologist,
Representative of State Geologist Industries,
Deptt. Shimla (H.P.). Member
4. Er. H. R. Saini,
Executive Engineer GWA,
P&I-II, Jal Bhawan, Kasumpti Shimla-9.

At the outset, Chairman welcomed the members of the committee. Thereafter, the agenda items were taken up for discussion as under:-

Previous meeting applications/cases

1. **M/S Bhojia Dental College & Hospital, Vill. Bhud, Tehsil Nalagarh Distt. Solan (H.P.).**
The sub-committee considered and rejected the case due to non fulfillment of minimum distance criteria as per Ground Water Act, 2005 and Rules, 2007.
2. **M/S Sundaram Auto Components Ltd., Chourasia Road, Vill. Bhatian, Tehsil Nalagarh Distt. Solan (H.P.).**
The sub-committee considered and rejected the case due to non fulfillment of minimum distance criteria as per Ground Water Act, 2005 and Rules, 2007.
3. **M/S Hetero Labs Ltd., Baddi Village Kalayanpur, Chakkan Road Tehsil Baddi, Distt. Solan (H.P.).**
The sub-committee considered and rejected the case due to non fulfillment of minimum distance criteria as per Ground Water Act, 2005 and Rules, 2007.
4. **Smt. Mamta Devi W/O Sh. Jai Singh, Vill. Baddi, Tehsil Baddi, Distt. Solan (H.P.).**
The sub-committee considered and rejected the case due to non fulfillment of minimum distance criteria as per Ground Water Act, 2005 and Rules, 2007.
5. **M/S Escon Industries Khasra No. 137/2, 140, Near Gaushala, Village & P.O. Bela Bathri, Tehsil Haroli Distt. Una (H.P.).**



Handwritten signature and initials in blue ink, consisting of a stylized signature above the number '33'.

The sub-committee considered and rejected the case due to non fulfillment of minimum distance criteria as per Ground Water Act, 2005 and Rules, 2007.

6. **M/S Uphar Cable Industries, Vill. Bela Bathri, Tehsil Haroli Distt. Una (H.P.).**

The sub-committee considered and rejected the case due to non fulfillment of minimum distance criteria as per Ground Water Act, 2005 and Rules, 2007.

New application/cases

1. **M/S LEGACY Food Pvt. Ltd., (Bore well No-I), 17 KM – Pinjore Nalagarh Highway, VIII. Suraj Majra Labana Baddi Distt. Solan (H.P.).**

The applicant has applied on form - 4A for certificate of registration of well and use of ground water for **Industrial purpose**. As per the report of Sr. Hydrogeologist, G.W.O., I&PH Deptt., Una, there is a private tube well No-II of same company and Cadilla Health care is registered with the Authority which exist around 186m & 272m respectively from the existing bore well of the applicant. The tube well falls in the **Nalagarh Valley** and based on **latest Dynamic Ground Water Resource Estimation of Himachal Pradesh (As on March 2013)** the stage of ground water development of the valley which is considered under **Safe Category** as per the report of the above study.

A Public notice of the application prepared in this office on Form-5 has already been sent to Executive Engineer, IPH Division, Nalagarh and two daily newspapers and Secretary, Gram Panchyat, Suraj Majra Labana to get it displayed on the notice board of the local authority. However, no objection has been received.

The sub-committee has principally approved the case subject to revalidation of demand draft.

2. **M/S LEGACY Food Pvt. Ltd., (Bore well No-II), 17 KM – Pinjore Nalagarh Highway, VIII. Suraj Majra Labana Baddi Distt. Solan (H.P.).**

The applicant has applied on form - 4A for certificate of registration of well and use of ground water for **Industrial purpose**. As per the report of Sr. Hydrogeologist, G.W.O., I&PH Deptt., Una, there is a private tube well No-I of same company and Cadilla Health care is registered with the Authority which exist around 186m & 283m respectively from the existing bore well of the applicant. The tube well falls in the **Nalagarh Valley** and based on **latest Dynamic Ground Water Resource Estimation of Himachal Pradesh (As on March 2013)** the stage of ground water development of the valley which is considered under **Safe Category** as per the report of the above study.

A Public notice of the application prepared in this office on Form-5 has already been sent to Executive Engineer, IPH Division, Nalagarh and two daily newspapers and Secretary, Gram Panchyat, Suraj Majra Labana to get it displayed on the notice board of the local authority. However, no objection has been received.

The sub-committee considered and rejected the case due to non fulfillment of minimum distance criteria as per Ground Water Act, 2005 and Rules, 2007.


EE

3. **M/S Hegienic Research Institute Pvt. Ltd., Vill. Kishanpur, P.O. Gurumajra, Tehsil Baddi, Distt. Solan (H.P.).**

The applicant has applied on form - 4A for certificate of registration of well and use of ground water for **Industrial purpose**. As per the report of Sr. Hydrogeologist, G.W.O., I&PH Deptt., Una, there is no Govt. tube well exists within a distance of 300m from the existing bore well of the applicant. The tube well falls in the **Nalagarh Valley** and based on **latest Dynamic Ground Water Resource Estimation of Himachal Pradesh (As on March 2013)** the stage of ground water development of the valley which is considered under **Safe Category** as per the report of the above study.

A Public notice of the application prepared in this office on Form-5 has already been sent to Executive Engineer, IPH Division, Nalagarh and two daily newspapers and Secretary, Gram Panchyat, Kishanpur to get it displayed on the notice board of the local authority. However, no objection has been received.

The sub-committee has principally approved the case subject to revalidation of demand draft.

4. **Sh. Shiv Kumar S/O Sh. Amar Nath, Vill. Ratyar (Plot), P.O. Dabhota, Teshil Nalagarh Distt. Solan (H.P.).**

The applicant has applied on form - 1 for grant of permit for sinking ob bore well for **Irrigation purpose**. As per the report of Sr. Hydrogeologist, G.W.O., I&PH Deptt., Una, there is no Govt. tube well exists within a distance of 300m from the existing bore well of the applicant. The tube well falls in the **Nalagarh Valley** and based on **latest Dynamic Ground Water Resource Estimation of Himachal Pradesh (As on March 2013)** the stage of ground water development of the valley which is considered under **Safe Category** as per the report of the above study.

A Public notice of the application prepared in this office on Form-2 has already been sent to Executive Engineer, IPH Division, Nalagarh and Secretary, Gram Panchyat, Ratyar (Dabhota) to get it displayed on the notice board of the local authority. However, no objection has been received.


The sub-committee has principally approved the case subject to revalidation of demand draft.

5. **Sh. Fazal Deen S/O Sh. Noor Deen, Vill. Bagwala Barsen, P.O. Lodhimajra, Tehsil Baddi, Distt. Solan (H.P.).**

The applicant has applied on form - 1 for grant of permit for sinking ob bore well for **Irrigation purpose**. As per the report of Sr. Hydrogeologist, G.W.O., I&PH Deptt., Una, there is no Govt. tube well exists within a distance of 300m from the existing bore well of the applicant. The tube well falls in the **Nalagarh Valley** and based on **latest Dynamic Ground Water Resource Estimation of Himachal Pradesh (As on March 2013)** the stage of ground water development of the valley which is considered under **Safe Category** as per the report of the above study.

A Public notice of the application prepared in this office on Form-2 has already been sent to Executive Engineer, IPH Division, Nalagarh and Secretary, Gram Panchyat, Bagwala Barsen to get it displayed on the notice board of the local authority. However, no objection has been received.

The sub-committee has principally approved the case subject to revalidation of demand draft.


EE

6. **Sh. Habid Mohamed S/O Sh. Gofur Mohamed, Vill. Bagwala Barsen, P.O. Lodhimajra, Tehsil Baddi, Distt. Solan (H.P.).**

The applicant has applied on form - 1 for grant of permit for sinking ob bore well for **Irrigation purpose**. As per the report of Sr. Hydrogeologist, G.W.O., I&PH Deptt., Una, there is no Govt. tube well exists within a distance of 300m from the existing bore well of the applicant. The tube well falls in the **Nalagarh Valley** and based on **latest Dynamic Ground Water Resource Estimation of Himachal Pradesh (As on March 2013)** the stage of ground water development of the valley which is considered under **Safe Category** as per the report of the above study.

A Public notice of the application prepared in this office on Form-2 has already been sent to Executive Engineer, IPH Division, Nalagarh and and Secretary, Gram Panchyat, Bagwala Barsen to get it displayed on the notice board of the local authority. However, no objection has been received.

The sub-committee has principally approved the case subject to revalidation of demand draft.

7. **Smt. Swaran Kaur W/O Sh. Joginder Kumar, VPO. Haripur Sandholi, Tehsil Baddi, Distt. Solan (H.P.).**

The applicant has applied on form - 1 for grant of permit for sinking ob bore well for **Irrigation purpose**. As per the report of Sr. Hydrogeologist, G.W.O., I&PH Deptt., Una, there is no Govt. tube well exists within a distance of 300m from the existing bore well of the applicant. The tube well falls in the **Nalagarh Valley** and based on **latest Dynamic Ground Water Resource Estimation of Himachal Pradesh (As on March 2013)** the stage of ground water development of the valley which is considered under **Safe Category** as per the report of the above study.


A Public notice of the application prepared in this office on Form-2 has already been sent to Executive Engineer, IPH Division, Nalagarh and Secretary, Gram Panchyat, Haripur Sandholi to get it displayed on the notice board of the local authority. However, no objection has been received.

The sub-committee has principally approved the case subject to revalidation of demand draft.

8. **Sh. Makhan Singh S/O Sh. Dalip Chand, Vill. Makhnumajra P.O. Bhud, Teshil Baddi, Distt. Solan (H.P.).**

The applicant has applied on form - 1 for grant of permit for sinking ob bore well for **Irrigation purpose**. As per the report of Sr. Hydrogeologist, G.W.O., I&PH Deptt., Una, there is no Govt. tube well exists within a distance of 300m from the existing bore well of the applicant. But a proposed site for Govt. tube well at Chanal Majra (IPH Division Nalagarh) exists at a distance around 180m from bore well in question. However, the applicant has applied for sinking of bore well but the bore well has already been drilled on August, 2016 without prior permission of the Authority. The tube well falls in the **Nalagarh Valley** and based on **latest Dynamic Ground Water Resource Estimation of Himachal Pradesh (As on March 2013)** the stage of ground water development of the valley which is considered under **Safe Category** as per the report of the above study.

A Public notice of the application prepared in this office on Form-2 has already been sent to Executive Engineer, IPH Division, Nalagarh and Secretary, Gram Panchyat,

A handwritten signature in blue ink, consisting of a stylized 'M' followed by a horizontal line, and the number '33' written below it.

Haripur Sandholi to get it displayed on the notice board of the local authority. However, no objection has been received.

The sub-committee considered and rejected the case as per section 7 (5) (f) of Ground Water Act, 2005 and Rules, 2007. The committee also decided that the Executive Engineer IPH Division Nalagarh will take the action under Section 13 of the Act, 2005 as per the powers delegated by the Govt. vide Notification No.IPH-(B)(f)5-8/2008 dated Shimla-2 the 13th December, 2011.

9. **Sh. Bidhi Chand, S/O Late Sh. Taru Ram, Vill. Raipur Jakholi, P.O. Lodhimajra, Tehsil Baddi, Distt. Solan (H.P.).**

The applicant has applied on form - 1 for grant of permit for sinking ob bore well for **Irrigation purpose**. As per the report of Sr. Hydrogeologist, G.W.O., I&PH Deptt., Una, there are two private bore wells in the vicinity one is Smt. Ganpati Devi W/O Sh. Pohu Lal, Vill. Nanpur and 2nd is Sh. Shola Ram S/O Sh. Banarsi Vill. Nandpur and both exist around 279m & 185m respectively from the proposed bore well of the applicant. The tube well falls in the **Nalagarh Valley** and based on **latest Dynamic Ground Water Resource Estimation of Himachal Pradesh (As on March 2013)** the stage of ground water development of the valley which is considered under **Safe Category** as per the report of the above study.

A Public notice of the application prepared in this office on Form-2 has already been sent to Executive Engineer, IPH Division, Nalagarh and Secretary, Gram Panchyat, Lodhimajra to get it displayed on the notice board of the local authority. However, no objection has been received.


The sub-committee considered and rejected the case as per section 7 (5) (f) of HP Ground Water Act, 2005 and decided that the Executive Engineer, IPH Division Nalagarh will direct the applicant to apply afresh after change in the site.

10. **Sh. Vijay Ram, S/O Sh. Bali Ram, Vill. Kenduwal, P.O. Haripur Sandoli, Tehsil Baddi, Distt. Solan (HP).**

The applicant has applied on form - 1 for grant of permit for sinking of shallow well for **Irrigation purpose**. As per the report of Sr. Hydrogeologist, G.W.O., I&PH Deptt., Una, there are two private bore wells in the vicinity one is M/S Paras Pharma Pvt. Ltd., and 2nd is M/S Cadbury India Ltd., both are registered with the Authority vide registration No.HPGWA-EU/45 dated 24.08.2011 & HPGWA-EU/159 dated 11.07.2012 exist around 278m & 224m respectively from the existing bore well of the applicant. However, the applicant has applied for sinking of bore well but the bore well has already been drilled during June, 2016 without prior permission of the Authority. The tube well falls in the **Nalagarh Valley** and based on **latest Dynamic Ground Water Resource Estimation of Himachal Pradesh (As on March 2013)** the stage of ground water development of the valley which is considered under **Safe Category** as per the report of the above study.

A Public notice of the application prepared in this office on Form-2 has already been sent to Executive Engineer, IPH Division, Nalagarh and Secretary, Gram Panchyat, Haripur to get it displayed on the notice board of the local authority. However, no objection has been received.

The sub-committee has principally approved the case after imposing the compensation amount to Rs. 5000/- only (five Thousand only) under section 22 and revalidation of demand draft.

A handwritten signature in blue ink, followed by a horizontal line and the initials 'SE' written below it.

11. **Sh. Mahinder Kumar, S/O Sh. Bachan Dass, VPO. Matooli, Tehsil Nalagarh, Distt. Solan (H.P.).**

The applicant has applied on form - 1 for grant of permit for sinking ob bore well for **Irrigation purpose**. As per the report of Sr. Hydrogeologist, G.W.O., I&PH Deptt., Una, there is a manually operated departmental hand pump at village Matouli exists around 26m from the proposed bore well of the Authority. The tube well falls in the **Nalagarh Valley** and based on **latest Dynamic Ground Water Resource Estimation of Himachal Pradesh (As on March 2013)** the stage of ground water development of the valley which is considered under **Safe Category** as per the report of the above study.

A Public notice of the application prepared in this office on Form-2 has already been sent to Executive Engineer, IPH Division, Nalagarh and Secretary, Gram Panchyat, Matooli to get it displayed on the notice board of the local authority. However, no objection has been received.

The sub-committee has, therefore, approved the case.

12. **Smt. Soma W/O Sh. Masita Ram, VPO. Khera, Tehsil Nalagarh, Distt. Solan (H.P.).**

The applicant has applied on form - 1 for grant of permit for sinking ob bore well for **Irrigation purpose**. As per the report of Sr. Hydrogeologist, G.W.O., I&PH Deptt., Una, there is no Govt. tube well exists with a distance of 300m from the existing bore well of the applicant. The tube well falls in the **Nalagarh Valley** and based on **latest Dynamic Ground Water Resource Estimation of Himachal Pradesh (As on March 2013)** the stage of ground water development of the valley which is considered under **Safe Category** as per the report of the above study.


A Public notice of the application prepared in this office on Form-2 has already been sent to Executive Engineer, IPH Division, Nalagarh and Secretary, Gram Panchyat, Khera to get it displayed on the notice board of the local authority. However, no objection has been received.

The sub-committee has principally approved the case subject to revalidation of demand draft.

13. **M/S Pine Drive Resorts Pvt. Ltd., Vill. Kholli, P.O. Kumarhatti, Tehsil & Distt. Solan (HP).**

The applicant has applied on form - 4A for certificate of registration of well and use of ground water for **Industrial purpose**. As per the report of Sr. Hydrogeologist, G.W.O., I&PH Deptt., Una, there is departmental energized bore well and one private tube well of same company i.e. bore well No. II & one another private tube well of M/S Dagshai view Hotel bore well is registered with the Authority vide letter No.HPGWA-Eu/99 dated 24.09.2011 exist around 182m, 181m & 277m respectively from the existing bore well of the applicant. The site under investigation falls in the southern parts of the **Lesser Himalaya as per Ground Water Resource Estimation Committee (G.E.C.-1997)**, the hilly area (slope greater than 20%) are to be excluded because these are not likely to contribute to ground water recharge. Therefore, in view of this, no ground water resource estimation and utilization study has been carried out hitherto in the area. It is further added that the water availability in such areas is controlled by the local geology, hydrogeology and geomorphology of the area and does not have regional impact on the aquifer system existing in the area.

A Public notice of the application prepared in this office on Form-5 has already been sent to Executive Engineer, IPH Division, Solan and two daily newspapers and Secretary, Gram Panchyat, Kholli (Kumarhatti) to get it displayed on the notice board of the local authority. However, no objection has been received.

A handwritten signature in blue ink, consisting of a stylized 'h' followed by a horizontal line, and the letters 'SE' written below it.

The sub-committee considered and rejected the case due to non fulfillment of minimum distance criteria as per Ground Water Act, 2005 and Rules, 2007.

14. M/S Pine Drive Resorts Pvt. Ltd., Vill. Kholli, P.O. Kumarhatti, Tehsil & Distt. Solan (HP).

The applicant has applied on form - 4A for certificate of registration of well and use of ground water for **Industrial purpose**. As per the report of Sr. Hydrogeologist, G.W.O., I&PH Deptt., Una, there is departmental energized bore well and one private tube well of same company i.e. bore well No. 1 & one another private tube well of M/S Dagshai view Hotel bore well is registered with the Authority vide letter No.HPGWA-EU/99 dated 24.09.2011 exist around 188m, 181m & 232m respectively from the existing bore well of the applicant. The site under investigation falls in the southern parts of the **Lesser Himalaya as per Ground Water Resource Estimation Committee (G.E.C.-1997), the hilly area (slope greater than 20%)** are to be excluded because these are not likely to contribute to ground water recharge. Therefore, in view of this, no ground water resource estimation and utilization study has been carried out hitherto in the area. It is further added that the water availability in such areas is controlled by the local geology, hydrogeology and geomorphology of the area and does not have regional impact on the aquifer system existing in the area.

A Public notice of the application prepared in this office on Form-5 has already been sent to Executive Engineer, IPH Division, Solan and two daily newspapers and Secretary, Gram Panchyat, Kholli (Kumarhatti) to get it displayed on the notice board of the local authority. However, no objection has been received.

The sub-committee considered and rejected the case due to non fulfillment of minimum distance criteria as per Ground Water Act, 2005 and Rules, 2007.

15. M/S Sushma Leisure Homes Pvt. Ltd., Vill. Songli, Tehsil Kasauli, Distt. Solan (HP).


The applicant has applied on form - 1A for grant of permit for sinking of bore well for **Commercial purpose**. As per the report of Sr. Hydrogeologist, G.W.O., I&PH Deptt., Una, there is no Govt./private bore well exists within a distance of 300m from the proposed bore well of the applicant. The site under investigation falls in the southern parts of the **Lesser Himalaya as per Ground Water Resource Estimation Committee (G.E.C.-1997), the hilly area (slope greater than 20%)** are to be excluded because these are not likely to contribute to ground water recharge. Therefore, in view of this, no ground water resource estimation and utilization study has been carried out hitherto in the area. It is further added that the water availability in such areas is controlled by the local geology, hydrogeology and geomorphology of the area and does not have regional impact on the aquifer system existing in the area.

A Public notice of the application prepared in this office on Form-2 has already been sent to Executive Engineer, IPH Division, Solan and two daily newspapers and Secretary, Gram Panchyat, Songli to get it displayed on the notice board of the local authority. However, no objection has been received.

The sub-committee has principally approved the case subject to revalidation of demand draft.

16. M/S Masonries Prop. Mr. Abhay Gupta, S/O Sh. Mukesh Kumar, H. No. 120, Sector 9, Panchkula Haryana (Vill. Garahati Khurd Tehsil Kasauli Distt. Solan (H.P.).

The applicant has applied on form - 1A for grant of permit for sinking of bore well for **Commercial purpose**. As per the report of Sr. Hydrogeologist, G.W.O., I&PH Deptt., Una, there are two private tube wells exist in the vicinity One tube well of Sh. Manmohan Singh S/O Sh. Shvi Singh, Vill. Garahati Khurd and another private energized bore well of Sh. Deleep

Handwritten signature and initials in blue ink, consisting of a stylized 'M' and 'E'.

Singh both exist at a distance of around 165m & 235m respectively from the proposed bore well of the applicant. The site under investigation falls in the southern parts of the **Lesser Himalaya as per Ground Water Resource Estimation Committee (G.E.C.-1997), the hilly area (slope greater than 20%)** are to be excluded because these are not likely to contribute to ground water recharge. Therefore, in view of this, no ground water resource estimation and utilization study has been carried out hitherto in the area. It is further added that the water availability in such areas is controlled by the local geology, hydrogeology and geomorphology of the area and does not have regional impact on the aquifer system existing in the area.

A Public notice of the application prepared in this office on Form-2 has already been sent to Executive Engineer, IPH Division, Solan and two daily newspapers and Secretary, Gram Panchyat, Garahati Khurd to get it displayed on the notice board of the local authority. However, no objection has been received.

The sub-committee considered and rejected the case as per section 7 (5) (f) of HP Ground Water Act, 2005 and decided that the Executive Engineer, IPH Division Solan will direct the applicant to apply afresh after change in the site.

17. Sh. Dharam Singh, S/O Late Sh. Sant Ram, Vill. Bara, P.O. Kumarhatti, Tehsil & Distt. Solan (H.P.).


The applicant has applied on form - 1 for grant of permit for sinking of energized hand pump for **Domestic purpose**. As per the report of Sr. Hydrogeologist, G.W.O., I&PH Deptt., Una, there are two private tube wells in the vicinity, one is Sh. Ram Lal Garg S/O Sh. Shayam Lal Vill. Bara & the case has been forwarded for permit for sinking of bore well and another private bore well of Sh. Gaurav Aggarwal bore well is registered with Authority vide letter No.HPGWA-EU/47 dated 30.04.2011 both exist around 245m & 100m respectively from the proposed bore well of the applicant. The site under investigation falls in the southern parts of the **Lesser Himalaya as per Ground Water Resource Estimation Committee (G.E.C.-1997), the hilly area (slope greater than 20%)** are to be excluded because these are not likely to contribute to ground water recharge. Therefore, in view of this, no ground water resource estimation and utilization study has been carried out hitherto in the area. It is further added that the water availability in such areas is controlled by the local geology, hydrogeology and geomorphology of the area and does not have regional impact on the aquifer system existing in the area.

A Public notice of the application prepared in this office on Form-2 has already been sent to Executive Engineer, IPH Division, Solan and two daily newspapers and Secretary, Gram Panchyat, Bara (Kumarhatti) to get it displayed on the notice board of the local authority. However, no objection has been received.

The sub-committee considered and rejected the case as per section 7 (5) (f) of HP Ground Water Act, 2005 and decided that the Executive Engineer, IPH Division Solan will direct the applicant to apply afresh after change in the site.

18. Sh. Subhash Attri, S/O Sh. Bhumi Chand, R/O Sood Building Near Vill. Shamti (Khudidhar), P.O. Kotla Nala, Tehsil & Distt. Solan (HP).

The applicant has applied on form - 1 for grant of permit for sinking of energized hand pump for **Domestic purpose**. As per the report of Sr. Hydrogeologist, G.W.O., I&PH Deptt., Una, there are two departmental manually operated hand pumps exist around 50m & 243m respectively from the proposed bore well of the applicant. The site under investigation falls in the southern parts of the **Lesser Himalaya as per Ground Water Resource Estimation Committee (G.E.C.-1997), the hilly area (slope greater than 20%)** are to be

A handwritten signature in blue ink, followed by a horizontal line and the initials 'EE' written below it.

excluded because these are not likely to contribute to ground water recharge. Therefore, in view of this, no ground water resource estimation and utilization study has been carried out hitherto in the area. It is further added that the water availability in such areas is controlled by the local geology, hydrogeology and geomorphology of the area and does not have regional impact on the aquifer system existing in the area.

A Public notice of the application prepared in this office on Form-2 has already been sent to Executive Engineer, IPH Division, Solan and Secretary, Gram Panchyat, Shanti (Khudidhar) to get it displayed on the notice board of the local authority. However, no objection has been received.

The sub-committee has, therefore, approved the case.

19. Sh. Sunder Lal, S/O Sh. Mela Ram, H. No. 105, Asha Niwas, Hounig Board Colony Phase-I, Saproon (Vill. Kyarwa) Tehsil & Distt. Solan (H.P.).

The applicant has applied on form – 1A for grant of permit for sinking of bore well for **Commercial purpose**. As per the report of Sr. Hydrogeologist, G.W.O., I&PH Deptt., Una, there is no departmental/private energized bore well exists within a distance of 300m from the proposed bore well of the applicant. The site under investigation falls in the southern parts of the **Lesser Himalaya as per Ground Water Resource Estimation Committee (G.E.C.-1997), the hilly area (slope greater than 20%)** are to be excluded because these are not likely to contribute to ground water recharge. Therefore, in view of this, no ground water resource estimation and utilization study has been carried out hitherto in the area. It is further added that the water availability in such areas is controlled by the local geology, hydrogeology and geomorphology of the area and does not have regional impact on the aquifer system existing in the area.

A Public notice of the application prepared in this office on Form-2 has already been sent to Executive Engineer, IPH Division, Solan and two daily newspapers and Secretary, Gram Panchyat, Kyarwa to get it displayed on the notice board of the local authority. However, no objection has been received.

The sub-committee has, therefore, approved the case.

20. M/S R. N. S. Beverages, VPO. Bhadroya, Tehsil Nuprur Distt. Kangra (H.P.).


The applicant has applied on form - 1A for grant of permit for sinking of bore well for **Industrial purpose**. As per the report of Sr. Hydrogeologist, G.W.O., I&PH Deptt., Una, there is no ground water abstraction structure exists within radius of 300m from the proposed bore well of the applicant. The tube well falls in the **Indora Valley** and based on **latest Dynamic Ground Water Resource Estimation of Himachal Pradesh (As on March 2013)** the stage of ground water development of the valley which is considered under **Safe Category** as per the report of the above study.

A Public notice of the application prepared in this office on Form-2 has already been sent to Executive Engineer, IPH Division, Indora and two daily newspapers and Secretary, Gram Panchyat, Bhadroya to get it displayed on the notice board of the local authority. However, no objection has been received.

The sub-committee has, therefore, approved the case.

21. Sh. Bhagma, S/O Sh. Raina Ram Vill. Kharoli, P.O. Gangth, Tehsil Nurpur, Distt. Kangra (H.P.).

The applicant has applied on form - 1 for grant of permit for sinking of bore well for **Irrigation purpose**. As per the report of Sr. Hydrogeologist, G.W.O., I&PH Deptt., Una, there is

Handwritten signature and initials in blue ink, consisting of a stylized 'm' and 'EE' below it.

no Govt. tube well exists with a distance of 300m from the existing bore well of the applicant. The tube well falls in the **Indora Valley** and based on **latest Dynamic Ground Water Resource Estimation of Himachal Pradesh (As on March 2013)** the stage of ground water development of the valley which is considered under **Safe Category** as per the report of the above study.

A Public notice of the application prepared in this office on Form-2 has already been sent to Executive Engineer, IPH Division, Indora and two daily newspapers and Secretary, Gram Panchyat, Kharoli (Gangth) to get it displayed on the notice board of the local authority. However, no objection has been received.

The sub-committee has principally approved the case subject to revalidation of demand draft.

22. Smt. Sunita Devi W/O Sh. Naresh Kumar, Vill. Bassa Lokwoh, Tehsil Nurpur, Distt. Kangra (H.P.).

The applicant has applied on form - 1 for grant of permit for sinking of bore well for **Irrigation purpose**. As per the report of Sr. Hydrogeologist, G.W.O., I&PH Deptt., Una, there is no Govt. tube well exists with a distance of 300m from the existing bore well of the applicant. The tube well falls in the **Nurpur Valley** and based on **latest Dynamic Ground Water Resource Estimation of Himachal Pradesh (As on March 2013)** the stage of ground water development of the valley which is considered under **Safe Category** as per the report of the above study.

A Public notice of the application prepared in this office on Form-2 has already been sent to Executive Engineer, IPH Division, Nurpur and Secretary, Gram Panchyat, Bassa Lokwoh to get it displayed on the notice board of the local authority. However, no objection has been received.

The sub-committee has principally approved the case subject to revalidation of demand draft.

23. Sh. Amar Singh S/O Sh. Fangan Singh Vill. Soher, P.O. Dahb, Tehsil Nurpur Distt. Kangra (H.P.).


The applicant has applied on form - 1 for grant of permit for sinking of bore well for **Irrigation purpose**. As per the report of Sr. Hydrogeologist, G.W.O., I&PH Deptt., Una, there is no Govt. tube well exists with a distance of 300m from the existing bore well of the applicant. The tube well falls in the **Nurpur Valley** and based on **latest Dynamic Ground Water Resource Estimation of Himachal Pradesh (As on March 2013)** the stage of ground water development of the valley which is considered under **Safe Category** as per the report of the above study.

A Public notice of the application prepared in this office on Form-2 has already been sent to Executive Engineer, IPH Division, Nurpur and Secretary, Gram Panchyat, Soher (Dahb) to get it displayed on the notice board of the local authority. However, no objection has been received.

The sub-committee has, therefore, approved the case.

24. Sh. Ashwani Kumar, S/O Sh. Bangali Ram, Vill. Garan, P.O. Gurial, Tehsil Nurpur Distt. Kangra (H.P.).

The applicant has applied on form - 1 for grant of permit for sinking of bore well for **Irrigation purpose**. As per the report of Sr. Hydrogeologist, G.W.O., I&PH Deptt., Una, there is

Handwritten signature and initials in blue ink, consisting of a stylized 'h' and 'm' above a horizontal line, with '33' written below it.

no Govt. tube well exists with a distance of 300m from the existing bore well of the applicant. The tube well falls in the **Nurpur Valley** and based on **latest Dynamic Ground Water Resource Estimation of Himachal Pradesh (As on March 2013)** the stage of ground water development of the valley which is considered under **Safe Category** as per the report of the above study.

A Public notice of the application prepared in this office on Form-2 has already been sent to Executive Engineer, IPH Division, Nurpur and Secretary, Gram Panchyat, Garan (Gural) to get it displayed on the notice board of the local authority. However, no objection has been received.

The sub-committee has, therefore, approved the case.

25. Sh. Raj Kumar, S/O Sh. Chuni Lla, Vill. Dumal, P.O. Panjahra, Teshil Nurpur, Distt. Kangra (H.P.).

The applicant has applied on form - 1 for grant of permit for sinking of bore well for **Irrigation purpose**. As per the report of Sr. Hydrogeologist, G.W.O., I&PH Deptt., Una, there is no Govt. tube well exists with a distance of 300m from the existing bore well of the applicant. The tube well falls in the **Nurpur Valley** and based on **latest Dynamic Ground Water Resource Estimation of Himachal Pradesh (As on March 2013)** the stage of ground water development of the valley which is considered under **Safe Category** as per the report of the above study.

A Public notice of the application prepared in this office on Form-2 has already been sent to Executive Engineer, IPH Division, Nurpur and Secretary, Gram Panchyat, Dumal (Panjahra) to get it displayed on the notice board of the local authority. However, no objection has been received.

The sub-committee has, therefore, approved the case.

26. Sh. Kishore Chand Chaudhary S/O Sh. Gosain Ram Chaudhary, Vill. Bassa Gudiala, P.O. Bhalakh (Gangth), Tehsil Nurpur, Distt. Kangra (HP).


The applicant has applied on form - 1 for grant of permit for sinking of bore well for **Irrigation purpose**. As per the report of Sr. Hydrogeologist, G.W.O., I&PH Deptt., Una, there is no Govt. tube well exists with a distance of 300m from the existing bore well of the applicant. The tube well falls in the **Nurpur Valley** and based on **latest Dynamic Ground Water Resource Estimation of Himachal Pradesh (As on March 2013)** the stage of ground water development of the valley which is considered under **Safe Category** as per the report of the above study.

A Public notice of the application prepared in this office on Form-2 has already been sent to Executive Engineer, IPH Division, Nurpur and Secretary, Gram Panchyat, Bhalakh (Gangth) to get it displayed on the notice board of the local authority. However, no objection has been received.

The sub-committee has, therefore, approved the case.

27. Smt. Machhlo Devi, W/O Late Sh. Pyare Singh, Vill. Sauhri, P.O. Mallahar, Tehsil Jawali, Distt. Kangra (HP).

The applicant has applied on form - 1 for grant of permit for sinking of bore well for **Irrigation purpose**. As per the report of Sr. Hydrogeologist, G.W.O., I&PH Deptt., Una, there is a Manully operated departmental hand pump exists around 79m from the proposed bore well of the applicant. The tube well falls in the **Nurpur Valley** and based on **latest Dynamic Ground Water Resource Estimation of Himachal Pradesh (As on March 2013)** the stage of ground

A handwritten signature in blue ink, consisting of a stylized 'h' followed by a horizontal line, and the letters 'EE' written below it.

water development of the valley which is considered under **Safe Category** as per the report of the above study.

A Public notice of the application prepared in this office on Form-2 has already been sent to Executive Engineer, IPH Division, Nurpur and Secretary, Gram Panchyat, Sauhri (Mallahar) to get it displayed on the notice board of the local authority. However, no objection has been received.

The sub-committee has, therefore, approved the case.

28. Smt. Anjum Saini D/O Sh. Saran Dass, Village Bhatoli, P.O. Trilokpur, Tehsil Jawali, Distt. Kangra (H.P.).

The applicant has applied on form - 1 for grant of permit for sinking of bore well for **Irrigation purpose**. As per the report of Sr. Hydrogeologist, G.W.O., I&PH Deptt., Una, there is no Govt. tube well exists with a distance of 300m from the existing bore well of the applicant. The tube well falls in the **Nurpur Valley** and based on **latest Dynamic Ground Water Resource Estimation of Himachal Pradesh (As on March 2013)** the stage of ground water development of the valley which is considered under **Safe Category** as per the report of the above study.

A Public notice of the application prepared in this office on Form-2 has already been sent to Executive Engineer, IPH Division, Jawali and Secretary, Gram Panchyat, Bhatoli (Trilokpur) to get it displayed on the notice board of the local authority. However, no objection has been received.

The sub-committee has principally approved the case subject to revalidation of demand draft.

29. Sh. Hari Chand Sharma, S/O SH. Tulsi Ram Sharma, Vill. Samakar, P.O. Dhameta, Tehsil Fatehpur, Distt. Kangra (H.P.).


The applicant has applied on form - 1 for grant of permit for sinking of bore well for **Irrigation purpose**. As per the report of Sr. Hydrogeologist, G.W.O., I&PH Deptt., Una, there is no Govt. tube well exists with a distance of 300m from the existing bore well of the applicant. The tube well falls in the **Nurpur Valley** and based on **latest Dynamic Ground Water Resource Estimation of Himachal Pradesh (As on March 2013)** the stage of ground water development of the valley which is considered under **Safe Category** as per the report of the above study.

A Public notice of the application prepared in this office on Form-2 has already been sent to Executive Engineer, IPH Division, Jawali and Secretary, Gram Panchyat, BDhameta to get it displayed on the notice board of the local authority. However, no objection has been received.

The sub-committee has principally approved the case subject to revalidation of demand draft.

30. Sh. Roshan Lal S/O Sh. Chandu Ram, Vill. Shiv Nagar Takarla, P.O. Takarla, Tehsil Amb, Distt. Una (H.P.).

The applicant has applied on form - 1 for grant of permit for sinking of bore well for **Irrigation purpose**. As per the report of Sr. Hydrogeologist, G.W.O., I&PH Deptt., Una, there is no Govt. tube well exists with a distance of 300m from the existing bore well of the applicant. The tube well falls in the **Una Valley** and based on **latest Dynamic Ground Water Resource Estimation of Himachal Pradesh (As on March 2013)** the stage of ground water

Handwritten signature and initials in blue ink, consisting of a stylized 'h' above a horizontal line, with 'SE' written below it.

development of the valley which is considered under **Safe Category** as per the report of the above study.

A Public notice of the application prepared in this office on Form-2 has already been sent to Executive Engineer, IPH Division, No-II Una and Secretary, Gram Panchyat, Takarla (Shvi Nagar) to get it displayed on the notice board of the local authority. However, no objection has been received.

The sub-committee has, therefore, approved the case.

31. Sh. Hari Chand S/O Sh. Dhannu, VPO. Mairi, Tehsil Amb, Distt. Una (H.P.).

The applicant has applied on form - 1 for grant of permit for sinking of bore well for **Irrigation purpose**. As per the report of Sr. Hydrogeologist, G.W.O., I&PH Deptt., Una, there is no Govt. tube well exists with a distance of 300m from the existing bore well of the applicant. The tube well falls in the **Una Valley** and based on **latest Dynamic Ground Water Resource Estimation of Himachal Pradesh (As on March 2013)** the stage of ground water development of the valley which is considered under **Safe Category** as per the report of the above study.

A Public notice of the application prepared in this office on Form-2 has already been sent to Executive Engineer, IPH Division, No-II Una and Secretary, Gram Panchyat, Mairi to get it displayed on the notice board of the local authority. However, no objection has been received.

The sub-committee has, therefore, approved the case.

32. Sh. Bikram Singh, S/O Sh. Jagdev Singh, VPO. Ambota, Tehsil Ghanari, Distt. Una (H.P.).

The applicant has applied on form - 1 for grant of permit for sinking of bore well for **Irrigation purpose**. As per the report of Sr. Hydrogeologist, G.W.O., I&PH Deptt., Una, there is no Govt. tube well exists with a distance of 300m from the existing bore well of the applicant. The tube well falls in the **Una Valley** and based on **latest Dynamic Ground Water Resource Estimation of Himachal Pradesh (As on March 2013)** the stage of ground water development of the valley which is considered under **Safe Category** as per the report of the above study.


A Public notice of the application prepared in this office on Form-2 has already been sent to Executive Engineer, IPH Division, No-II Una and Secretary, Gram Panchyat, Ambota to get it displayed on the notice board of the local authority. However, no objection has been received.

The sub-committee has principally approved the case subject to revalidation of demand draft.

33. Sh. Shaukat Ali, S/O Sh. Fazal Deen, Vill. Adarash Nagar, P.O. & Tehsil Amb, Distt. Una (H.P.).

The applicant has applied on form - 1 for grant of permit for sinking of bore well for **Irrigation purpose**. As per the report of Sr. Hydrogeologist, G.W.O., I&PH Deptt., Una, there is no Govt. tube well exists with a distance of 300m from the existing bore well of the applicant. The tube well falls in the **Una Valley** and based on **latest Dynamic Ground Water Resource Estimation of Himachal Pradesh (As on March 2013)** the stage of ground water development of the valley which is considered under **Safe Category** as per the report of the above study.

A Public notice of the application prepared in this office on Form-2 has already been sent to Executive Engineer, IPH Division, No-II Una and Secretary, Gram Panchyat,


A handwritten signature in blue ink is located at the bottom left of the page. Below the signature, the letters 'SE' are written in blue ink.

Adarash Nagar to get it displayed on the notice board of the local authority. However, no objection has been received.

The sub-committee has, therefore, approved the case.

34. Dr. Sukhdev Sharma, S/O Late Sh. Babu Ram, Amrit Hospital, Vill. & P.O. Dhaliara, Tehsil Dehra, Distt. Kangra (Vill. Chintputni (Ambokal Pritam) Tehsil Amb, Distt. Una (HP).

The applicant has applied on form - 1 for grant of permit for sinking of bore well for **Irrigation purpose**. As per the report of Sr. Hydrogeologist, G.W.O., I&PH Deptt., Una, there is no Govt. tube well exists with a distance of 300m from the existing bore well of the applicant. The tube well falls in the **Una Valley** and based on **latest Dynamic Ground Water Resource Estimation of Himachal Pradesh (As on March 2013)** the stage of ground water development of the valley which is considered under **Safe Category** as per the report of the above study.

A Public notice of the application prepared in this office on Form-2 has already been sent to Executive Engineer, IPH Division, No-II Una and Secretary, Gram Panchyat, Chintputni (Ambokal Pritam) to get it displayed on the notice board of the local authority. However, no objection has been received.

The sub-committee has, therefore, approved the case.

35. Sh. Vipan Kumar S/O Sh. Bakshi Ram, Vill. Seri, P.O. Hamboli, Tehsil Amb, Distt. Una (H.P.).

The applicant has applied on form - 1 for grant of permit for sinking of bore well for **Irrigation purpose**. As per the report of Sr. Hydrogeologist, G.W.O., I&PH Deptt., Una, there is no Govt. tube well exists with a distance of 300m from the existing bore well of the applicant. The tube well falls in the **Una Valley** and based on **latest Dynamic Ground Water Resource Estimation of Himachal Pradesh (As on March 2013)** the stage of ground water development of the valley which is considered under **Safe Category** as per the report of the above study.


A Public notice of the application prepared in this office on Form-2 has already been sent to Executive Engineer, IPH Division, No-II Una and Secretary, Gram Panchyat, Seri (Hamboli) to get it displayed on the notice board of the local authority. However, no objection has been received.

The sub-committee has, therefore, approved the case.

36. Sh. Jai Dev Vashisht S/O Late Sh. Ram Krishan Vashist, Ward No. 2, Vill. & P.O. Ghanari, Tehsil Ghanari, Distt. Una (H.P.).

The applicant has applied on form - 1 for grant of permit for sinking of bore well for **Irrigation purpose**. As per the report of Sr. Hydrogeologist, G.W.O., I&PH Deptt., Una, there is no Govt. tube well exists with a distance of 300m from the existing bore well of the applicant. The tube well falls in the **Una Valley** and based on **latest Dynamic Ground Water Resource Estimation of Himachal Pradesh (As on March 2013)** the stage of ground water development of the valley which is considered under **Safe Category** as per the report of the above study.

A Public notice of the application prepared in this office on Form-2 has already been sent to Executive Engineer, IPH Division, No-II Una and Secretary, Gram Panchyat, Ghanari to get it displayed on the notice board of the local authority. However, no objection has been received.

A handwritten signature in blue ink, followed by a horizontal line and the initials 'SE' written below it.

The sub-committee has, therefore, approved the case.

37. **Smt. Anju Bala W/O Sh. Avtar Singh, D/O Sh. Gulgari Lal, VPO. Badhera, Tehsil Haroli, Distt. Una (HP).**

The applicant has applied on form - 1 for grant of permit for sinking of bore well for **Irrigation purpose**. As per the report of Sr. Hydrogeologist, G.W.O., I&PH Deptt., Una, there is no Govt. tube well exists with a distance of 300m from the existing bore well of the applicant. The tube well falls in the **Una Valley** and based on **latest Dynamic Ground Water Resource Estimation of Himachal Pradesh (As on March 2013)** the stage of ground water development of the valley which is considered under **Safe Category** as per the report of the above study.

A Public notice of the application prepared in this office on Form-2 has already been sent to Executive Engineer, IPH Division, No-I Una and Secretary, Gram Panchyat, Badhera to get it displayed on the notice board of the local authority. However, no objection has been received.

The sub-committee has, therefore, approved the case.

38. **Sh. Gulzari Lal, S/O Sh. Dhian Singh, VPO. Badhera, Tehsil Haroli, Distt. Una (H.P.).**

The applicant has applied on form - 1 for grant of permit for sinking of bore well for **Irrigation purpose**. As per the report of Sr. Hydrogeologist, G.W.O., I&PH Deptt., Una, there is no Govt. tube well exists with a distance of 300m from the existing bore well of the applicant. The tube well falls in the **Una Valley** and based on **latest Dynamic Ground Water Resource Estimation of Himachal Pradesh (As on March 2013)** the stage of ground water development of the valley which is considered under **Safe Category** as per the report of the above study.

A Public notice of the application prepared in this office on Form-2 has already been sent to Executive Engineer, IPH Division, No-I Una and Secretary, Gram Panchyat, Badhera to get it displayed on the notice board of the local authority. However, no objection has been received.


The sub-committee has principally approved the case subject to revalidation of demand draft.

39. **Sh. Suresh Kumar, S/O Late Sh. Ram Kishan, VPO. Saloh, (Mohalla Padhyan) Tehsil & Distt. Una (H.P.).**

The applicant has applied on form - 1 for grant of permit for sinking of bore well for **Irrigation purpose**. As per the report of Sr. Hydrogeologist, G.W.O., I&PH Deptt., Una, there is no Govt. tube well exists with a distance of 300m from the existing bore well of the applicant. The tube well falls in the **Una Valley** and based on **latest Dynamic Ground Water Resource Estimation of Himachal Pradesh (As on March 2013)** the stage of ground water development of the valley which is considered under **Safe Category** as per the report of the above study.

A Public notice of the application prepared in this office on Form-2 has already been sent to Executive Engineer, IPH Division, No-I Una and Secretary, Gram Panchyat, Saloh to get it displayed on the notice board of the local authority. However, no objection has been received.

The sub-committee has principally approved the case subject to revalidation of demand draft.

A handwritten signature in blue ink, followed by a horizontal line and the initials 'SE' written below it.

40. **Sh. Naresh Kumar S/O Sh. Mansha Ram, Vill. Badoli, Tehsil & Distt. Una (H.P.).**

The applicant has applied on form - 1 for grant of permit for sinking of bore well for **Irrigation purpose**. As per the report of Sr. Hydrogeologist, G.W.O., I&PH Deptt., Una, there is no Govt. tube well exists with a distance of 300m from the existing bore well of the applicant. The tube well falls in the **Una Valley** and based on **latest Dynamic Ground Water Resource Estimation of Himachal Pradesh (As on March 2013)** the stage of ground water development of the valley which is considered under **Safe Category** as per the report of the above study.

A Public notice of the application prepared in this office on Form-2 has already been sent to Executive Engineer, IPH Division, No-I Una and Secretary, Gram Panchyat, Badoli to get it displayed on the notice board of the local authority. However, no objection has been received.

The sub-committee has principally approved the case subject to revalidation of demand draft.

41. **Sh. Sarwan Singh S/O Sh. Sadhu Ram Vill. & P.O. Basoli, Tehsil & Distt. Una (HP). (Tube well at Village Behdala).**

The applicant has applied on form - 1 for grant of permit for sinking of bore well for **Irrigation purpose**. As per the report of Sr. Hydrogeologist, G.W.O., I&PH Deptt., Una, there is no Govt. tube well exists with a distance of 300m from the existing bore well of the applicant. The tube well falls in the **Una Valley** and based on **latest Dynamic Ground Water Resource Estimation of Himachal Pradesh (As on March 2013)** the stage of ground water development of the valley which is considered under **Safe Category** as per the report of the above study.

A Public notice of the application prepared in this office on Form-2 has already been sent to Executive Engineer, IPH Division, No-I Una and Secretary, Gram Panchyat, Bedhara to get it displayed on the notice board of the local authority. However, no objection has been received.

The sub-committee has principally approved the case subject to revalidation of demand draft.

42. **Sh. Sushinder Kumar Sharma, S/O Sh. Rajinder Nath Sharma, VPO. Gagret, Tehsil Ghanari, Distt. Una (H.P.).**

The applicant has applied on form - 1 for grant of permit for sinking of bore well for **Irrigation purpose**. As per the report of Sr. Hydrogeologist, G.W.O., I&PH Deptt., Una, there is no Govt. tube well exists with a distance of 300m from the existing bore well of the applicant. The tube well falls in the **Una Valley** and based on **latest Dynamic Ground Water Resource Estimation of Himachal Pradesh (As on March 2013)** the stage of ground water development of the valley which is considered under **Safe Category** as per the report of the above study.

A Public notice of the application prepared in this office on Form-2 has already been sent to Executive Engineer, IPH Division, No-I Una and Secretary, Gram Panchyat, Saloh to get it displayed on the notice board of the local authority. However, no objection has been received.

The sub-committee has, therefore, approved the case.


EE

43. **Sh. Vinod Kumar Sharma, S/O Sh. Rajinder Nath Sharma, VPO. Gagret, Tehsil Ghanari, Distt. Una (H.P.).**

The applicant has applied on form - 1 for grant of permit for sinking of bore well for **Irrigation purpose**. As per the report of Sr. Hydrogeologist, G.W.O., I&PH Deptt., Una, there is no Govt. tube well exists with a distance of 300m from the existing bore well of the applicant. The tube well falls in the **Una Valley** and based on **latest Dynamic Ground Water Resource Estimation of Himachal Pradesh (As on March 2013)** the stage of ground water development of the valley which is considered under **Safe Category** as per the report of the above study.

A Public notice of the application prepared in this office on Form-2 has already been sent to Executive Engineer, IPH Division, No-I Una and Secretary, Gram Panchyat, Gagrat to get it displayed on the notice board of the local authority. However, no objection has been received.

The sub-committee has, therefore, approved the case.

44. **Sh. Balkrishan S/O Sh. Mara Ram, Vill. Puruwala, Tehsil Paonta Sahib Distt. Sirmour (H.P.).**

The applicant has applied on form - 1 for grant of permit for sinking of shallow well for **Irrigation purpose**. As per the report of Sr. Hydrogeologist, G.W.O., I&PH Deptt., Una, there is no Govt. tube well exists with a distance of 200m from the existing bore well of the applicant. The tube well falls in the **Paonta Valley** and based on **latest Dynamic Ground Water Resource Estimation of Himachal Pradesh (As on March 2013)** the stage of ground water development of the valley which is considered under **Safe Category** as per the report of the above study.

A Public notice of the application prepared in this office on Form-2 has already been sent to Executive Engineer, IPH Division, Paonta Sahib and Secretary, Gram Panchyat, Puruwala to get it displayed on the notice board of the local authority. However, no objection has been received.

The sub-committee has principally approved the case subject to revalidation of demand draft.

45. **Sh. Amar Chand, S/O Sh. Kanshi Ram, Vill. Raipur Jakholi, P.O. Lodimajra, Teshil Baddi, Distt. Solan (HP).**

The applicant has applied on form - 1 for grant of permit for sinking of shallow well for **Irrigation purpose**. As per the report of Sr. Hydrogeologist, G.W.O., I&PH Deptt., Una, there are two private bore wells in the vicinity, one is Sh. Bir Singh S/O Sh. Balwant Singh Vill. Raipur Jakholi and another private bore well of Sh. Ram Krishan S/O Sh. Ram Rakha, VIII. Raipur Jakholi and both exist at around 219m & 151m respectively from the proposed bore well of the applicant. The tube well falls in the **Nalagarh Valley** and based on **latest Dynamic Ground Water Resource Estimation of Himachal Pradesh (As on March 2013)** the stage of ground water development of the valley which is considered under **Safe Category** as per the report of the above study.

A Public notice of the application prepared in this office on Form-2 has already been sent to Executive Engineer, IPH Division, Nalagarh and Secretary, Gram Panchyat, Lodimajra to get it displayed on the notice board of the local authority. However, no objection has been received.



The sub-committee considered and rejected the case as per section 7 (5) (f) of HP Ground Water Act, 2005 and decided that the Executive Engineer, IPH Division Nalagarh will direct the applicant to apply afresh after change in the site.

46. Sh. Mangu, S/O Sh. Shadi, Village Rautanwalla, P.O. Lodimajra, Tehsil Baddi, Distt. Solan (HP).

The applicant has applied on form - 1 for grant of permit for sinking of shallow well for **Irrigation purpose**. As per the report of Sr. Hydrogeologist, G.W.O., I&PH Deptt., Una, there is no departmental tube well exists within a distance of 300m from the existing bore well of the applicant. However, the applicant has applied for sinking of bore well but the bore well has already been drilled on Nov., 2016 without prior permission of the Authority. The tube well falls in the **Nalagarh Valley** and based on **latest Dynamic Ground Water Resource Estimation of Himachal Pradesh (As on March 2013)** the stage of ground water development of the valley which is considered under **Safe Category** as per the report of the above study.

A Public notice of the application prepared in this office on Form-2 has already been sent to Executive Engineer, IPH Division, Nalagarh and Secretary, Gram Panchyat, Lodimajra to get it displayed on the notice board of the local authority. However, no objection has been received.

The sub-committee has principally approved the case after imposing the compensation amount to Rs. 5000/- only (five Thousand only) under section 22 and revalidation of demand draft.


47. Smt. Leela Devi, W/O Sh. Om Parkash, Village Beli Khol, P.O. Manpura, Tehsil Baddi, Distt. Solan (H.P.).

The applicant has applied on form - 1 for grant of permit for sinking of bore well for **Irrigation purpose**. As per the report of Sr. Hydrogeologist, G.W.O., I&PH Deptt., Una, there is a private bore well of Sh. Mohan Singh, S/O Sh. Munshi Ram, VIII. Beli Khol, P.O. Manpura exists around 131m from the existing bore well of the applicant. However, the applicant has applied for sinking of bore well but the bore well has already been on Nov., 2016 without prior permission of the Authority. The tube well falls in the **Nalagarh Valley** and based on **latest Dynamic Ground Water Resource Estimation of Himachal Pradesh (As on March 2013)** the stage of ground water development of the valley which is considered under **Safe Category** as per the report of the above study.

A Public notice of the application prepared in this office on Form-2 has already been sent to Executive Engineer, IPH Division, Nalagarh and Secretary, Gram Panchyat, Manpura to get it displayed on the notice board of the local authority. However, no objection has been received.

The sub-committee considered and rejected the case as per section 7 (5) (f) of Ground Water Act, 2005 and Rules, 2007. The committee also decided that the Executive Engineer IPH Division Nalagarh will take the action under Section 13 of the Act, 2005 as per the powers delegated by the Govt. vide Notification No.IPH-(B)(f)5-8/2008 dated Shimla-2 the 13th December, 2011.

48. M/S Tapan Industries, Vill. Shamlaiach Barog Bye-pass, Tehsil & Distt. Solan (Kishanpur Tehsil Baddi Distt. Solan HP).

Handwritten signature and initials in blue ink, consisting of a stylized 'h' and 'E'.

The applicant has applied on form – 4A for certificate of registration of existing bore well for **Industrial purpose**. As per the report of Sr. Hydrogeologist, G.W.O., I&PH Deptt., Una, there is newly drilled departmental tube well Kishanpura exists around 74m from the existing bore well of the applicant. The tube well falls in the **Nalagarh Valley** and based on **latest Dynamic Ground Water Resource Estimation of Himachal Pradesh (As on March 2013)** the stage of ground water development of the valley which is considered under **Safe Category** as per the report of the above study.

A Public notice of the application prepared in this office on Form-2 has already been sent to Executive Engineer, IPH Division, Nalagarh and Secretary, Gram Panchyat, Kishanpura to get it displayed on the notice board of the local authority. However, no objection has been received.


The sub-committee considered and rejected the case as per section 7 (5) (f) of Ground Water Act, 2005 and Rules, 2007. The committee also decided that the Executive Engineer IPH Division Nalagarh will take the action under Section 13 of the Act, 2005 as per the powers delegated by the Govt. vide Notification No.IPH-(B)(f)5-8/2008 dated Shimla-2 the 13th December, 2011.

49. Sh. Rajinder Kumar S/O Late Sh. Karam Chand, Vill. Charuri, P.O. Sukhar Teshil Nurpur Distt. Kangra (H.P.).

The applicant has applied on form - 1 for grant of permit for sinking of shallow well for **Irrigation purpose**. As per the report of Sr. Hydrogeologist, G.W.O., I&PH Deptt., Una, there is no Govt. tube well exists with a distance of 300m from the existing bore well of the applicant. The tube well falls in the **Nurpur Valley** and based on **latest Dynamic Ground Water Resource Estimation of Himachal Pradesh (As on March 2013)** the stage of ground water development of the valley which is considered under **Safe Category** as per the report of the above study.

A Public notice of the application prepared in this office on Form-2 has already been sent to Executive Engineer, IPH Division, Jawali and Secretary, Gram Panchyat, Sukhar to get it displayed on the notice board of the local authority. However, no objection has been received.

The sub-committee has principally approved the case subject to revalidation of demand draft.

Handwritten signature and initials in blue ink, consisting of a stylized 'h' above a horizontal line, with 'SE' written below it.