

**Minutes of 42<sup>nd</sup> meeting of Sub-Committee, Himachal Pradesh Ground Water Authority, to process the applications received for grant of permit for sinking of borewell under section 7 & Certificate of Registration of existing users of ground water under Section 8 of Himachal Pradesh Ground Water Act, 2005, held under the Chairmanship of Member Secretary, HPGWA-cum-Superintending Engineer, P&I-II on 01.06.2022**

The meeting was convened under the Chairmanship of Er. Hemant Tanwar, Member Secretary HPGWA-cum-Superintending Engineer, P&I-II, Jal Shakti Vibhag, Jal Shakti Bhawan, Shimla-5. The following members were present:-

1. Sh. Sanjay Pandey, Scientist 'B'  
Office of RD, CGWB, NHR,  
Dharamshala, Distt. Kangra (HP) Member
  
2. Sh. Bhavnesh Sharma Member  
Senior Hydrogeologist,  
Ground Water Organisation, JSV,  
Una Distt. Una (HP).

At the outset, Chairman welcomed the members of the committee.

The Chairman apprised the committee that -

Total 89 applications (Online-85, Offline-04,) had been received for the grant of permit for sinking of borewell as detailed below:

Sr. No.	Purpose/Use	No. of applications
1	Domestic	14
2	Irrigation	68
3	Commercial	04
4	Industrial	03
	<b>Total</b>	<b>89</b>

total 07 applications (Online-04, Offline-3)) had been received for the certificate of registration of borewell as detailed below:

Sr. No.	Purpose/Use	No. of applications
1	Domestic	01
2	Irrigation	01
3	Commercial	01
4	Industrial	04
	<b>Total</b>	<b>07</b>

and 1 application has been received for change of name on certificate of registration.

During scrutiny, in respect of 1 application (Commercial purpose) for certificate of registration wherein the Ground Water Extraction Structure had been installed after the Notification of Notified Areas under Section 5 of the Himachal Pradesh Ground Water Act, 2005 it was decided by the Sub-committee in its 36<sup>th</sup> meeting held on 02.08.2021 that such cases may be approved subject to the action/compounding for ground water extraction structure for Irrigation purpose & Industrial/Commercial purpose under section 22 of Himachal Pradesh Ground Water Act and a compensation of Rs.5000/- as per Rule 32 of Himachal Pradesh Ground Water Rules, 2007 should be levied However, the ground water extraction structures for domestic purpose cannot be imposed any penalty in view of Section 2 (o) of the Himachal Pradesh Ground Water Act, 2005, which states as under:

“User of ground water” means a person or an institution including a company or an industry or an establishment, whether Govt. or not, who or which uses ground Water for any purpose excluding domestic use.

In sub-committee meeting, it has been decided that the firms drawing 100 KL/day or above in over-exploited, critical & semi-critical areas and in safe areas the industries and infrastructure projects drawing ground water >500 m<sup>3</sup>/day in hard rock type aquifer and >2000 m<sup>3</sup>/day in soft rock/alluvium type aquifer shall have to mandatorily submit Impact Assessment Report prepared by accredited consultants in consultation with Sr. Hydrogeologist, GWO, JSV, Una.

Thereafter, the agenda items were taken up for discussion as under:-

### **Online applications for Permit for sinking of borewell**

**1. Sh. RAM LAL S/O GUSAUN RAM, V.P.O SARYANJ TEH ARKI DISTT SOLAN HP (IUID: 18862428) (Submission ID- 35092)**

The applicant has applied on **Form-1** for grant of permit for sinking of borewell for **Irrigation Purpose**. As per the report of Sr. Hydrogeologist, G.W.O., JSV, Una, **There is no existing Departmental Energized Borewell within 300 mtrs. of the proposed Borewell site of the applicant. The proposed site of the applicant lies amidst sedimentary rocks, primarily Shales and Sandstone.**

A public notice of the application on Form-2/Form-5 has already been sent to the offices of concerned Executive Engineer & Gram Panchayat to get it displayed on the notice board of the local authority, so that interested persons, if any, may file their objection/suggestions. No objection has been received.

Hence, the sub-committee approved the case subject to the following conditions:

- i) The applicant shall construct a rainwater harvesting structure for the conservation and re-charge of ground water in his/her/their premise as per section-15 of the Himachal Pradesh Ground Water (Regulation & Control of Development and Management) Act, 2005 and Guidelines to regulate and Control ground water extraction in the State of Himachal Pradesh vide Notification No. IPH-B (A) 3-1/2019-II dated 03.05.2021, within six months of issuance of the Certificate of Permit and intimation will be given to Executive Engineer, JSV Division Arki on its completion.
- ii) The applicant shall install a water meter/bulk meter on the ground water extraction pipe so as to check the water drawl at any time and will maintain its log book.
- iii) The applicant shall have to pay royalty based on the quantum of ground water extraction through Executive Engineer, JSV Division Arki for the use of ground water to the Member Secretary, Himachal Pradesh Ground Water Authority as per the Himachal Pradesh ground Water (Regulation and Control of development and Management) Rules, 2007 or the rules which may, subsequently, be made applicable by the State of HP.
- iv) In case of Industrial connection, the firm shall not use waste water of the Industry for recharging of ground Water.
- v) That the permission/sanction can be withdrawn or the quantity of water to be extracted can be restricted in case the ground water in the area is adversely affected in terms of quantity and/or quality.
- vi) Actual water requirement be computed taking into account recycling/reuse of treated water for flushing etc.

- vii) Certificate regarding non/partial availability of water supply from the public water supply agency.
- viii) The firm/applicant shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
- ix) The firm/applicant drawing water more than 10m<sup>3</sup> /day of ground water shall construct piezometer, equipped with DWLR of latest version within six months shall consultation with the Sr. Hydrogeologist, GWO, JSV, Una (HP) and monthly water level data shall be submitted to the Ground Water Organization and Himachal Pradesh Ground Water Authority.
- x) All stakeholders abstracting ground water in excess of 100 m<sup>3</sup>/d shall be required to undertake annual water audit through Confederation of India Industries (CII)/Federation Indian Chamber of Commerce and Industry (FICCI)/National Productivity Council (NPC) certified auditors and submit audit reports within three months of completion of the same to Himachal Pradesh Ground Water Authority. All such stakeholders shall be required to reduce their ground water use by at least 20% over the next three years through appropriate means
- xi) The holder of the Permit shall be duly bound to maintain the aforementioned source in an efficient, coordinated and economical manner and to use the water only for the purpose for which certificate of registration has been given.
- xii) Supporting document in respect of farm size and crop type.

Therefore, as per the unanimous decision taken by the Sub-Committee, the concerned Executive Engineer is directed to convey the decision of Sub-Committee to the firm/applicant.

**2. Sh. Ravinder Kumar S/O Ram Singh, Village- Behali P.O/Sub- Tehsil- Kunihar Distt-Solan (HP) 173207 (IUID: 62397066) (Submission ID- 37664)**

The applicant has applied on **Form – 1** for grant of permit for sinking of borewell for **Irrigation Purpose**. As per the report of Sr. Hydrogeologist, G.W.O., JSV, Una, **There is no existing departmental energised borewell within 300mts. of the proposed borewell site of the applicant. The proposed site of the applicant lies amidst valley fill deposits, comprising of Sand, Silt, Clay and Gravels.**

A public notice of the application on Form-2/Form-5 has already been sent to the offices of concerned Executive Engineer & Gram Panchayat to get it displayed on the notice board of the local authority, so that interested persons, if any, may file their objection/suggestions. No objection has been received.

Hence, the sub-committee approved the case subject to the following conditions:

- i) The applicant shall construct a rainwater harvesting structure for the conservation and re-charge of ground water in his/her/their premise as per section-15 of the Himachal Pradesh Ground Water (Regulation & Control of Development and Management) Act, 2005 and Guidelines to regulate and Control ground water extraction in the State of Himachal Pradesh vide Notification No. IPH-B (A) 3-1/2019-II dated 03.05.2021, within six months of issuance of the Certificate of Permit and intimation will be given to Executive Engineer, JSV Division Arki on its completion.
- ii) The applicant shall install a water meter/bulk meter on the ground water extraction pipe so as to check the water drawl at any time and will maintain its log book.
- iii) The applicant shall have to pay royalty based on the quantum of ground water extraction through Executive Engineer, JSV Division Arki for the use of ground water to the Member Secretary, Himachal Pradesh Ground Water Authority as per the Himachal Pradesh ground Water

- (Regulation and Control of development and Management) Rules, 2007 or the rules which may, subsequently, be made applicable by the State of HP.
- iv) In case of Industrial connection, the firm shall not use waste water of the Industry for recharging of ground Water.
  - v) That the permission/sanction can be withdrawn or the quantity of water to be extracted can be restricted in case the ground water in the area is adversely affected in terms of quantity and/or quality.
  - vi) Actual water requirement be computed taking into account recycling/reuse of treated water for flushing etc.
  - vii) Certificate regarding non/partial availability of water supply from the public water supply agency.
  - viii) The firm/applicant shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
  - ix) The firm/applicant drawing water more than 10m<sup>3</sup> /day of ground water shall construct piezometer, equipped with DWLR of latest version within six months shall consultation with the Sr. Hydrogeologist, GWO, JSV, Una (HP) and monthly water level data shall be submitted to the Ground Water Organization and Himachal Pradesh Ground Water Authority.
  - x) All stakeholders abstracting ground water in excess of 100 m<sup>3</sup>/d shall be required to undertake annual water audit through Confederation of India Industries (CII)/Federation Indian Chamber of Commerce and Industry (FICCI)/National Productivity Council (NPC) certified auditors and submit audit reports within three months of completion of the same to Himachal Pradesh Ground Water Authority. All such stakeholders shall be required to reduce their ground water use by at least 20% over the next three years through appropriate means
  - xi) The holder of the Permit shall be duly bound to maintain the aforementioned source in an efficient, coordinated and economical manner and to use the water only for the purpose for which certificate of registration has been given.
  - xii) Supporting document in respect of farm size and crop type.

Therefore, as per the unanimous decision taken by the Sub-Committee, the concerned Executive Engineer is directed to convey the decision of Sub-Committee to the firm/applicant.

**3. Sh. RAJENDER KUMAR S/O Sant Ram, VPO SARYANJ, TEH. ARKI, DISTT. SOLAN,HP-173235 (IUID: 44971614) (Submission ID- 32495)**

The applicant has applied on **Form – 1** for grant of permit for sinking of borewell for **Domestic Purpose**. As per the report of Sr. Hydrogeologist, G.W.O., JSV, Una, **No departmental energized borewell exists within a distance of 300m from the existing borewell of the applicant. There is no existing Departmental Energized Borewell within 300 mtrs. of the proposed Borewell site of the applicant. The proposed site of the applicant lies amidst sedimentary rocks, primarily Shales and Sandstone.**

A public notice of the application on Form-2/Form-5 has already been sent to the offices of concerned Executive Engineer & Gram Panchayat to get it displayed on the notice board of the local authority, so that interested persons, if any, may file their objection/suggestions. No objection has been received.

Hence, the sub-committee approved the case subject to the following conditions:

- i) The applicant shall construct a rainwater harvesting structure for the conservation and re-charge of ground water in his/her/their premise as per section-15 of the Himachal Pradesh Ground Water (Regulation & Control of Development and Management) Act, 2005 and Guidelines to

- regulate and Control ground water extraction in the State of Himachal Pradesh vide Notification No. IPH-B (A) 3-1/2019-II dated 03.05.2021, within six months of issuance of the Certificate of Permit and intimation will be given to Executive Engineer, JSV Division Arki on its completion.
- ii) The applicant shall install a water meter/bulk meter on the ground water extraction pipe so as to check the water drawl at any time and will maintain its log book.
  - iii) The applicant shall have to pay royalty based on the quantum of ground water extraction through Executive Engineer, JSV Division Arki for the use of ground water to the Member Secretary, Himachal Pradesh Ground Water Authority as per the Himachal Pradesh ground Water (Regulation and Control of development and Management) Rules, 2007 or the rules which may, subsequently, be made applicable by the State of HP.
  - iv) In case of Industrial connection, the firm shall not use waste water of the Industry for recharging of ground Water.
  - v) That the permission/sanction can be withdrawn or the quantity of water to be extracted can be restricted in case the ground water in the area is adversely affected in terms of quantity and/or quality.
  - vi) Actual water requirement be computed taking into account recycling/reuse of treated water for flushing etc.
  - vii) Certificate regarding non/partial availability of water supply from the public water supply agency.
  - viii) The firm/applicant shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
  - ix) The firm/applicant drawing water more than 10m<sup>3</sup> /day of ground water shall construct piezometer, equipped with DWLR of latest version within six months shall consultation with the Sr. Hydrogeologist, GWO, JSV, Una (HP) and monthly water level data shall be submitted to the Ground Water Organization and Himachal Pradesh Ground Water Authority.
  - x) All stakeholders abstracting ground water in excess of 100 m<sup>3</sup>/d shall be required to undertake annual water audit through Confederation of India Industries (CII)/Federation Indian Chamber of Commerce and Industry (FICCI)/National Productivity Council (NPC) certified auditors and submit audit reports within three months of completion of the same to Himachal Pradesh Ground Water Authority. All such stakeholders shall be required to reduce their ground water use by at least 20% over the next three years through appropriate means
  - xi) The holder of the Permit shall be duly bound to maintain the aforementioned source in an efficient, coordinated and economical manner and to use the water only for the purpose for which certificate of registration has been given.

Therefore, as per the unanimous decision taken by the Sub-Committee, the concerned Executive Engineer is directed to convey the decision of Sub-Committee to the firm/applicant.

**4. Sh. Kushal Singh S/O Chattar singh, V. P. O - Trilokpur, Tehsil - Jawali, Distt. – Kangra, Himachal Pradesh 176225 (UID: 88555021) (Submission ID-30537)**

The applicant has applied on **Form – 1** for grant of permit for sinking of borewell for **Domestic Purpose**. As per the report of Sr. Hydrogeologist, G.W.O., JSV, Una, **No departmental energized borewell exists within a distance of around 200m from the proposed borewell site of the applicant. Lithologically the site falls in valley fill deposits of comprising of clays , gravels, pebbles, boulders & sand.**

A public notice of the application on Form-2/Form-5 has already been sent to the offices of concerned Executive Engineer & Gram Panchayat to get it displayed on the notice board of the local authority, so that interested persons, if any, may file their objection/suggestions. No objection has been received.

Hence, the sub-committee approved the case subject to the following conditions:

- i) The applicant shall construct a rainwater harvesting structure for the conservation and re-charge of ground water in his/her/their premise as per section-15 of the Himachal Pradesh Ground Water (Regulation & Control of Development and Management) Act, 2005 and Guidelines to regulate and Control ground water extraction in the State of Himachal Pradesh vide Notification No. IPH-B (A) 3-1/2019-II dated 03.05.2021, within six months of issuance of the Certificate of Permit and intimation will be given to Executive Engineer, JSV Division Nurpur on its completion.
- ii) The applicant shall install a water meter/bulk meter on the ground water extraction pipe so as to check the water drawl at any time and will maintain its log book.
- iii) The applicant shall have to pay royalty based on the quantum of ground water extraction through Executive Engineer, JSV Division Nurpur for the use of ground water to the Member Secretary, Himachal Pradesh Ground Water Authority as per the Himachal Pradesh ground Water (Regulation and Control of development and Management) Rules, 2007 or the rules which may, subsequently, be made applicable by the State of HP.
- iv) In case of Industrial connection, the firm shall not use waste water of the Industry for recharging of ground Water.
- v) That the permission/sanction can be withdrawn or the quantity of water to be extracted can be restricted in case the ground water in the area is adversely affected in terms of quantity and/or quality.
- vi) Actual water requirement be computed taking into account recycling/reuse of treated water for flushing etc.
- vii) Certificate regarding non/partial availability of water supply from the public water supply agency.
- viii) The firm/applicant shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
- ix) The firm/applicant drawing water more than 10m<sup>3</sup> /day of ground water shall construct piezometer, equipped with DWLR of latest version within six months shall consultation with the Sr. Hydrogeologist, GWO, JSV, Una (HP) and monthly water level date shall be submitted to the Ground Water Organization and Himachal Pradesh Ground Water Authority.
- x) All stakeholders abstracting ground water in excess of 100 m<sup>3</sup>/d shall be required to undertake annual water audit through Confederation of India Industries (CII)/Federation Indian Chamber of Commerce and Industry (FICCI)/National Productivity Council (NPC) certified auditors and submit audit reports within three months of completion of the same to Himachal Pradesh Ground Water Authority. All such stakeholders shall be required to reduce their ground water use by at least 20% over the next three years through appropriate means
- xi) The holder of the Permit shall be duly bound to maintain the aforementioned source in an efficient, coordinated and economical manner and to use the water only for the purpose for which certificate of registration has been given.

Therefore, as per the unanimous decision taken by the Sub-Committee, the concerned Executive Engineer is directed to convey the decision of Sub-Committee to the firm/applicant.

**5. Sh. Balak Ram S/O Late Sh. Narotam Ram, Village Samlech (433) Jobri Tehsil Arki Distt. Solan (HP) (IUID: 25289696) (Submission ID- 34025)**

The applicant has applied on **Form – 1** for grant of permit for sinking of borewell for **Irrigation Purpose**. As per the report of Sr. Hydrogeologist, G.W.O., JSV, Una, **There is no existing departmental**

**energised borewell within 300mts. of the proposed borewell site of the applicant. The proposed site of the applicant lies amidst Sedimentary rocks primarily Limestones/dolomites.**

A public notice of the application on Form-2/Form-5 has already been sent to the offices of concerned Executive Engineer & Gram Panchayat to get it displayed on the notice board of the local authority, so that interested persons, if any, may file their objection/suggestions. No objection has been received.

Hence, the sub-committee approved the case subject to the following conditions:

- i) The applicant shall construct a rainwater harvesting structure for the conservation and re-charge of ground water in his/her/their premise as per section-15 of the Himachal Pradesh Ground Water (Regulation & Control of Development and Management) Act, 2005 and Guidelines to regulate and Control ground water extraction in the State of Himachal Pradesh vide Notification No. IPH-B (A) 3-1/2019-II dated 03.05.2021, within six months of issuance of the Certificate of Permit and intimation will be given to Executive Engineer, JSV Division Arki on its completion.
- ii) The applicant shall install a water meter/bulk meter on the ground water extraction pipe so as to check the water drawl at any time and will maintain its log book.
- iii) The applicant shall have to pay royalty based on the quantum of ground water extraction through Executive Engineer, JSV Division Arki for the use of ground water to the Member Secretary, Himachal Pradesh Ground Water Authority as per the Himachal Pradesh ground Water (Regulation and Control of development and Management) Rules, 2007 or the rules which may, subsequently, be made applicable by the State of HP.
- iv) In case of Industrial connection, the firm shall not use waste water of the Industry for recharging of ground Water.
- v) That the permission/sanction can be withdrawn or the quantity of water to be extracted can be restricted in case the ground water in the area is adversely affected in terms of quantity and/or quality.
- vi) Actual water requirement be computed taking into account recycling/reuse of treated water for flushing etc.
- vii) Certificate regarding non/partial availability of water supply from the public water supply agency.
- viii) The firm/applicant shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
- ix) The firm/applicant drawing water more than 10m<sup>3</sup> /day of ground water shall construct piezometer, equipped with DWLR of latest version within six months shall consultation with the Sr. Hydrogeologist, GWO, JSV, Una (HP) and monthly water level date shall be submitted to the Ground Water Organization and Himachal Pradesh Ground Water Authority.
- x) All stakeholders abstracting ground water in excess of 100 m<sup>3</sup>/d shall be required to undertake annual water audit through Confederation of India Industries (CII)/Federation Indian Chamber of Commerce and Industry (FICCI)/National Productivity Council (NPC) certified auditors and submit audit reports within three months of completion of the same to Himachal Pradesh Ground Water Authority. All such stakeholders shall be required to reduce their ground water use by at least 20% over the next three years through appropriate means
- xi) The holder of the Permit shall be duly bound to maintain the aforementioned source in an efficient, coordinated and economical manner and to use the water only for the purpose for which certificate of registration has been given.

Therefore, as per the unanimous decision taken by the Sub-Committee, the concerned Executive Engineer is directed to convey the decision of Sub-Committee to the firm/applicant.

6. **Sh. DAYA CHAND S/O DILA RAM, VILL SURAJPUR PO PIPLUGHAT TEH ARKI DISTT SOLAN HP (IUID: 58070848) (Submission ID- 37153)**

The applicant has applied on **Form – 1** for grant of permit for sinking of borewell for **Irrigation Purpose**. As per the report of Sr. Hydrogeologist, G.W.O., JSV, Una, **There is no existing departmental energised borewell within 300 mtrs. of the proposed borewell site of the applicant. The proposed borewell of the applicant lies in low dissected structural hills comprising of Sedimentary rocks primarily Sandstone and Shales of Dharamshala formation.**

A public notice of the application on Form-2/Form5 has already been sent to the offices of concerned Executive Engineer & Gram Panchayat to get it displayed on the notice board of the local authority, so that interested persons, if any, may file their objection/suggestions. No objection has been received.

Hence, the sub-committee approved the case subject to the following conditions:

- i) The applicant shall construct a rainwater harvesting structure for the conservation and re-charge of ground water in his/her/their premise as per section-15 of the Himachal Pradesh Ground Water (Regulation & Control of Development and Management) Act, 2005 and Guidelines to regulate and Control ground water extraction in the State of Himachal Pradesh vide Notification No. IPH-B (A) 3-1/2019-II dated 03.05.2021, within six months of issuance of the Certificate of Permit and intimation will be given to Executive Engineer, JSV Division Arki on its completion.
- ii) The applicant shall install a water meter/bulk meter on the ground water extraction pipe so as to check the water drawl at any time and will maintain its log book.
- iii) The applicant shall have to pay royalty based on the quantum of ground water extraction through Executive Engineer, JSV Division Arki for the use of ground water to the Member Secretary, Himachal Pradesh Ground Water Authority as per the Himachal Pradesh ground Water (Regulation and Control of development and Management) Rules, 2007 or the rules which may, subsequently, be made applicable by the State of HP.
- iv) In case of Industrial connection, the firm shall not use waste water of the Industry for recharging of ground Water.
- v) That the permission/sanction can be withdrawn or the quantity of water to be extracted can be restricted in case the ground water in the area is adversely affected in terms of quantity and/or quality.
- vi) Actual water requirement be computed taking into account recycling/reuse of treated water for flushing etc.
- vii) Certificate regarding non/partial availability of water supply from the public water supply agency.
- viii) The firm/applicant shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
- ix) The firm/applicant drawing water more than 10m<sup>3</sup> /day of ground water shall construct piezometer, equipped with DWLR of latest version within six months shall consultation with the Sr. Hydrogeologist, GWO, JSV, Una (HP) and monthly water level date shall be submitted to the Ground Water Organization and Himachal Pradesh Ground Water Authority.
- x) All stakeholders abstracting ground water in excess of 100 m<sup>3</sup>/d shall be required to undertake annual water audit through Confederation of India Industries (CII)/Federation Indian Chamber of Commerce and Industry (FICCI)/National Productivity Council (NPC) certified auditors and submit audit reports within three months of completion of the same to Himachal Pradesh Ground Water Authority. All such stakeholders shall

- be required to reduce their ground water use by at least 20% over the next three years through appropriate means
- xi) The holder of the Permit shall be duly bound to maintain the aforementioned source in an efficient, coordinated and economical manner and to use the water only for the purpose for which certificate of registration has been given.
  - xii) Supporting document in respect of farm size and crop type.

Therefore, as per the unanimous decision taken by the Sub-Committee, the concerned Executive Engineer is directed to convey the decision of Sub-Committee to the firm/applicant.

**7. Sh. Mansa Ram S/O SH SUNDAR RAM, Vill Basyana P.O Darlaghat Tehsil Arki Distt. Solan H.P (HP) (UID: 59574380) (Submission ID- 33634)**

The applicant has applied on **Form – 1** for grant of permit for sinking of borewell for **Irrigation Purpose**. As per the report of Sr. Hydrogeologist, G.W.O., JSV, Una, **There is no existing departmental energized borewell with 300mtrs of the proposed borewell side of the applicant. However there is one No. departmental manual handpump with location coordinates N-31°14'6.75" which exist at a distance around 102 mtrs approximately from the proposed borewell site of the applicant. The proposed site of the applicant lies amidst sedimentary rocks primarily sand stone and shales.**

A public notice of the application on Form-2/Form-5 has already been sent to the offices of concerned Executive Engineer & Gram Panchayat to get it displayed on the notice board of the local authority, so that interested persons, if any, may file their objection/suggestions. No objection has been received.

Hence, the sub-committee approved the case subject to the following conditions:

- i) The applicant shall construct a rainwater harvesting structure for the conservation and re-charge of ground water in his/her/their premise as per section-15 of the Himachal Pradesh Ground Water (Regulation & Control of Development and Management) Act, 2005 and Guidelines to regulate and Control ground water extraction in the State of Himachal Pradesh vide Notification No. IPH-B (A) 3-1/2019-II dated 03.05.2021, within six months of issuance of the Certificate of Permit and intimation will be given to Executive Engineer, JSV Division Arki on its completion.
- ii) The applicant shall install a water meter/bulk meter on the ground water extraction pipe so as to check the water drawl at any time and will maintain its log book.
- iii) The applicant shall have to pay royalty based on the quantum of ground water extraction through Executive Engineer, JSV Division Arki for the use of ground water to the Member Secretary, Himachal Pradesh Ground Water Authority as per the Himachal Pradesh ground Water (Regulation and Control of development and Management) Rules, 2007 or the rules which may, subsequently, be made applicable by the State of HP.
- iv) In case of Industrial connection, the firm shall not use waste water of the Industry for recharging of ground Water.
- v) That the permission/sanction can be withdrawn or the quantity of water to be extracted can be restricted in case the ground water in the area is adversely affected in terms of quantity and/or quality.
- vi) Actual water requirement be computed taking into account recycling/reuse of treated water for flushing etc.
- vii) Certificate regarding non/partial availability of water supply from the public water supply agency.
- viii) The firm/applicant shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.

- ix) The firm/applicant drawing water more than 10m<sup>3</sup> /day of ground water shall construct piezometer, equipped with DWLR of latest version within six months shall consultation with the Sr. Hydrogeologist, GWO, JSV, Una (HP) and monthly water level data shall be submitted to the Ground Water Organization and Himachal Pradesh Ground Water Authority.
- x) All stakeholders abstracting ground water in excess of 100 m<sup>3</sup>/d shall be required to undertake annual water audit through Confederation of India Industries (CII)/Federation Indian Chamber of Commerce and Industry (FICCI)/National Productivity Council (NPC) certified auditors and submit audit reports within three months of completion of the same to Himachal Pradesh Ground Water Authority. All such stakeholders shall be required to reduce their ground water use by at least 20% over the next three years through appropriate means
- xi) The holder of the Permit shall be duly bound to maintain the aforementioned source in an efficient, coordinated and economical manner and to use the water only for the purpose for which certificate of registration has been given.
- xii) Supporting document in respect of farm size and crop type.

Therefore, as per the unanimous decision taken by the Sub-Committee, the concerned Executive Engineer is directed to convey the decision of Sub-Committee to the firm/applicant.

**8. Sh. BALWAN SINGH S/O RAGHUBIR SINGH, VILL THATHAR PO SUKHAR TEH FATEHPUR Distt. Kangra (UID: 55605838) (Submission ID- 33940)**

The applicant has applied on **Form – 1** for grant of permit for sinking of borewell for **Irrigation Purpose**. As per the report of Sr. Hydrogeologist, G.W.O., JSV, Una, **No departmental energized borewell exists within a distance of around 200m from the proposed borewell site of the applicant. The site falls in Nurpur Indora valley and as per the GEC 2020 report the area is safe and the stage of development is 29%. Lithologically the site falls in valley fill deposits of comprising of clays, gravels, pebbles, boulders & sand.**

A public notice of the application on Form-2/Form-5 has already been sent to the offices of concerned Executive Engineer & Gram Panchayat to get it displayed on the notice board of the local authority, so that interested persons, if any, may file their objection/suggestions. No objection has been received.

Hence, the sub-committee approved the case subject to the following conditions:

- i) The applicant shall construct a rainwater harvesting structure for the conservation and re-charge of ground water in his/her/their premise as per section-15 of the Himachal Pradesh Ground Water (Regulation & Control of Development and Management) Act, 2005 and Guidelines to regulate and Control ground water extraction in the State of Himachal Pradesh vide Notification No. IPH-B (A) 3-1/2019-II dated 03.05.2021, within six months of issuance of the Certificate of Permit and intimation will be given to Executive Engineer, JSV Division Fatehpur on its completion.
- ii) The applicant shall install a water meter/bulk meter on the ground water extraction pipe so as to check the water drawl at any time and will maintain its log book.
- iii) The applicant shall have to pay royalty based on the quantum of ground water extraction through Executive Engineer, JSV Division Fatehpur for the use of ground water to the Member Secretary, Himachal Pradesh Ground Water Authority as per the Himachal Pradesh ground Water (Regulation and Control of development and Management) Rules, 2007

- or the rules which may, subsequently, be made applicable by the State of HP.
- iv) In case of Industrial connection, the firm shall not use waste water of the Industry for recharging of ground Water.
  - v) That the permission/sanction can be withdrawn or the quantity of water to be extracted can be restricted in case the ground water in the area is adversely affected in terms of quantity and/or quality.
  - vi) Actual water requirement be computed taking into account recycling/reuse of treated water for flushing etc.
  - vii) Certificate regarding non/partial availability of water supply from the public water supply agency.
  - viii) The firm/applicant shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
  - ix) The firm/applicant drawing water more than 10m<sup>3</sup> /day of ground water shall construct piezometer, equipped with DWLR of latest version within six months shall consultation with the Sr. Hydrogeologist, GWO, JSV, Una (HP) and monthly water level data shall be submitted to the Ground Water Organization and Himachal Pradesh Ground Water Authority.
  - x) All stakeholders abstracting ground water in excess of 100 m<sup>3</sup>/d shall be required to undertake annual water audit through Confederation of India Industries (CII)/Federation Indian Chamber of Commerce and Industry (FICCI)/National Productivity Council (NPC) certified auditors and submit audit reports within three months of completion of the same to Himachal Pradesh Ground Water Authority. All such stakeholders shall be required to reduce their ground water use by at least 20% over the next three years through appropriate means
  - xi) The holder of the Permit shall be duly bound to maintain the aforementioned source in an efficient, coordinated and economical manner and to use the water only for the purpose for which certificate of registration has been given.
  - xii) Supporting document in respect of farm size and crop type.

Therefore, as per the unanimous decision taken by the Sub-Committee, the concerned Executive Engineer is directed to convey the decision of Sub-Committee to the firm/applicant.

**9. Sh. PARVEEN SHARMA W/O JANAK RAJ, WARD NO. 8, TEH. NALAGARH, DISTT. SOLAN H.P. PIN CODE 174101 (UID: 45172379) (Submission ID- 33923)**

The applicant has applied on **Form – 1** for grant of permit for sinking of borewell for **Domestic Purpose**. As per the report of Sr. Hydrogeologist, G.W.O., JSV, Una, **There is no existing departmental tube well within 300 mtrs of the proposed borewell site of the applicant. The site falls in Nalagarh valley and as per the GEC 2020 report the area is safe and the stage of development is 58%. Lithologically the site falls in valley fill deposits of comprising of clays, gravels, pebbles, boulders & sand.**

A public notice of the application on Form-2/Form-5 has already been sent to the offices of concerned Executive Engineer & Gram Panchayat to get it displayed on the notice board of the local authority, so that interested persons, if any, may file their objection/suggestions. No objection has been received.

Hence, the sub-committee approved the case subject to the following conditions:

- i) The applicant shall construct a rainwater harvesting structure for the conservation and re-charge of ground water in his/her/their premise as per section-15 of the Himachal Pradesh Ground Water (Regulation & Control of Development and Management) Act, 2005 and Guidelines to regulate and Control ground water extraction in the State of Himachal

Pradesh vide Notification No. IPH-B (A) 3-1/2019-II dated 03.05.2021, within six months of issuance of the Certificate of Permit and intimation will be given to Executive Engineer, JSV Division Nalagarh on its completion.

- ii) The applicant shall install a water meter/bulk meter on the ground water extraction pipe so as to check the water drawl at any time and will maintain its log book.
- iii) The applicant shall have to pay royalty based on the quantum of ground water extraction through Executive Engineer, JSV Division Nalagarh for the use of ground water to the Member Secretary, Himachal Pradesh Ground Water Authority as per the Himachal Pradesh ground Water (Regulation and Control of development and Management) Rules, 2007 or the rules which may, subsequently, be made applicable by the State of HP.
- iv) In case of Industrial connection, the firm shall not use waste water of the Industry for recharging of ground Water.
- v) That the permission/sanction can be withdrawn or the quantity of water to be extracted can be restricted in case the ground water in the area is adversely affected in terms of quantity and/or quality.
- vi) Actual water requirement be computed taking into account recycling/reuse of treated water for flushing etc.
- vii) Certificate regarding non/partial availability of water supply from the public water supply agency.
- viii) The firm/applicant shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
- ix) The firm/applicant drawing water more than 10m<sup>3</sup> /day of ground water shall construct piezometer, equipped with DWLR of latest version within six months shall consultation with the Sr. Hydrogeologist, GWO, JSV, Una (HP) and monthly water level data shall be submitted to the Ground Water Organization and Himachal Pradesh Ground Water Authority.
- x) All stakeholders abstracting ground water in excess of 100 m<sup>3</sup>/d shall be required to undertake annual water audit through Confederation of India Industries (CII)/Federation Indian Chamber of Commerce and Industry (FICCI)/National Productivity Council (NPC) certified auditors and submit audit reports within three months of completion of the same to Himachal Pradesh Ground Water Authority. All such stakeholders shall be required to reduce their ground water use by at least 20% over the next three years through appropriate means
- xi) The holder of the Permit shall be duly bound to maintain the aforementioned source in an efficient, coordinated and economical manner and to use the water only for the purpose for which certificate of registration has been given.

Therefore, as per the unanimous decision taken by the Sub-Committee, the concerned Executive Engineer is directed to convey the decision of Sub-Committee to the firm/applicant.

**10. Sh. BHIM SEN S/O CHANALU RAM THAKUR, (Retd. IAS) VPO SIHUNTA TEH.SIHUNTA DISTT.CHAMBA H.P. 176207 (IUID: 81252810) (Submission ID- 37724)**

The applicant has applied on **Form – 1** for grant of permit for sinking of borewell for **Irrigation Purpose**. As per the report of Sr. Hydrogeologist, G.W.O., JSV, Una, **No departmental energized borewell exists within a distance of 300m from the proposed borewell of the applicant. The site is located in alluvial fan deposits comprising of alluvium deposits of clays , gravels, pebbles, boulders & sand, underlain by boulder conglomerates of Upper Shiwalik formation.**

A public notice of the application on Form-2/Form-5 has already been sent to float in the offices of concerned Executive Engineer & Gram Panchayat to get it displayed on the notice board of the local authority, so that

interested persons, if any, may file their objection/suggestions. No objection has been received.

Hence, the sub-committee approved the case subject to the following conditions:

- i) The applicant shall construct a rainwater harvesting structure for the conservation and re-charge of ground water in his/her/their premise as per section-15 of the Himachal Pradesh Ground Water (Regulation & Control of Development and Management) Act, 2005 and Guidelines to regulate and Control ground water extraction in the State of Himachal Pradesh vide Notification No. IPH-B (A) 3-1/2019-II dated 03.05.2021, within six months of issuance of the Certificate of Permit and intimation will be given to Executive Engineer, JSV Division Dalhousie on its completion.
- ii) The applicant shall install a water meter/bulk meter on the ground water extraction pipe so as to check the water drawl at any time and will maintain its log book.
- iii) The applicant shall have to pay royalty based on the quantum of ground water extraction through Executive Engineer, JSV Division Dalhousie for the use of ground water to the Member Secretary, Himachal Pradesh Ground Water Authority as per the Himachal Pradesh ground Water (Regulation and Control of development and Management) Rules, 2007 or the rules which may, subsequently, be made applicable by the State of HP.
- iv) In case of Industrial connection, the firm shall not use waste water of the Industry for recharging of ground Water.
- v) That the permission/sanction can be withdrawn or the quantity of water to be extracted can be restricted in case the ground water in the area is adversely affected in terms of quantity and/or quality.
- vi) Actual water requirement be computed taking into account recycling/reuse of treated water for flushing etc.
- vii) Certificate regarding non/partial availability of water supply from the public water supply agency.
- viii) The firm/applicant shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
- ix) The firm/applicant drawing water more than 10m<sup>3</sup> /day of ground water shall construct piezometer, equipped with DWLR of latest version within six months shall consultation with the Sr. Hydrogeologist, GWO, JSV, Una (HP) and monthly water level date shall be submitted to the Ground Water Organization and Himachal Pradesh Ground Water Authority.
- x) All stakeholders abstracting ground water in excess of 100 m<sup>3</sup>/d shall be required to undertake annual water audit through Confederation of India Industries (CII)/Federation Indian Chamber of Commerce and Industry (FICCI)/National Productivity Council (NPC) certified auditors and submit audit reports within three months of completion of the same to Himachal Pradesh Ground Water Authority. All such stakeholders shall be required to reduce their ground water use by at least 20% over the next three years through appropriate means
- xi) The holder of the Permit shall be duly bound to maintain the aforementioned source in an efficient, coordinated and economical manner and to use the water only for the purpose for which certificate of registration has been given.
- xii) Supporting document in respect of farm size and crop type.

Therefore, as per the unanimous decision taken by the Sub-Committee, the concerned Executive Engineer is directed to convey the decision of Sub-Committee to the firm/applicant.

11. **SH. RAMJI DASS S/O BALI RAM SHARMA VPO HARLOG TEH GHUMARWIN DISTT BILASPUR H.P 174003 (IUID: 73706907) (Submission ID- 37898)**

The applicant has applied on **Form – 1** for grant of permit for sinking of borewell for **Irrigation Purpose**. As per the report of Sr. Hydrogeologist, G.W.O., JSV, Una, The applicant had applied earlier inadvertently for domestic borewell which was approved by the committee however he had to sink borewell for irrigation purpose and has again applied for irrigation purpose at the same location. There is no existing departmental energised borewell within 300 mtrs. of the proposed borewell site of the applicant. The proposed borewell of the applicant lies in highly dissected structural hills comprising of Sandstone and Shales of Dharamshala formation.

A public notice of the application on Form-2/Form-5 has already been sent to float in the offices of concerned Executive Engineer & Gram Panchayat to get it displayed on the notice board of the local authority, so that interested persons, if any, may file their objection/suggestions. No objection has been received.

Hence, the sub-committee approved the case subject to the following conditions:

- i) The applicant shall construct a rainwater harvesting structure for the conservation and re-charge of ground water in his/her/their premise as per section-15 of the Himachal Pradesh Ground Water (Regulation & Control of Development and Management) Act, 2005 and Guidelines to regulate and Control ground water extraction in the State of Himachal Pradesh vide Notification No. IPH-B (A) 3-1/2019-II dated 03.05.2021, within six months of issuance of the Certificate of Permit and intimation will be given to Executive Engineer, JSV Division Bilaspur on its completion.
- ii) The applicant shall install a water meter/bulk meter on the ground water extraction pipe so as to check the water drawl at any time and will maintain its log book.
- iii) The applicant shall have to pay royalty based on the quantum of ground water extraction through Executive Engineer, JSV Division Bilaspur for the use of ground water to the Member Secretary, Himachal Pradesh Ground Water Authority as per the Himachal Pradesh ground Water (Regulation and Control of development and Management) Rules, 2007 or the rules which may, subsequently, be made applicable by the State of HP.
- iv) In case of Industrial connection, the firm shall not use waste water of the Industry for recharging of ground Water.
- v) That the permission/sanction can be withdrawn or the quantity of water to be extracted can be restricted in case the ground water in the area is adversely affected in terms of quantity and/or quality.
- vi) Actual water requirement be computed taking into account recycling/reuse of treated water for flushing etc.
- vii) Certificate regarding non/partial availability of water supply from the public water supply agency.
- viii) The firm/applicant shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
- ix) The firm/applicant drawing water more than 10m<sup>3</sup> /day of ground water shall construct piezometer, equipped with DWLR of latest version within six months shall consultation with the Sr. Hydrogeologist, GWO, JSV, Una (HP) and monthly water level date shall be submitted to the Ground Water Organization and Himachal Pradesh Ground Water Authority.
- x) All stakeholders abstracting ground water in excess of 100 m<sup>3</sup>/d shall be required to undertake annual water audit through Confederation of India Industries (CII)/Federation Indian Chamber of Commerce and Industry

- (FICCI)/National Productivity Council (NPC) certified auditors and submit audit reports within three months of completion of the same to Himachal Pradesh Ground Water Authority. All such stakeholders shall be required to reduce their ground water use by at least 20% over the next three years through appropriate means
- xi) The holder of the Permit shall be duly bound to maintain the aforementioned source in an efficient, coordinated and economical manner and to use the water only for the purpose for which certificate of registration has been given.
  - xii) Supporting document in respect of farm size and crop type.

Therefore, as per the unanimous decision taken by the Sub-Committee, the concerned Executive Engineer is directed to convey the decision of Sub-Committee to the firm/applicant.

**12. Sh. SANT RAM S/O BARDU RAM, VILL SARDAMRAS PO PARNOO TEH ARKI DISTT SOLAN HP (UID: 61925906) (Submission ID- 35878)**

The applicant has applied on **Form – 1** for grant of permit for sinking of borewell for **Irrigation Purpose**. As per the report of Sr. Hydrogeologist, G.W.O., JSV, Una, **There is no existing departmental handpump/ energized borewell within 300 meters of the proposed borewell site of the applicant. The proposed site of the applicant lies amidst sedimentary rocks primarily sandstone and shales**

A public notice of the application on Form-2/Form-5 has already been sent to float in the offices of concerned Executive Engineer & Gram Panchayat to get it displayed on the notice board of the local authority, so that interested persons, if any, may file their objection/suggestions. No objection has been received.

Hence, the sub-committee approved the case subject to the following conditions:

- i) The applicant shall construct a rainwater harvesting structure for the conservation and re-charge of ground water in his/her/their premise as per section-15 of the Himachal Pradesh Ground Water (Regulation & Control of Development and Management) Act, 2005 and Guidelines to regulate and Control ground water extraction in the State of Himachal Pradesh vide Notification No. IPH-B (A) 3-1/2019-II dated 03.05.2021, within six months of issuance of the Certificate of Permit and intimation will be given to Executive Engineer, JSV Division Arki on its completion.
- ii) The applicant shall install a water meter/bulk meter on the ground water extraction pipe so as to check the water drawl at any time and will maintain its log book.
- iii) The applicant shall have to pay royalty based on the quantum of ground water extraction through Executive Engineer, JSV Division Arki for the use of ground water to the Member Secretary, Himachal Pradesh Ground Water Authority as per the Himachal Pradesh ground Water (Regulation and Control of development and Management) Rules, 2007 or the rules which may, subsequently, be made applicable by the State of HP.
- iv) In case of Industrial connection, the firm shall not use waste water of the Industry for recharging of ground Water.
- v) That the permission/sanction can be withdrawn or the quantity of water to be extracted can be restricted in case the ground water in the area is adversely affected in terms of quantity and/or quality.
- vi) Actual water requirement be computed taking into account recycling/reuse of treated water for flushing etc.
- vii) Certificate regarding non/partial availability of water supply from the public water supply agency.

- viii) The firm/applicant shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
- ix) The firm/applicant drawing water more than 10m<sup>3</sup> /day of ground water shall construct piezometer, equipped with DWLR of latest version within six months shall consultation with the Sr. Hydrogeologist, GWO, JSV, Una (HP) and monthly water level data shall be submitted to the Ground Water Organization and Himachal Pradesh Ground Water Authority.
- x) All stakeholders abstracting ground water in excess of 100 m<sup>3</sup>/d shall be required to undertake annual water audit through Confederation of India Industries (CII)/Federation Indian Chamber of Commerce and Industry (FICCI)/National Productivity Council (NPC) certified auditors and submit audit reports within three months of completion of the same to Himachal Pradesh Ground Water Authority. All such stakeholders shall be required to reduce their ground water use by at least 20% over the next three years through appropriate means
- xi) The holder of the Permit shall be duly bound to maintain the aforementioned source in an efficient, coordinated and economical manner and to use the water only for the purpose for which certificate of registration has been given.
- xii) Supporting document in respect of farm size and crop type.

Therefore, as per the unanimous decision taken by the Sub-Committee, the concerned Executive Engineer is directed to convey the decision of Sub-Committee to the firm/applicant.

**13. SMT. HARPRIYA SINGH W/O MANAK SINGH C-290 DEFENCE COLONY SOUTH DELHI 110024 (IUID: 47340382) (Submission ID- 33721)**

The applicant has applied on **Form – 1** for grant of permit for sinking of borewell for **Irrigation Purpose**. As per the report of Sr. Hydrogeologist, G.W.O., JSV, Una, **Three departmental energized borewell exists within a distance of 200m from the proposed borewell of the applicant. The site located is in alluvium deposits comprising of clays, gravels, pebbles, boulders & sand, underlain by boulder conglomerates of Upper Shiwalik formation.**

A public notice of the application on Form-2/Form-5 has already been sent to float in the offices of concerned Executive Engineer & Gram Panchayat to get it displayed on the notice board of the local authority, so that interested persons, if any, may file their objection/suggestions. No objection has been received.

**The Sub-Committee has considered the case and the applicant is requested to change the site for not fulfilling the minimum distance criteria as per Section 7(5)(f) of the Himachal Pradesh Ground Water Act, 2005.**

Therefore, as per the unanimous decision taken by the Sub-Committee, the concerned Executive Engineer (Palampur) is directed to convey the decision of Sub-Committee to the firm/applicant.

**14. Sh. Rajendra Prashad Sharma S/O Pandit Mathura Dass, Vill Bijapur PO Kathiari Tehsil Amb Distt Una HP (IUID: 31101977) (Submission ID- 33738)**

The applicant has applied on **Form – 1** for grant of permit for sinking of borewell for **Irrigation Purpose**. As per the report of Sr. Hydrogeologist, G.W.O., JSV, Una, **No Govt. tubewell exists within 200 mtrs from the proposed borewell of the applicant. The site falls in Una valley Satluj basin and as per the GEC 2020 report the area is safe and the stage of development is 61%. Lithologically the site falls in valley fill deposits of comprising of clays, gravels, pebbles, boulders & sand.**

A public notice of the application on Form-2/Form-5 has already been sent to float in the offices of concerned Executive Engineer & Gram Panchayat to get it displayed on the notice board of the local authority, so that

interested persons, if any, may file their objection/suggestions. No objection has been received.

Hence, the sub-committee approved the case subject to the following conditions:

- i) The applicant shall construct a rainwater harvesting structure for the conservation and re-charge of ground water in his/her/their premise as per section-15 of the Himachal Pradesh Ground Water (Regulation & Control of Development and Management) Act, 2005 and Guidelines to regulate and Control ground water extraction in the State of Himachal Pradesh vide Notification No. IPH-B (A) 3-1/2019-II dated 03.05.2021, within six months of issuance of the Certificate of Permit and intimation will be given to Executive Engineer, JSV Division Gagret FC on its completion.
- ii) The applicant shall install a water meter/bulk meter on the ground water extraction pipe so as to check the water drawl at any time and will maintain its log book.
- iii) The applicant shall have to pay royalty based on the quantum of ground water extraction through Executive Engineer, JSV Division Gagret FC for the use of ground water to the Member Secretary, Himachal Pradesh Ground Water Authority as per the Himachal Pradesh ground Water (Regulation and Control of development and Management) Rules, 2007 or the rules which may, subsequently, be made applicable by the State of HP.
- iv) In case of Industrial connection, the firm shall not use waste water of the Industry for recharging of ground Water.
- v) That the permission/sanction can be withdrawn or the quantity of water to be extracted can be restricted in case the ground water in the area is adversely affected in terms of quantity and/or quality.
- vi) Actual water requirement be computed taking into account recycling/reuse of treated water for flushing etc.
- vii) Certificate regarding non/partial availability of water supply from the public water supply agency.
- viii) The firm/applicant shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
- ix) The firm/applicant drawing water more than 10m<sup>3</sup> /day of ground water shall construct piezometer, equipped with DWLR of latest version within six months shall consultation with the Sr. Hydrogeologist, GWO, JSV, Una (HP) and monthly water level date shall be submitted to the Ground Water Organization and Himachal Pradesh Ground Water Authority.
- x) All stakeholders abstracting ground water in excess of 100 m<sup>3</sup>/d shall be required to undertake annual water audit through Confederation of India Industries (CII)/Federation Indian Chamber of Commerce and Industry (FICCI)/National Productivity Council (NPC) certified auditors and submit audit reports within three months of completion of the same to Himachal Pradesh Ground Water Authority. All such stakeholders shall be required to reduce their ground water use by at least 20% over the next three years through appropriate means
- xi) The holder of the Permit shall be duly bound to maintain the aforementioned source in an efficient, coordinated and economical manner and to use the water only for the purpose for which certificate of registration has been given.
- xii) Supporting document in respect of farm size and crop type.

Therefore, as per the unanimous decision taken by the Sub-Committee, the concerned Executive Engineer is directed to convey the decision of Sub-Committee to the firm/applicant.

15. **Sh. Ramesh Kumar Thakur S/O Ram Krishan, Vill. Dhanog P.O. Rehardhar Teh. Sadar Distt. Mandi (H.P) (UID: 39857416) (Submission ID- 33789)**

The applicant has applied on **Form – 1** for grant of permit for sinking of borewell for **Irrigation Purpose**. As per the report of Sr. Hydrogeologist, G.W.O., JSV, Una, **No Govt. tubewell exists within 300 mtrs of the proposed site of the applicant. Geologically area comprises of overburden underlain by metamorphites, water prospects in the area are good to moderate.**

A public notice of the application on Form-2/Form-5 has already been sent to float in the offices of concerned Executive Engineer (Mandi) & Gram Panchayat to get it displayed on the notice board of the local authority, so that interested persons, if any, may file their objection/suggestions. No objection has been received.

Hence, the sub-committee approved the case subject to the following conditions:

- i) The applicant shall construct a rainwater harvesting structure for the conservation and re-charge of ground water in his/her/their premise as per section-15 of the Himachal Pradesh Ground Water (Regulation & Control of Development and Management) Act, 2005 and Guidelines to regulate and Control ground water extraction in the State of Himachal Pradesh vide Notification No. IPH-B (A) 3-1/2019-II dated 03.05.2021, within six months of issuance of the Certificate of Permit and intimation will be given to Executive Engineer, JSV Division Mandi on its completion.
- ii) The applicant shall install a water meter/bulk meter on the ground water extraction pipe so as to check the water drawl at any time and will maintain its log book.
- iii) The applicant shall have to pay royalty based on the quantum of ground water extraction through Executive Engineer, JSV Division Mandi for the use of ground water to the Member Secretary, Himachal Pradesh Ground Water Authority as per the Himachal Pradesh ground Water (Regulation and Control of development and Management) Rules, 2007 or the rules which may, subsequently, be made applicable by the State of HP.
- iv) In case of Industrial connection, the firm shall not use waste water of the Industry for recharging of ground Water.
- v) That the permission/sanction can be withdrawn or the quantity of water to be extracted can be restricted in case the ground water in the area is adversely affected in terms of quantity and/or quality.
- vi) Actual water requirement be computed taking into account recycling/reuse of treated water for flushing etc.
- vii) Certificate regarding non/partial availability of water supply from the public water supply agency.
- viii) The firm/applicant shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
- ix) The firm/applicant drawing water more than 10m<sup>3</sup> /day of ground water shall construct piezometer, equipped with DWLR of latest version within six months shall consultation with the Sr. Hydrogeologist, GWO, JSV, Una (HP) and monthly water level date shall be submitted to the Ground Water Organization and Himachal Pradesh Ground Water Authority.
- x) All stakeholders abstracting ground water in excess of 100 m<sup>3</sup>/d shall be required to undertake annual water audit through Confederation of India Industries (CII)/Federation Indian Chamber of Commerce and Industry (FICCI)/National Productivity Council (NPC) certified auditors and submit audit reports within three months of completion of the same to Himachal Pradesh Ground Water Authority. All such stakeholders shall be required to reduce their ground water use by at least 20% over the next three years through appropriate means

- xi) The holder of the Permit shall be duly bound to maintain the aforementioned source in an efficient, coordinated and economical manner and to use the water only for the purpose for which certificate of registration has been given.
- xii) Supporting document in respect of farm size and crop type.

Therefore, as per the unanimous decision taken by the Sub-Committee, the concerned Executive Engineer is directed to convey the decision of Sub-Committee to the firm/applicant.

**16. Sh. Yograj Jamwal S/O Kishan hand Jamwal, Vill. Badyar P.O. Bhargaon Teh. Kotli Distt. Mandi (H.P) (IUID: 17554675) (Submission ID- 33806)**

The applicant has applied on **Form – 1** for grant of permit for sinking of borewell for **Irrigation Purpose**. As per the report of Sr. Hydrogeologist, G.W.O., JSV, Una, **The applicant has applied for sinking of borewell, however he has already drilled the borewell in Feb 2022. No Govt tubewell exists within a distance of 300m from the existing borewell of the applicant. Geologically area comprises of Sandstone, shale and clay and they alternate each others. Ground water prospect in the area good to moderate.**

**The sub-committee considered the case and as per site inspection report the borewell was drilled during 02/2022 in contravention of the Himachal Pradesh Ground water Act, 2005. Executive Engineer Mandi shall intimate the action taken for the offence under various provisions of the Act.**

**17. Sh. JAGAT RAM S/O SARDHA RAM, VPO - BHETH JHIKLI, TEHSIL-BAIJNATH, DISTT-KANGRA (HP) 176081 (IUID: 87671206) (Submission ID- 34132)**

The applicant has applied on **Form – 1** for grant of permit for sinking of borewell for **Irrigation Purpose**. As per the report of Sr. Hydrogeologist, G.W.O., JSV, Una, **The applicant has applied for sinking of borewell, however, he has already drilled the borewell. Two number departmental energized borewell exists within a distance of 300m from the existing borewell of the applicant. The site is located in alluvial fan deposits comprising of alluvium deposits of clays, gravels, pebbles, boulders & sand, underlain by boulder conglomerates of Upper Shiwalik formation.**

**The sub-committee considered the case and as per site inspection report the borewell was already drilled in contravention of the Himachal Pradesh Ground water Act, 2005. Executive Engineer Baijnath shall intimate the action taken for the offence under various provisions of the Act.**

**18. Sh. BALWANT SINGH S/O Babu Ram, VILL LOH P.O. HOURI DEVI TEH FATEHPUR DISTT KANGRA (IUID: 33155540) (Submission ID- 34140)**

The applicant has applied on **Form – 1** for grant of permit for sinking of borewell for **Irrigation Purpose**. As per the report of Sr. Hydrogeologist, G.W.O., JSV, Una, **There is no existing departmental energised borewell within 200/300 mtrs. of the proposed borewell site of the applicant. The proposed borewell of the applicant lies in highly dissected denudational hills comprising of Boulder Conglomerates of Upper Shiwalik formations.**

A public notice of the application on Form-2/Form-5 has already been sent to float in the offices of concerned Executive Engineer & Gram Panchayat to get it displayed on the notice board of the local authority, so that

interested persons, if any, may file their objection/suggestions. No objection has been received.

Hence, the sub-committee approved the case subject to the following conditions:

- i) The applicant shall construct a rainwater harvesting structure for the conservation and re-charge of ground water in his/her/their premise as per section-15 of the Himachal Pradesh Ground Water (Regulation & Control of Development and Management) Act, 2005 and Guidelines to regulate and Control ground water extraction in the State of Himachal Pradesh vide Notification No. IPH-B (A) 3-1/2019-II dated 03.05.2021, within six months of issuance of the Certificate of Permit and intimation will be given to Executive Engineer, JSV Division Indora on its completion.
- ii) The applicant shall install a water meter/bulk meter on the ground water extraction pipe so as to check the water drawl at any time and will maintain its log book.
- iii) The applicant shall have to pay royalty based on the quantum of ground water extraction through Executive Engineer, JSV Division Indora for the use of ground water to the Member Secretary, Himachal Pradesh Ground Water Authority as per the Himachal Pradesh ground Water (Regulation and Control of development and Management) Rules, 2007 or the rules which may, subsequently, be made applicable by the State of HP.
- iv) In case of Industrial connection, the firm shall not use waste water of the Industry for recharging of ground Water.
- v) That the permission/sanction can be withdrawn or the quantity of water to be extracted can be restricted in case the ground water in the area is adversely affected in terms of quantity and/or quality.
- vi) Actual water requirement be computed taking into account recycling/reuse of treated water for flushing etc.
- vii) Certificate regarding non/partial availability of water supply from the public water supply agency.
- viii) The firm/applicant shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
- ix) The firm/applicant drawing water more than 10m<sup>3</sup> /day of ground water shall construct piezometer, equipped with DWLR of latest version within six months shall consultation with the Sr. Hydrogeologist, GWO, JSV, Una (HP) and monthly water level date shall be submitted to the Ground Water Organization and Himachal Pradesh Ground Water Authority.
- x) All stakeholders abstracting ground water in excess of 100 m<sup>3</sup>/d shall be required to undertake annual water audit through Confederation of India Industries (CII)/Federation Indian Chamber of Commerce and Industry (FICCI)/National Productivity Council (NPC) certified auditors and submit audit reports within three months of completion of the same to Himachal Pradesh Ground Water Authority. All such stakeholders shall be required to reduce their ground water use by at least 20% over the next three years through appropriate means
- xi) The holder of the Permit shall be duly bound to maintain the aforementioned source in an efficient, coordinated and economical manner and to use the water only for the purpose for which certificate of registration has been given.
- xii) Supporting document in respect of farm size and crop type.

Therefore, as per the unanimous decision taken by the Sub-Committee, the concerned Executive Engineer is directed to convey the decision of Sub-Committee to the firm/applicant.

The applicant has applied on **Form – 1** for grant of permit for sinking of borewell for **Irrigation Purpose**. As per the report of Sr. Hydrogeologist, G.W.O., JSV, Una, **There is no existing departmental energised borewell within 300 mtrs. of the proposed borewell site of the applicant. The proposed borewell of the applicant lies in highly dissected structural hills comprising of loose overburden underlain by boulder conglomerates of Shiwalik formation.**

A public notice of the application on Form-2/Form-5 has already been sent to float in the offices of concerned Executive Engineer & Gram Panchayat to get it displayed on the notice board of the local authority, so that interested persons, if any, may file their objection/suggestions. No objection has been received.

Hence, the sub-committee approved the case subject to the following conditions:

- i) The applicant shall construct a rainwater harvesting structure for the conservation and re-charge of ground water in his/her/their premise as per section-15 of the Himachal Pradesh Ground Water (Regulation & Control of Development and Management) Act, 2005 and Guidelines to regulate and Control ground water extraction in the State of Himachal Pradesh vide Notification No. IPH-B (A) 3-1/2019-II dated 03.05.2021, within six months of issuance of the Certificate of Permit and intimation will be given to Executive Engineer, JSV Division Pragpur on its completion.
- ii) The applicant shall install a water meter/bulk meter on the ground water extraction pipe so as to check the water drawl at any time and will maintain its log book.
- iii) The applicant shall have to pay royalty based on the quantum of ground water extraction through Executive Engineer, JSV Division Pragpur for the use of ground water to the Member Secretary, Himachal Pradesh Ground Water Authority as per the Himachal Pradesh ground Water (Regulation and Control of development and Management) Rules, 2007 or the rules which may, subsequently, be made applicable by the State of HP.
- iv) In case of Industrial connection, the firm shall not use waste water of the Industry for recharging of ground Water.
- v) That the permission/sanction can be withdrawn or the quantity of water to be extracted can be restricted in case the ground water in the area is adversely affected in terms of quantity and/or quality.
- vi) Actual water requirement be computed taking into account recycling/reuse of treated water for flushing etc.
- vii) Certificate regarding non/partial availability of water supply from the public water supply agency.
- viii) The firm/applicant shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
- ix) The firm/applicant drawing water more than 10m<sup>3</sup> /day of ground water shall construct piezometer, equipped with DWLR of latest version within six months shall consultation with the Sr. Hydrogeologist, GWO, JSV, Una (HP) and monthly water level date shall be submitted to the Ground Water Organization and Himachal Pradesh Ground Water Authority.
- x) All stakeholders abstracting ground water in excess of 100 m<sup>3</sup>/d shall be required to undertake annual water audit through Confederation of India Industries (CII)/Federation Indian Chamber of Commerce and Industry (FICCI)/National Productivity Council (NPC) certified auditors and submit audit reports within three months of completion of the same to Himachal Pradesh Ground Water Authority. All such stakeholders

- shall be required to reduce their ground water use by at least 20% over the next three years through appropriate means
- xi) The holder of the Permit shall be duly bound to maintain the aforementioned source in an efficient, coordinated and economical manner and to use the water only for the purpose for which certificate of registration has been given.
  - xii) Supporting document in respect of farm size and crop type.

Therefore, as per the unanimous decision taken by the Sub-Committee, the concerned Executive Engineer is directed to convey the decision of Sub-Committee to the firm/applicant.

**20. Sh. Uttam Chand S/O Puran Chand, V.P.O Beh Teh. Dada Sibba Distt. Kangra (HP)-177105 (IUID: 74046891) (Submission ID- 34290)**

The applicant has applied on **Form – 1** for grant of permit for sinking of borewell for **Irrigation Purpose**. As per the report of Sr. Hydrogeologist, G.W.O., JSV, Una, **No Deptt. tubewell exists within a distance of 300m from the proposed borewell of the applicant. The Geological area comprises of alternate beds of sandstone clays of Shiwalik group of rocks.**

A public notice of the application on Form-2/Form-5 has already been sent to float in the offices of concerned Executive Engineer & Gram Panchayat to get it displayed on the notice board of the local authority, so that interested persons, if any, may file their objection/suggestions. No objection has been received.

Hence, the sub-committee approved the case subject to the following conditions:

- i) The applicant shall construct a rainwater harvesting structure for the conservation and re-charge of ground water in his/her/their premise as per section-15 of the Himachal Pradesh Ground Water (Regulation & Control of Development and Management) Act, 2005 and Guidelines to regulate and Control ground water extraction in the State of Himachal Pradesh vide Notification No. IPH-B (A) 3-1/2019-II dated 03.05.2021, within six months of issuance of the Certificate of Permit and intimation will be given to Executive Engineer, JSV Division Dehra on its completion.
- ii) The applicant shall install a water meter/bulk meter on the ground water extraction pipe so as to check the water drawl at any time and will maintain its log book.
- iii) The applicant shall have to pay royalty based on the quantum of ground water extraction through Executive Engineer, JSV Division Dehra for the use of ground water to the Member Secretary, Himachal Pradesh Ground Water Authority as per the Himachal Pradesh ground Water (Regulation and Control of development and Management) Rules, 2007 or the rules which may, subsequently, be made applicable by the State of HP.
- iv) In case of Industrial connection, the firm shall not use waste water of the Industry for recharging of ground Water.
- v) That the permission/sanction can be withdrawn or the quantity of water to be extracted can be restricted in case the ground water in the area is adversely affected in terms of quantity and/or quality.
- vi) Actual water requirement be computed taking into account recycling/reuse of treated water for flushing etc.
- vii) Certificate regarding non/partial availability of water supply from the public water supply agency.
- viii) The firm/applicant shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
- ix) The firm/applicant drawing water more than 10m<sup>3</sup> /day of ground water shall construct piezometer, equipped with DWLR of latest version

within six months shall consultation with the Sr. Hydrogeologist, GWO, JSV, Una (HP) and monthly water level data shall be submitted to the Ground Water Organization and Himachal Pradesh Ground Water Authority.

- x) All stakeholders abstracting ground water in excess of 100 m<sup>3</sup>/d shall be required to undertake annual water audit through Confederation of India Industries (CII)/Federation Indian Chamber of Commerce and Industry (FICCI)/National Productivity Council (NPC) certified auditors and submit audit reports within three months of completion of the same to Himachal Pradesh Ground Water Authority. All such stakeholders shall be required to reduce their ground water use by at least 20% over the next three years through appropriate means
- xi) The holder of the Permit shall be duly bound to maintain the aforementioned source in an efficient, coordinated and economical manner and to use the water only for the purpose for which certificate of registration has been given.
- xii) Supporting document in respect of farm size and crop type.

Therefore, as per the unanimous decision taken by the Sub-Committee, the concerned Executive Engineer is directed to convey the decision of Sub-Committee to the firm/applicant.

**21. Sh. MOHINDER KUMAR S/O Dina Nath, W/NO 6 VILLAGE MAJHENU P.O PANCHRUKHI TEH PALAMPUR DISTT KANGRA HP (IUID: 10173948) (Submission ID- 32089)**

The applicant has applied on **Form – 1** for grant of permit for sinking of borewell for **Irrigation Purpose**. The case of the applicant was placed before the sub-committee in 40th meeting of Sub-committee of HP ground Water Authority and It has been decided that the applicant will have to change his/her site due to non-fulfilment of minimum distance criteria as per section 7(5)(f) of Himachal Pradesh Ground water Act, 2005.

**As per latest site inspection report from Sr. Hydrogeologist, GWO, Una, There is no existing departmental energised borewell within 200 mtrs. of the proposed borewell site of the applicant. The site is located in alluvial fan deposits comprising of alluvium deposits of clays, gravels, pebbles, boulders & sand, underlain by boulder conglomerates of Upper Shiwalik formation.**

A public notice of the application on Form-2/Form-5 has already been sent to float in the offices of concerned Executive Engineer & Gram Panchayat to get it displayed on the notice board of the local authority, so that interested persons, if any, may file their objection/suggestions. No objection has been received.

Hence, the sub-committee approved the case subject to the following conditions:

- i) The applicant shall construct a rainwater harvesting structure for the conservation and re-charge of ground water in his/her/their premise as per section-15 of the Himachal Pradesh Ground Water (Regulation & Control of Development and Management) Act, 2005 and Guidelines to regulate and Control ground water extraction in the State of Himachal Pradesh vide Notification No. IPH-B (A) 3-1/2019-II dated 03.05.2021, within six months of issuance of the Certificate of Permit and intimation will be given to Executive Engineer, JSV Division Palampur on its completion.

- ii) The applicant shall install a water meter/bulk meter on the ground water extraction pipe so as to check the water drawl at any time and will maintain its log book.
- iii) The applicant shall have to pay royalty based on the quantum of ground water extraction through Executive Engineer, JSV Division Palampur for the use of ground water to the Member Secretary, Himachal Pradesh Ground Water Authority as per the Himachal Pradesh ground Water (Regulation and Control of development and Management) Rules, 2007 or the rules which may, subsequently, be made applicable by the State of HP.
- iv) In case of Industrial connection, the firm shall not use waste water of the Industry for recharging of ground Water.
- v) That the permission/sanction can be withdrawn or the quantity of water to be extracted can be restricted in case the ground water in the area is adversely affected in terms of quantity and/or quality.
- vi) Actual water requirement be computed taking into account recycling/reuse of treated water for flushing etc.
- vii) Certificate regarding non/partial availability of water supply from the public water supply agency.
- viii) The firm/applicant shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
- ix) The firm/applicant drawing water more than 10m<sup>3</sup> /day of ground water shall construct piezometer, equipped with DWLR of latest version within six months shall consultation with the Sr. Hydrogeologist, GWO, JSV, Una (HP) and monthly water level data shall be submitted to the Ground Water Organization and Himachal Pradesh Ground Water Authority.
- x) All stakeholders abstracting ground water in excess of 100 m<sup>3</sup>/d shall be required to undertake annual water audit through Confederation of India Industries (CII)/Federation Indian Chamber of Commerce and Industry (FICCI)/National Productivity Council (NPC) certified auditors and submit audit reports within three months of completion of the same to Himachal Pradesh Ground Water Authority. All such stakeholders shall be required to reduce their ground water use by at least 20% over the next three years through appropriate means
- xi) The holder of the Permit shall be duly bound to maintain the aforementioned source in an efficient, coordinated and economical manner and to use the water only for the purpose for which certificate of registration has been given.
- xii) Supporting document in respect of farm size and crop type.

Therefore, as per the unanimous decision taken by the Sub-Committee, the concerned Executive Engineer is directed to convey the decision of Sub-Committee to the firm/applicant.

**22. M/S Shiv Enterprises, Vill. Sari, PO. Jabli, Tehsil Kasauli, Distt. Solan (HP). (IUID: 95521485) (Submission ID- 7485)**

The applicant has applied on **Form – 1A** for grant of permit for sinking of borewell for **Commercial Purpose**. As per the report of Sr. Hydrogeologist, G.W.O., JSV, Una, **There is no existing departmental energised borewell within 300mts. of the proposed borewell site of the applicant. The proposed site of the applicant lies amidst Sedimentary rocks primarily Sandstone and Shales.**

A public notice of the application on Form-2/Form-5 has already been sent to float in the offices of concerned Executive Engineer & Gram Panchayat to get it displayed on the notice board of the local authority, so that interested persons, if any, may file their objection/suggestions. No objection has been received.

Hence, the sub-committee approved the case subject to the following conditions:

- i) The applicant shall construct a rainwater harvesting structure for the conservation and re-charge of ground water in his/her/their premise as per section-15 of the Himachal Pradesh Ground Water (Regulation & Control of Development and Management) Act, 2005 and Guidelines to regulate and Control ground water extraction in the State of Himachal Pradesh vide Notification No. IPH-B (A) 3-1/2019-II dated 03.05.2021, within six months of issuance of the Certificate of Permit and intimation will be given to Executive Engineer, JSV Division Solan on its completion.
- ii) The applicant shall install a water meter/bulk meter on the ground water extraction pipe so as to check the water drawl at any time and will maintain its log book.
- iii) The applicant shall have to pay royalty based on the quantum of ground water extraction through Executive Engineer, JSV Division Solan for the use of ground water to the Member Secretary, Himachal Pradesh Ground Water Authority as per the Himachal Pradesh ground Water (Regulation and Control of development and Management) Rules, 2007 or the rules which may, subsequently, be made applicable by the State of HP.
- iv) In case of Industrial connection, the firm shall not use waste water of the Industry for recharging of ground Water.
- v) That the permission/sanction can be withdrawn or the quantity of water to be extracted can be restricted in case the ground water in the area is adversely affected in terms of quantity and/or quality.
- vi) Actual water requirement be computed taking into account recycling/reuse of treated water for flushing etc.
- vii) Certificate regarding non/partial availability of water supply from the public water supply agency.
- viii) The firm/applicant shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
- ix) The firm/applicant drawing water more than 10m<sup>3</sup> /day of ground water shall construct piezometer, equipped with DWLR of latest version within six months shall consultation with the Sr. Hydrogeologist, GWO, JSV, Una (HP) and monthly water level date shall be submitted to the Ground Water Organization and Himachal Pradesh Ground Water Authority.
- x) All stakeholders abstracting ground water in excess of 100 m<sup>3</sup>/d shall be required to undertake annual water audit through Confederation of India Industries (CII)/Federation Indian Chamber of Commerce and Industry (FICCI)/National Productivity Council (NPC) certified auditors and submit audit reports within three months of completion of the same to Himachal Pradesh Ground Water Authority. All such stakeholders shall be required to reduce their ground water use by at least 20% over the next three years through appropriate means
- xi) The holder of the Permit shall be duly bound to maintain the aforementioned source in an efficient, coordinated and economical manner and to use the water only for the purpose for which certificate of registration has been given.

Therefore, as per the unanimous decision taken by the Sub-Committee, the concerned Executive Engineer is directed to convey the decision of Sub-Committee to the firm/applicant.

**23. Kamal Kishore S/O Girdhari Lal, VPO Udana Tehsil Fatehpur district Kangra HP- 176022 (IUID: 55261237) (Submission ID- 37265)**

The applicant has applied on **Form – 1** for grant of permit for sinking of borewell for **Irrigation Purpose**. As per the report of Sr. Hydrogeologist, G.W.O., JSV, Una, **No departmental energized borewell exists within a distance of around 300m from the proposed borewell of the applicant. The site falls in Nurpur Indora valley and as per the GEC 2020 report the area is safe and the stage of development is 29%. Lithologically**

**the site falls in alluvial deposits comprising of clays , gravels, pebbles, boulders & sand.**

A public notice of the application on Form-2/Form-5 has already been sent to float in the offices of concerned Executive Engineer Fatehpur & Gram Panchayat to get it displayed on the notice board of the local authority, so that interested persons, if any, may file their objection/suggestions. No objection has been received.

Hence, the sub-committee approved the case subject to the following conditions:

- i) The applicant shall construct a rainwater harvesting structure for the conservation and re-charge of ground water in his/her/their premise as per section-15 of the Himachal Pradesh Ground Water (Regulation & Control of Development and Management) Act, 2005 and Guidelines to regulate and Control ground water extraction in the State of Himachal Pradesh vide Notification No. IPH-B (A) 3-1/2019-II dated 03.05.2021, within six months of issuance of the Certificate of Permit and intimation will be given to Executive Engineer, JSV Division Fatehpur on its completion.
- ii) The applicant shall install a water meter/bulk meter on the ground water extraction pipe so as to check the water drawl at any time and will maintain its log book.
- iii) The applicant shall have to pay royalty based on the quantum of ground water extraction through Executive Engineer, JSV Division Fatehpur for the use of ground water to the Member Secretary, Himachal Pradesh Ground Water Authority as per the Himachal Pradesh ground Water (Regulation and Control of development and Management) Rules, 2007 or the rules which may, subsequently, be made applicable by the State of HP.
- iv) In case of Industrial connection, the firm shall not use waste water of the Industry for recharging of ground Water.
- v) That the permission/sanction can be withdrawn or the quantity of water to be extracted can be restricted in case the ground water in the area is adversely affected in terms of quantity and/or quality.
- vi) Actual water requirement be computed taking into account recycling/reuse of treated water for flushing etc.
- vii) Certificate regarding non/partial availability of water supply from the public water supply agency.
- viii) The firm/applicant shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
- ix) The firm/applicant drawing water more than 10m<sup>3</sup> /day of ground water shall construct piezometer, equipped with DWLR of latest version within six months shall consultation with the Sr. Hydrogeologist, GWO, JSV, Una (HP) and monthly water level date shall be submitted to the Ground Water Organization and Himachal Pradesh Ground Water Authority.
- x) All stakeholders abstracting ground water in excess of 100 m<sup>3</sup>/d shall be required to undertake annual water audit through Confederation of India Industries (CII)/Federation Indian Chamber of Commerce and Industry (FICCI)/National Productivity Council (NPC) certified auditors and submit audit reports within three months of completion of the same to Himachal Pradesh Ground Water Authority. All such stakeholders shall be required to reduce their ground water use by at least 20% over the next three years through appropriate means
- xi) The holder of the Permit shall be duly bound to maintain the aforementioned source in an efficient, coordinated and economical manner and to use the water only for the purpose for which certificate of registration has been given.
- xii) Supporting document in respect of farm size and crop type.

Therefore, as per the unanimous decision taken by the Sub-Committee, the concerned Executive Engineer is directed to convey the decision of Sub-Committee to the firm/applicant.

**24. Sh. Prem Chand S/O Sh. Ratti Ram, Village Lagog P.O. Chandī Tehsil Kasauli Distt Solan HP (IUID: 69694688) (Submission ID- 36787)**

The applicant has applied on **Form – 1** for grant of permit for sinking of borewell for **Irrigation Purpose**. As per the report of Sr. Hydrogeologist, G.W.O., JSV, Una, **There is no existing departmental energised borewell within 300mts. of the proposed borewell site of the applicant. However there is one number departmental manual handpump which exist at a distance of around 150mts. from the proposed borewell site of the applicant. The proposed site of the applicant lies amidst Sedimentary rocks primarily Sandstone and Shales.**

A public notice of the application on Form-2/Form-5 has already been sent to float in the offices of concerned Executive Engineer Nalagarh & Gram Panchayat to get it displayed on the notice board of the local authority, so that interested persons, if any, may file their objection/suggestions. No objection has been received.

Hence, the sub-committee approved the case subject to the following conditions:

- i) The applicant shall construct a rainwater harvesting structure for the conservation and re-charge of ground water in his/her/their premise as per section-15 of the Himachal Pradesh Ground Water (Regulation & Control of Development and Management) Act, 2005 and Guidelines to regulate and Control ground water extraction in the State of Himachal Pradesh vide Notification No. IPH-B (A) 3-1/2019-II dated 03.05.2021, within six months of issuance of the Certificate of Permit and intimation will be given to Executive Engineer, JSV Division Nalagarh on its completion.
- ii) The applicant shall install a water meter/bulk meter on the ground water extraction pipe so as to check the water drawl at any time and will maintain its log book.
- iii) The applicant shall have to pay royalty based on the quantum of ground water extraction through Executive Engineer, JSV Division Nalagarh for the use of ground water to the Member Secretary, Himachal Pradesh Ground Water Authority as per the Himachal Pradesh ground Water (Regulation and Control of development and Management) Rules, 2007 or the rules which may, subsequently, be made applicable by the State of HP.
- iv) In case of Industrial connection, the firm shall not use waste water of the Industry for recharging of ground Water.
- v) That the permission/sanction can be withdrawn or the quantity of water to be extracted can be restricted in case the ground water in the area is adversely affected in terms of quantity and/or quality.
- vi) Actual water requirement be computed taking into account recycling/reuse of treated water for flushing etc.
- vii) Certificate regarding non/partial availability of water supply from the public water supply agency.
- viii) The firm/applicant shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
- ix) The firm/applicant drawing water more than 10m<sup>3</sup> /day of ground water shall construct piezometer, equipped with DWLR of latest version within six months shall consultation with the Sr. Hydrogeologist, GWO, JSV, Una (HP) and monthly water level date shall be submitted to the Ground Water Organization and Himachal Pradesh Ground Water Authority.

- x) All stakeholders abstracting ground water in excess of 100 m<sup>3</sup>/d shall be required to undertake annual water audit through Confederation of India Industries (CII)/Federation Indian Chamber of Commerce and Industry (FICCI)/National Productivity Council (NPC) certified auditors and submit audit reports within three months of completion of the same to Himachal Pradesh Ground Water Authority. All such stakeholders shall be required to reduce their ground water use by at least 20% over the next three years through appropriate means
- xi) The holder of the Permit shall be duly bound to maintain the aforementioned source in an efficient, coordinated and economical manner and to use the water only for the purpose for which certificate of registration has been given.
- xii) Supporting document in respect of farm size and crop type.

Therefore, as per the unanimous decision taken by the Sub-Committee, the concerned Executive Engineer is directed to convey the decision of Sub-Committee to the firm/applicant.

**25. DINESH KUMAR S/O KRISHAN DEV, C/O PARDEEP KATOCH W-NO 6 VILLAGE LOHNA P.O BANDLA TEHSIL PALAMPUR DISTT KANGRA HP 176061 (IUID: 59656733) (Submission ID- 36303)**

The applicant has applied on **Form – 1** for grant of permit for sinking of borewell for **Domestic Purpose**. As per the report of Sr. Hydrogeologist, G.W.O., JSV, Una, **No departmental energized borewell exists within a distance of 200m from the proposed borewell of the applicant. The site located is in alluvial fan deposits comprising of alluvium underlain by conglomerates of Upper Siwalik formation.**

A public notice of the application on Form-2/Form-5 has already been sent to float in the offices of concerned Executive Engineer Palampur & Gram Panchayat to get it displayed on the notice board of the local authority, so that interested persons, if any, may file their objection/suggestions. No objection has been received.

Hence, the sub-committee approved the case subject to the following conditions:

- i) The applicant shall construct a rainwater harvesting structure for the conservation and re-charge of ground water in his/her/their premise as per section-15 of the Himachal Pradesh Ground Water (Regulation & Control of Development and Management) Act, 2005 and Guidelines to regulate and Control ground water extraction in the State of Himachal Pradesh vide Notification No. IPH-B (A) 3-1/2019-II dated 03.05.2021, within six months of issuance of the Certificate of Permit and intimation will be given to Executive Engineer, JSV Division Palampur on its completion.
- ii) The applicant shall install a water meter/bulk meter on the ground water extraction pipe so as to check the water drawl at any time and will maintain its log book.
- iii) The applicant shall have to pay royalty based on the quantum of ground water extraction through Executive Engineer, JSV Division Palampur for the use of ground water to the Member Secretary, Himachal Pradesh Ground Water Authority as per the Himachal Pradesh ground Water (Regulation and Control of development and Management) Rules, 2007 or the rules which may, subsequently, be made applicable by the State of HP.
- iv) In case of Industrial connection, the firm shall not use waste water of the Industry for recharging of ground Water.

- v) That the permission/sanction can be withdrawn or the quantity of water to be extracted can be restricted in case the ground water in the area is adversely affected in terms of quantity and/or quality.
- vi) Actual water requirement be computed taking into account recycling/reuse of treated water for flushing etc.
- vii) Certificate regarding non/partial availability of water supply from the public water supply agency.
- viii) The firm/applicant shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
- ix) The firm/applicant drawing water more than 10m<sup>3</sup> /day of ground water shall construct piezometer, equipped with DWLR of latest version within six months shall consultation with the Sr. Hydrogeologist, GWO, JSV, Una (HP) and monthly water level data shall be submitted to the Ground Water Organization and Himachal Pradesh Ground Water Authority.
- x) All stakeholders abstracting ground water in excess of 100 m<sup>3</sup>/d shall be required to undertake annual water audit through Confederation of India Industries (CII)/Federation Indian Chamber of Commerce and Industry (FICCI)/National Productivity Council (NPC) certified auditors and submit audit reports within three months of completion of the same to Himachal Pradesh Ground Water Authority. All such stakeholders shall be required to reduce their ground water use by at least 20% over the next three years through appropriate means
- xi) The holder of the Permit shall be duly bound to maintain the aforementioned source in an efficient, coordinated and economical manner and to use the water only for the purpose for which certificate of registration has been given.

Therefore, as per the unanimous decision taken by the Sub-Committee, the concerned Executive Engineer is directed to convey the decision of Sub-Committee to the firm/applicant.

**26. Parmodh Singh S/O RANJIT SINGH, Village Sarela P.O. Paroul Tehsil Fatehpur District Kangra (HP) (IUID: 95184155) (Submission ID-36109)**

The applicant has applied on **Form – 1** for grant of permit for sinking of borewell for **Irrigation Purpose**. As per the report of Sr. Hydrogeologist, G.W.O., JSV, Una, **No departmental energized borewell exists within a distance of around 200m from the proposed borewell of the applicant. The site falls in Nurpur Indora valley and as per the GEC 2020 report the area is safe and the stage of development is 29%. Lithologically the site falls in alluvial deposits comprising of clays , gravels, pebbles, boulders & sand.**

A public notice of the application on Form-2/Form-5 has already been sent to float in the offices of concerned Executive Engineer Fatehpur & Gram Panchayat to get it displayed on the notice board of the local authority, so that interested persons, if any, may file their objection/suggestions. No objection has been received.

Hence, the sub-committee approved the case subject to the following conditions:

- i) The applicant shall construct a rainwater harvesting structure for the conservation and re-charge of ground water in his/her/their premise as per section-15 of the Himachal Pradesh Ground Water (Regulation & Control of Development and Management) Act, 2005 and Guidelines to regulate and Control ground water extraction in the State of Himachal Pradesh vide Notification No. IPH-B (A) 3-1/2019-II dated 03.05.2021, within six months of issuance of the Certificate of Permit and intimation will be given to Executive Engineer, JSV Division Fatehpur on its completion.

- ii) The applicant shall install a water meter/bulk meter on the ground water extraction pipe so as to check the water drawl at any time and will maintain its log book.
- iii) The applicant shall have to pay royalty based on the quantum of ground water extraction through Executive Engineer, JSV Division Fatehpur for the use of ground water to the Member Secretary, Himachal Pradesh Ground Water Authority as per the Himachal Pradesh ground Water (Regulation and Control of development and Management) Rules, 2007 or the rules which may, subsequently, be made applicable by the State of HP.
- iv) In case of Industrial connection, the firm shall not use waste water of the Industry for recharging of ground Water.
- v) That the permission/sanction can be withdrawn or the quantity of water to be extracted can be restricted in case the ground water in the area is adversely affected in terms of quantity and/or quality.
- vi) Actual water requirement be computed taking into account recycling/reuse of treated water for flushing etc.
- vii) Certificate regarding non/partial availability of water supply from the public water supply agency.
- viii) The firm/applicant shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
- ix) The firm/applicant drawing water more than 10m<sup>3</sup> /day of ground water shall construct piezometer, equipped with DWLR of latest version within six months shall consultation with the Sr. Hydrogeologist, GWO, JSV, Una (HP) and monthly water level data shall be submitted to the Ground Water Organization and Himachal Pradesh Ground Water Authority.
- x) All stakeholders abstracting ground water in excess of 100 m<sup>3</sup>/d shall be required to undertake annual water audit through Confederation of India Industries (CII)/Federation Indian Chamber of Commerce and Industry (FICCI)/National Productivity Council (NPC) certified auditors and submit audit reports within three months of completion of the same to Himachal Pradesh Ground Water Authority. All such stakeholders shall be required to reduce their ground water use by at least 20% over the next three years through appropriate means
- xi) The holder of the Permit shall be duly bound to maintain the aforementioned source in an efficient, coordinated and economical manner and to use the water only for the purpose for which certificate of registration has been given.
- xii) Supporting document in respect of farm size and crop type.

Therefore, as per the unanimous decision taken by the Sub-Committee, the concerned Executive Engineer is directed to convey the decision of Sub-Committee to the firm/applicant.

**27. Jai Karan S/O LT BHAGAT RAM, VILLAGE RAJOT P.O RAJOT TEHSIL BAIJNATH DISTT KANGRA HP 176063 (IUID: 48348005) (Submission ID-36017)**

The applicant has applied on **Form – 1** for grant of permit for sinking of borewell for **Irrigation Purpose**. As per the report of Sr. Hydrogeologist, G.W.O., JSV, Una, **No departmental energized borewell exists within a distance of 200m from the proposed borewell of the applicant. The site is located in alluvial fan deposits comprising of alluvium deposits of clays, gravels, pebbles, boulders & sand, underlain by boulder conglomerates of Upper Shiwalik formation.**

A public notice of the application on Form-2/Form-5 has already been sent to float in the offices of concerned Executive Engineer Baijnath & Gram Panchayat to get it displayed on the notice board of the local authority, so that interested persons, if any, may file their objection/suggestions. No objection has been received.

Hence, the sub-committee approved the case subject to the following conditions:

- i) The applicant shall construct a rainwater harvesting structure for the conservation and re-charge of ground water in his/her/their premise as per section-15 of the Himachal Pradesh Ground Water (Regulation & Control of Development and Management) Act, 2005 and Guidelines to regulate and Control ground water extraction in the State of Himachal Pradesh vide Notification No. IPH-B (A) 3-1/2019-II dated 03.05.2021, within six months of issuance of the Certificate of Permit and intimation will be given to Executive Engineer, JSV Division Baijnath on its completion.
- ii) The applicant shall install a water meter/bulk meter on the ground water extraction pipe so as to check the water drawl at any time and will maintain its log book.
- iii) The applicant shall have to pay royalty based on the quantum of ground water extraction through Executive Engineer, JSV Division Baijnath for the use of ground water to the Member Secretary, Himachal Pradesh Ground Water Authority as per the Himachal Pradesh ground Water (Regulation and Control of development and Management) Rules, 2007 or the rules which may, subsequently, be made applicable by the State of HP.
- iv) In case of Industrial connection, the firm shall not use waste water of the Industry for recharging of ground Water.
- v) That the permission/sanction can be withdrawn or the quantity of water to be extracted can be restricted in case the ground water in the area is adversely affected in terms of quantity and/or quality.
- vi) Actual water requirement be computed taking into account recycling/reuse of treated water for flushing etc.
- vii) Certificate regarding non/partial availability of water supply from the public water supply agency.
- viii) The firm/applicant shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
- ix) The firm/applicant drawing water more than 10m<sup>3</sup> /day of ground water shall construct piezometer, equipped with DWLR of latest version within six months shall consultation with the Sr. Hydrogeologist, GWO, JSV, Una (HP) and monthly water level date shall be submitted to the Ground Water Organization and Himachal Pradesh Ground Water Authority.
- x) All stakeholders abstracting ground water in excess of 100 m<sup>3</sup>/d shall be required to undertake annual water audit through Confederation of India Industries (CII)/Federation Indian Chamber of Commerce and Industry (FICCI)/National Productivity Council (NPC) certified auditors and submit audit reports within three months of completion of the same to Himachal Pradesh Ground Water Authority. All such stakeholders shall be required to reduce their ground water use by at least 20% over the next three years through appropriate means
- xi) The holder of the Permit shall be duly bound to maintain the aforementioned source in an efficient, coordinated and economical manner and to use the water only for the purpose for which certificate of registration has been given.
- xii) Supporting document in respect of farm size and crop type.

Therefore, as per the unanimous decision taken by the Sub-Committee, the concerned Executive Engineer is directed to convey the decision of Sub-Committee to the firm/applicant.

**28. BALDEV SINGH RANA S/O CHHALKO RAM, VILL. P.O. BAROT TEH FATEHPUR DISTT KANGRA HP 176022 (IUID: 27639659) (Submission ID-36015)**

The applicant has applied on **Form – 1** for grant of permit for sinking of borewell for **Irrigation Purpose**. As per the report of Sr.

Hydrogeologist, G.W.O., JSV, Una, **No departmental energized borewell exists within a distance of around 200m from the proposed borewell of the applicant. The site falls in Nurpur Indora valley and as per the GEC 2020 report the area is safe and the stage of development is 29%. Lithologically the site falls in alluvial deposits comprising of clays, gravels, pebbles, boulders & sand.**

A public notice of the application on Form-2/Form-5 has already been sent to float in the offices of concerned Executive Engineer (Fatehpur) & Gram Panchayat to get it displayed on the notice board of the local authority, so that interested persons, if any, may file their objection/suggestions. No objection has been received.

Hence, the sub-committee approved the case subject to the following conditions:

- i) The applicant shall construct a rainwater harvesting structure for the conservation and re-charge of ground water in his/her/their premise as per section-15 of the Himachal Pradesh Ground Water (Regulation & Control of Development and Management) Act, 2005 and Guidelines to regulate and Control ground water extraction in the State of Himachal Pradesh vide Notification No. IPH-B (A) 3-1/2019-II dated 03.05.2021, within six months of issuance of the Certificate of Permit and intimation will be given to Executive Engineer, JSV Division Fatehpur on its completion.
- ii) The applicant shall install a water meter/bulk meter on the ground water extraction pipe so as to check the water drawl at any time and will maintain its log book.
- iii) The applicant shall have to pay royalty based on the quantum of ground water extraction through Executive Engineer, JSV Division Fatehpur for the use of ground water to the Member Secretary, Himachal Pradesh Ground Water Authority as per the Himachal Pradesh ground Water (Regulation and Control of development and Management) Rules, 2007 or the rules which may, subsequently, be made applicable by the State of HP.
- iv) In case of Industrial connection, the firm shall not use waste water of the Industry for recharging of ground Water.
- v) That the permission/sanction can be withdrawn or the quantity of water to be extracted can be restricted in case the ground water in the area is adversely affected in terms of quantity and/or quality.
- vi) Actual water requirement be computed taking into account recycling/reuse of treated water for flushing etc.
- vii) Certificate regarding non/partial availability of water supply from the public water supply agency.
- viii) The firm/applicant shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
- ix) The firm/applicant drawing water more than 10m<sup>3</sup> /day of ground water shall construct piezometer, equipped with DWLR of latest version within six months shall consultation with the Sr. Hydrogeologist, GWO, JSV, Una (HP) and monthly water level date shall be submitted to the Ground Water Organization and Himachal Pradesh Ground Water Authority.
- x) All stakeholders abstracting ground water in excess of 100 m<sup>3</sup>/d shall be required to undertake annual water audit through Confederation of India Industries (CII)/Federation Indian Chamber of Commerce and Industry (FICCI)/National Productivity Council (NPC) certified auditors and submit audit reports within three months of completion of the same to Himachal Pradesh Ground Water Authority. All such stakeholders shall be required to reduce their ground water use by at least 20% over the next three years through appropriate means
- xi) The holder of the Permit shall be duly bound to maintain the aforementioned source in an efficient, coordinated and economical

manner and to use the water only for the purpose for which certificate of registration has been given.

xii) Supporting document in respect of farm size and crop type.

Therefore, as per the unanimous decision taken by the Sub-Committee, the concerned Executive Engineer is directed to convey the decision of Sub-Committee to the firm/applicant.

**29. DEV BHUMI COLD CHAIN PVT LTD S/O DBCCPL VPO. Matiana, Teh. Theog Distt. Shimla,HP-171212 (UID: 64312074) (Submission ID-35803)**

The applicant has applied on **Form – 1A** for grant of permit for sinking of borewell for **Industrial Purpose**. As per the report of Sr. Hydrogeologist, G.W.O., JSV, Una, **Near by the proposed site there is no source of water supply scheme of the department There is no existing departmental energised borewell within 300 mtrs. of the proposed borewell site of the applicant. The proposed borewell of the applicant lies in moderately dissected structural hills comprising of Shales with Limestones of Shimla group.**

A public notice of the application on Form-2/Form-5 has already been sent to float in the offices of concerned Executive Engineer (Matiana) & Gram Panchayat to get it displayed on the notice board of the local authority, so that interested persons, if any, may file their objection/suggestions. No objection has been received.

Hence, the sub-committee approved the case subject to the following conditions:

- i) The applicant shall construct a rainwater harvesting structure for the conservation and re-charge of ground water in his/her/their premise as per section-15 of the Himachal Pradesh Ground Water (Regulation & Control of Development and Management) Act, 2005 and Guidelines to regulate and Control ground water extraction in the State of Himachal Pradesh vide Notification No. IPH-B(A)3-1/2019-II dated 03.05.2021, within six months of issuance of the Certificate of Permit and intimation will be given to Executive Engineer, JSV Division Matiana on its completion.
- ii) The applicant shall install a water meter/bulk meter on the ground water extraction pipe so as to check the water drawl at any time and will maintain its log book.
- iii) The applicant shall have to pay royalty based on the quantum of ground water extraction through Executive Engineer, JSV Division Matiana for the use of ground water to the Member Secretary, Himachal Pradesh Ground Water Authority as per the Himachal Pradesh ground Water (Regulation and Control of development and Management) Rules, 2007 or the rules which may, subsequently, be made applicable by the State of HP.
- iv) In case of Industrial connection, the firm shall not use waste water of the Industry for recharging of ground Water.
- v) That the permission/sanction can be withdrawn or the quantity of water to be extracted can be restricted in case the ground water in the area is adversely affected in terms of quantity and/or quality.
- vi) Actual water requirement be computed taking into account recycling/reuse of treated water for flushing etc.
- vii) Certificate regarding non/partial availability of water supply from the public water supply agency.
- viii) The firm/applicant shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
- ix) The firm/applicant drawing water more than 10m<sup>3</sup> /day of ground water shall construct piezometer, equipped with DWLR of latest version within six months shall consultation with the Sr. Hydrogeologist, GWO, JSV, Una (HP) and monthly water level date shall be submitted to the Ground Water Organization and Himachal Pradesh Ground Water Authority.

- x) All stakeholders abstracting ground water in excess of 100 m<sup>3</sup>/d shall be required to undertake annual water audit through Confederation of India Industries (CII)/Federation Indian Chamber of Commerce and Industry (FICCI)/National Productivity Council (NPC) certified auditors and submit audit reports within three months of completion of the same to Himachal Pradesh Ground Water Authority. All such stakeholders shall be required to reduce their ground water use by at least 20% over the next three years through appropriate means
- xi) The holder of the Permit shall be duly bound to maintain the aforementioned source in an efficient, coordinated and economical manner and to use the water only for the purpose for which certificate of registration has been given.
- xii) The supporting document in r/o water requirement mentioned at the time of registration with Industry Department.

Therefore, as per the unanimous decision taken by the Sub-Committee, the concerned Executive Engineer is directed to convey the decision of Sub-Committee to the firm/applicant.

**30. RAJINDER KUMAR S/O ANIRUDH SHARMA, VILL. GOHJU PO. BASNOOR TEHSIL SHAHPUR DISTT. KANGRA HP 176208 (UID: 17637332) (Submission ID-35736)**

The applicant has applied on **Form – 1** for grant of permit for sinking of borewell for **Domestic Purpose**. As per the report of Sr. Hydrogeologist, G.W.O., JSV, Una, **One No. borewell exists around 160 m from the proposed borewell site of the applicant. The site falls in Dharamshala Palampur valley and as per the GEC 2020 report the area is safe and the stage of development is 13.76%. Lithologically the site falls in alluvial fan deposits comprising of sand gravel boulder and clays.**

A public notice of the application on Form-2/Form-5 has already been sent to float in the offices of concerned Executive Engineer (Shahpur) & Gram Panchayat to get it displayed on the notice board of the local authority, so that interested persons, if any, may file their objection/suggestions. No objection has been received.

**The Sub-Committee has considered the case and the applicant is requested to change the site for not fulfilling the minimum distance criteria as per Section 7(5)(f) of the Himachal Pradesh Ground Water Act, 2005.**

Therefore, as per the unanimous decision taken by the Sub-Committee, the concerned Executive Engineer (Shahpur) is directed to convey the decision of Sub-Committee to the firm/applicant.

**31. RAM SWAROOP S/O MAST RAM, VILLAGE BUD PO DUBLOO TEH JUNGA DISTT SHIMLA (UID: 95514210) (Submission ID-35519)**

The applicant has applied on **Form–1** for grant of permit for sinking of borewell for **Domestic Purpose**. As per the report of Sr. Hydrogeologist, G.W.O., JSV, Una, **There is no existing departmental energised borewell within 300 mtrs, however, one No. manual handpump exists around 140 m from the proposed borewell site of the applicant. The proposed borewell of the applicant lies in highly dissected structural hills comprising of Slate of Blaini rock formation.**

A public notice of the application on Form-2/Form-5 has already been sent to float in the offices of concerned Executive Engineer (Kasumpti) & Gram Panchayat to get it displayed on the notice board of the local authority, so that interested persons, if any, may file their objection/suggestions. No objection has been received.

**The Sub-Committee has considered the case and the applicant is requested to change the site for not fulfilling the minimum**

**distance criteria as per Section 7(5)(f) of the Himachal Pradesh Ground Water Act, 2005.**

Therefore, as per the unanimous decision taken by the Sub-Committee, the concerned Executive Engineer (Kasumpti) is directed to convey the decision of Sub-Committee to the firm/applicant.

**32. PRABHAT KISHORE S/O KRISHAN DAS, VILL KATHALAG PO BADHAGHAT THE GHUAMRWIN DISTT BILASPUR HP-PIN 174029 (IUID: 24136585) (Submission ID-35289)**

The applicant has applied on **Form – 1** for grant of permit for sinking of borewell for **Irrigation Purpose**. As per the report of Sr. Hydrogeologist, G.W.O., JSV, Una, **No departmental energised bore well exist within the radius of 300 mtrs from the bore well of the applicant. The area comprises of sedimentary rocks primarily sandstone and clay.**

A public notice of the application on Form-2/Form-5 has already been sent to float in the offices of concerned Executive Engineer (Ghumarwin) & Gram Panchayat to get it displayed on the notice board of the local authority, so that interested persons, if any, may file their objection/suggestions. No objection has been received.

Hence, the sub-committee approved the case subject to the following conditions:

- i) The applicant shall construct a rainwater harvesting structure for the conservation and re-charge of ground water in his/her/their premise as per section-15 of the Himachal Pradesh Ground Water (Regulation & Control of Development and Management) Act, 2005 and Guidelines to regulate and Control ground water extraction in the State of Himachal Pradesh vide Notification No. IPH-B (A) 3-1/2019-II dated 03.05.2021, within six months of issuance of the Certificate of Permit and intimation will be given to Executive Engineer, JSV Division Ghumarwin on its completion.
- ii) The applicant shall install a water meter/bulk meter on the ground water extraction pipe so as to check the water drawl at any time and will maintain its log book.
- iii) The applicant shall have to pay royalty based on the quantum of ground water extraction through Executive Engineer, JSV Division Ghumarwin for the use of ground water to the Member Secretary, Himachal Pradesh Ground Water Authority as per the Himachal Pradesh ground Water (Regulation and Control of development and Management) Rules, 2007 or the rules which may, subsequently, be made applicable by the State of HP.
- iv) In case of Industrial connection, the firm shall not use waste water of the Industry for recharging of ground Water.
- v) That the permission/sanction can be withdrawn or the quantity of water to be extracted can be restricted in case the ground water in the area is adversely affected in terms of quantity and/or quality.
- vi) Actual water requirement be computed taking into account recycling/reuse of treated water for flushing etc.
- vii) Certificate regarding non/partial availability of water supply from the public water supply agency.
- viii) The firm/applicant shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
- ix) The firm/applicant drawing water more than 10m<sup>3</sup> /day of ground water shall construct piezometer, equipped with DWLR of latest version within six months shall consultation with the Sr. Hydrogeologist, GWO, JSV, Una (HP) and monthly water level date shall be submitted to the Ground Water Organization and Himachal Pradesh Ground Water Authority.
- x) All stakeholders abstracting ground water in excess of 100 m<sup>3</sup>/d shall be required to undertake annual water audit through Confederation of India

Industries (CII)/Federation Indian Chamber of Commerce and Industry (FICCI)/National Productivity Council (NPC) certified auditors and submit audit reports within three months of completion of the same to Himachal Pradesh Ground Water Authority. All such stakeholders shall be required to reduce their ground water use by at least 20% over the next three years through appropriate means

- xi) The holder of the Permit shall be duly bound to maintain the aforementioned source in an efficient, coordinated and economical manner and to use the water only for the purpose for which certificate of registration has been given.
- xii) Supporting document in respect of farm size and crop type.

Therefore, as per the unanimous decision taken by the Sub-Committee, the concerned Executive Engineer is directed to convey the decision of Sub-Committee to the firm/applicant.

**33. PARTAP SINGH S/O KHAYAL SINGH, VILLAGE PANDREHAR POST OFFICE GURCHAL TEHSIL NURPUR DISTRICT KANGRA HP 176202 (IUID: 54309577) (Submission ID-35193)**

The applicant has applied on **Form – 1** for grant of permit for sinking of borewell for **Domestic Purpose**. As per the report of Sr. Hydrogeologist, G.W.O., JSV, Una, **No Govt. tubewell exists within 200mtrs of the proposed site of the applicant. The site falls in Nurpur Indora valley and as per the GEC 2020 report the area is safe and the stage of development is 29%. Lithologically the site falls in valley fill deposits of comprising of clays, gravels, pebbles, boulders & sand.**

A public notice of the application on Form-2/Form-5 has already been sent to float in the offices of concerned Executive Engineer (Nurpur) & Gram Panchayat to get it displayed on the notice board of the local authority, so that interested persons, if any, may file their objection/suggestions. No objection has been received.

Hence, the sub-committee approved the case subject to the following conditions:

- i) The applicant shall construct a rainwater harvesting structure for the conservation and re-charge of ground water in his/her/their premise as per section-15 of the Himachal Pradesh Ground Water (Regulation & Control of Development and Management) Act, 2005 and Guidelines to regulate and Control ground water extraction in the State of Himachal Pradesh vide Notification No. IPH-B (A) 3-1/2019-II dated 03.05.2021, within six months of issuance of the Certificate of Permit and intimation will be given to Executive Engineer, JSV Division Nurpur on its completion.
- ii) The applicant shall install a water meter/bulk meter on the ground water extraction pipe so as to check the water drawl at any time and will maintain its log book.
- iii) The applicant shall have to pay royalty based on the quantum of ground water extraction through Executive Engineer, JSV Division Nurpur for the use of ground water to the Member Secretary, Himachal Pradesh Ground Water Authority as per the Himachal Pradesh ground Water (Regulation and Control of development and Management) Rules, 2007 or the rules which may, subsequently, be made applicable by the State of HP.
- iv) In case of Industrial connection, the firm shall not use waste water of the Industry for recharging of ground Water.
- v) That the permission/sanction can be withdrawn or the quantity of water to be extracted can be restricted in case the ground water in the area is adversely affected in terms of quantity and/or quality.

- vi) Actual water requirement be computed taking into account recycling/reuse of treated water for flushing etc.
- vii) Certificate regarding non/partial availability of water supply from the public water supply agency.
- viii) The firm/applicant shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
- ix) The firm/applicant drawing water more than 10m<sup>3</sup> /day of ground water shall construct piezometer, equipped with DWLR of latest version within six months shall consultation with the Sr. Hydrogeologist, GWO, JSV, Una (HP) and monthly water level data shall be submitted to the Ground Water Organization and Himachal Pradesh Ground Water Authority.
- x) All stakeholders abstracting ground water in excess of 100 m<sup>3</sup>/d shall be required to undertake annual water audit through Confederation of India Industries (CII)/Federation Indian Chamber of Commerce and Industry (FICCI)/National Productivity Council (NPC) certified auditors and submit audit reports within three months of completion of the same to Himachal Pradesh Ground Water Authority. All such stakeholders shall be required to reduce their ground water use by at least 20% over the next three years through appropriate means
- xi) The holder of the Permit shall be duly bound to maintain the aforementioned source in an efficient, coordinated and economical manner and to use the water only for the purpose for which certificate of registration has been given.

Therefore, as per the unanimous decision taken by the Sub-Committee, the concerned Executive Engineer is directed to convey the decision of Sub-Committee to the firm/applicant.

**34. JAGDEV SINGH S/O PARMODH SINGH, VILL RIT UPERLI TEH NURPUR DISTT KANGRA (IUID: 27227695) (Submission ID-35177)**

The applicant has applied on **Form – 1** for grant of permit for sinking of borewell for **Irrigation Purpose**. As per the report of Sr. Hydrogeologist, G.W.O., JSV, Una, **No departmental energized borewell exists within a distance of around 200m from the proposed borewell of the applicant. The site falls in Nurpur Indora valley and as per the GEC 2020 report the area is safe and the stage of development is 29%. Lithologically the site falls in alluvial deposits comprising of clays, gravels, pebbles, boulders & sand.**

A public notice of the application on Form-2/Form-5 has already been sent to float in the offices of concerned Executive Engineer (Nurpur) & Gram Panchayat to get it displayed on the notice board of the local authority, so that interested persons, if any, may file their objection/suggestions. No objection has been received.

Hence, the sub-committee approved the case subject to the following conditions:

- i) The applicant shall construct a rainwater harvesting structure for the conservation and re-charge of ground water in his/her/their premise as per section-15 of the Himachal Pradesh Ground Water (Regulation & Control of Development and Management) Act, 2005 and Guidelines to regulate and Control ground water extraction in the State of Himachal Pradesh vide Notification No. IPH-B (A) 3-1/2019-II dated 03.05.2021, within six months of issuance of the Certificate of Permit and intimation will be given to Executive Engineer, JSV Division Nurpur on its completion.
- ii) The applicant shall install a water meter/bulk meter on the ground water extraction pipe so as to check the water drawl at any time and will maintain its log book.
- iii) The applicant shall have to pay royalty based on the quantum of ground water extraction through Executive Engineer, JSV Division Nurpur for

the use of ground water to the Member Secretary, Himachal Pradesh Ground Water Authority as per the Himachal Pradesh ground Water (Regulation and Control of development and Management) Rules, 2007 or the rules which may, subsequently, be made applicable by the State of HP.

- iv) In case of Industrial connection, the firm shall not use waste water of the Industry for recharging of ground Water.
- v) That the permission/sanction can be withdrawn or the quantity of water to be extracted can be restricted in case the ground water in the area is adversely affected in terms of quantity and/or quality.
- vi) Actual water requirement be computed taking into account recycling/reuse of treated water for flushing etc.
- vii) Certificate regarding non/partial availability of water supply from the public water supply agency.
- viii) The firm/applicant shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
- ix) The firm/applicant drawing water more than 10m<sup>3</sup> /day of ground water shall construct piezometer, equipped with DWLR of latest version within six months shall consultation with the Sr. Hydrogeologist, GWO, JSV, Una (HP) and monthly water level data shall be submitted to the Ground Water Organization and Himachal Pradesh Ground Water Authority.
- x) All stakeholders abstracting ground water in excess of 100 m<sup>3</sup>/d shall be required to undertake annual water audit through Confederation of India Industries (CII)/Federation Indian Chamber of Commerce and Industry (FICCI)/National Productivity Council (NPC) certified auditors and submit audit reports within three months of completion of the same to Himachal Pradesh Ground Water Authority. All such stakeholders shall be required to reduce their ground water use by at least 20% over the next three years through appropriate means
- xi) The holder of the Permit shall be duly bound to maintain the aforementioned source in an efficient, coordinated and economical manner and to use the water only for the purpose for which certificate of registration has been given.
- xii) Supporting document in respect of farm size and crop type.

Therefore, as per the unanimous decision taken by the Sub-Committee, the concerned Executive Engineer is directed to convey the decision of Sub-Committee to the firm/applicant.

**35. Sh. Pradeep Kumar s/o Sh. Ravan Singh, Vill. Bhaniyari, P.O. Bhalli Tehsil Jawali District Kangra (HP) (IUID: 30650934) (Submission ID-34381)**

The applicant has applied on **Form – 1** for grant of permit for sinking of borewell for **Irrigation Purpose**. As per the report of Sr. Hydrogeologist, G.W.O., JSV, Una, **No departmental energized borewell exists within a distance of around 300m from the proposed borewell of the applicant. The site falls in Nurpur Indora valley and as per the GEC 2020 report the area is safe and the stage of development is 29%. Lithologically the site falls in alluvial deposits comprising of clays, gravels, pebbles, boulders & sand.**

A public notice of the application on Form-2/Form-5 has already been sent to float in the offices of concerned Executive Engineer (Jawali) & Gram Panchayat to get it displayed on the notice board of the local authority, so that interested persons, if any, may file their objection/suggestions. No objection has been received.

Hence, the sub-committee approved the case subject to the following conditions:

- i) The applicant shall construct a rainwater harvesting structure for the conservation and re-charge of ground water in his/her/their premise as

per section-15 of the Himachal Pradesh Ground Water (Regulation & Control of Development and Management) Act, 2005 and Guidelines to regulate and Control ground water extraction in the State of Himachal Pradesh vide Notification No. IPH-B (A) 3-1/2019-II dated 03.05.2021, within six months of issuance of the Certificate of Permit and intimation will be given to Executive Engineer, JSV Division Jawali on its completion.

- ii) The applicant shall install a water meter/bulk meter on the ground water extraction pipe so as to check the water drawl at any time and will maintain its log book.
- iii) The applicant shall have to pay royalty based on the quantum of ground water extraction through Executive Engineer, JSV Division Jawali for the use of ground water to the Member Secretary, Himachal Pradesh Ground Water Authority as per the Himachal Pradesh ground Water (Regulation and Control of development and Management) Rules, 2007 or the rules which may, subsequently, be made applicable by the State of HP.
- iv) In case of Industrial connection, the firm shall not use waste water of the Industry for recharging of ground Water.
- v) That the permission/sanction can be withdrawn or the quantity of water to be extracted can be restricted in case the ground water in the area is adversely affected in terms of quantity and/or quality.
- vi) Actual water requirement be computed taking into account recycling/reuse of treated water for flushing etc.
- vii) Certificate regarding non/partial availability of water supply from the public water supply agency.
- viii) The firm/applicant shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
- ix) The firm/applicant drawing water more than 10m<sup>3</sup> /day of ground water shall construct piezometer, equipped with DWLR of latest version within six months shall consultation with the Sr. Hydrogeologist, GWO, JSV, Una (HP) and monthly water level date shall be submitted to the Ground Water Organization and Himachal Pradesh Ground Water Authority.
- x) All stakeholders abstracting ground water in excess of 100 m<sup>3</sup>/d shall be required to undertake annual water audit through Confederation of India Industries (CII)/Federation Indian Chamber of Commerce and Industry (FICCI)/National Productivity Council (NPC) certified auditors and submit audit reports within three months of completion of the same to Himachal Pradesh Ground Water Authority. All such stakeholders shall be required to reduce their ground water use by at least 20% over the next three years through appropriate means
- xi) The holder of the Permit shall be duly bound to maintain the aforementioned source in an efficient, coordinated and economical manner and to use the water only for the purpose for which certificate of registration has been given.
- xii) Supporting document in respect of farm size and crop type.

Therefore, as per the unanimous decision taken by the Sub-Committee, the concerned Executive Engineer is directed to convey the decision of Sub-Committee to the firm/applicant.

**36. Sh. Yograj Jamwal S/O Sh. Kishan Chand Jamwal village Badyar P.O. Bhargaon Tehsil Kotli Distt. Mandi H.P. (IUID: 17554675) (Submission ID-33806)**

The applicant has applied on **Form – 1** for grant of permit for sinking of borewell for **Irrigation Purpose**. As per the report of Sr. Hydrogeologist, G.W.O., JSV, Una, **The applicant has applied for sinking of borewell. However, he has already drilled the borewell in Feb 2022. No Govt tubewell exists within a distance of 300 m form the existing borewell of the applicant. Geologically area comprises of Sandstone, shale and clay they alternate each others. Ground Water prospect in the area good to moderate.**

The case was discussed and after detailed discussions it was decided that as the borewell had already been drilled during 02/2022 as per site inspection report which is in contravention of the Himachal Pradesh Ground water Act, 2005, hence the concerned Executive Engineer (Mandi) shall intimate the action taken for the offence under various provisions of the Act.

37. **Sh. Amardeep Singh Mahamaya INF P LTD S/O P S Bami Taj Theog Resort and SPA Shimla A Unit of Mahamaya Infrastructure Pvt. LTD Basa Theog Distt. Shimla H.P. (UID: 19440210) (Submission ID- 36710)**

The applicant has applied on **Form – 1A** for grant of permit for sinking of borewell for **Commercial Purpose**. As per the report of Sr. Hydrogeologist, G.W.O., JSV, Una, **There is no existing departmental energised borewell within 300 mtrs. of the proposed borewell site of the applicant. The proposed borewell of the applicant lies in moderately dissected structural hills comprising of Shales with Limestones of Shimla group.**

A public notice of the application on Form-2/Form-5 has already been sent to float in the offices of concerned Executive Engineer (Matiana) & Gram Panchayat to get it displayed on the notice board of the local authority, so that interested persons, if any, may file their objection/suggestions. No objection has been received.

Hence, the sub-committee approved the case subject to the following conditions:

- i) The applicant shall construct a rainwater harvesting structure for the conservation and re-charge of ground water in his/her/their premise as per section-15 of the Himachal Pradesh Ground Water (Regulation & Control of Development and Management) Act, 2005 and Guidelines to regulate and Control ground water extraction in the State of Himachal Pradesh vide Notification No. IPH-B (A) 3-1/2019-II dated 03.05.2021, within six months of issuance of the Certificate of Permit and intimation will be given to Executive Engineer, JSV Division Matiana on its completion.
- ii) The applicant shall install a water meter/digital flow meter (Telemetry) on the ground water extraction pipe so as to check the water drawl at any time and will maintain its log book.
- iii) The applicant shall have to pay royalty based on the quantum of ground water extraction through Executive Engineer, JSV Division Matiana for the use of ground water to the Member Secretary, Himachal Pradesh Ground Water Authority as per the Himachal Pradesh ground Water (Regulation and Control of development and Management) Rules, 2007 or the rules which may, subsequently, be made applicable by the State of HP.
- iv) In case of Industrial connection, the firm shall not use waste water of the Industry for recharging of ground Water.
- v) That the permission/sanction can be withdrawn or the quantity of water to be extracted can be restricted in case the ground water in the area is adversely affected in terms of quantity and/or quality.
- vi) Actual water requirement be computed taking into account recycling/reuse of treated water for flushing etc.
- vii) Certificate regarding non/partial availability of water supply from the public water supply agency.
- viii) The firm/applicant shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
- ix) The firm/applicant drawing water more than 10m<sup>3</sup> /day of ground water shall construct piezometer, equipped with DWLR of latest version within six months shall consultation with the Sr. Hydrogeologist, GWO, JSV, Una (HP) and monthly water level date shall be submitted to the

- Ground Water Organization and Himachal Pradesh Ground Water Authority.
- x) All stakeholders abstracting ground water in excess of 100 m<sup>3</sup>/d shall be required to undertake annual water audit through Confederation of India Industries (CII)/Federation Indian Chamber of Commerce and Industry (FICCI)/National Productivity Council (NPC) certified auditors and submit audit reports within three months of completion of the same to Himachal Pradesh Ground Water Authority. All such stakeholders shall be required to reduce their ground water use by at least 20% over the next three years through appropriate means
  - xi) The holder of the Permit shall be duly bound to maintain the aforementioned source in an efficient, coordinated and economical manner and to use the water only for the purpose for which certificate of registration has been given.

Therefore, as per the unanimous decision taken by the Sub-Committee, the concerned Executive Engineer is directed to convey the decision of Sub-Committee to the firm/applicant.

**38. Smt. Ranjana Verma, W/O Sh. Madan Singh Verma, Village Sughar, P.O. Bandla Tea Estate, Palampur, Distt, Kangra (HP) (IUID: 95437439) (Submission ID- 37057)**

The applicant has applied on **Form – 1** for grant of permit for sinking of borewell for **Irrigation Purpose**. As per the report of Sr. Hydrogeologist, G.W.O., JSV, Una, **No Govt. tubewell exists within 200 mtrs of the proposed tubewell of the applicant. The site falls in Una valley Satluj basin and as per the GEC 2020 report the area is safe and the stage of development is 61%. Lithologically the site falls in valley fill deposits of comprising of clays, gravels, pebbles, boulders & sand.**

A public notice of the application on Form-2/Form-5 has already been sent to float in the offices of concerned Executive Engineer (Matiana) & Gram Panchayat to get it displayed on the notice board of the local authority, so that interested persons, if any, may file their objection/suggestions. No objection has been received.

Hence, the sub-committee approved the case subject to the following conditions:

- i) The applicant shall construct a rainwater harvesting structure for the conservation and re-charge of ground water in his/her/their premise as per section-15 of the Himachal Pradesh Ground Water (Regulation & Control of Development and Management) Act, 2005 and Guidelines to regulate and Control ground water extraction in the State of Himachal Pradesh vide Notification No. IPH-B (A) 3-1/2019-II dated 03.05.2021, within six months of issuance of the Certificate of Permit and intimation will be given to Executive Engineer, JSV Division Matiana on its completion.
- ii) The applicant shall install a water meter/bulk meter on the ground water extraction pipe so as to check the water drawl at any time and will maintain its log book.
- iii) The applicant shall have to pay royalty based on the quantum of ground water extraction through Executive Engineer, JSV Division Matiana for the use of ground water to the Member Secretary, Himachal Pradesh Ground Water Authority as per the Himachal Pradesh ground Water (Regulation and Control of development and Management) Rules, 2007 or the rules which may, subsequently, be made applicable by the State of HP.
- iv) In case of Industrial connection, the firm shall not use waste water of the Industry for recharging of ground Water.

- v) That the permission/sanction can be withdrawn or the quantity of water to be extracted can be restricted in case the ground water in the area is adversely affected in terms of quantity and/or quality.
- vi) Actual water requirement be computed taking into account recycling/reuse of treated water for flushing etc.
- vii) Certificate regarding non/partial availability of water supply from the public water supply agency.
- viii) The firm/applicant shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
- ix) The firm/applicant drawing water more than 10m<sup>3</sup> /day of ground water shall construct piezometer, equipped with DWLR of latest version within six months shall consultation with the Sr. Hydrogeologist, GWO, JSV, Una (HP) and monthly water level data shall be submitted to the Ground Water Organization and Himachal Pradesh Ground Water Authority.
- x) All stakeholders abstracting ground water in excess of 100 m<sup>3</sup>/d shall be required to undertake annual water audit through Confederation of India Industries (CII)/Federation Indian Chamber of Commerce and Industry (FICCI)/National Productivity Council (NPC) certified auditors and submit audit reports within three months of completion of the same to Himachal Pradesh Ground Water Authority. All such stakeholders shall be required to reduce their ground water use by at least 20% over the next three years through appropriate means
- xi) The holder of the Permit shall be duly bound to maintain the aforementioned source in an efficient, coordinated and economical manner and to use the water only for the purpose for which certificate of registration has been given.
- xii) Supporting document in respect of farm size and crop type.

Therefore, as per the unanimous decision taken by the Sub-Committee, the concerned Executive Engineer is directed to convey the decision of Sub-Committee to the firm/applicant.

**39. Sh. Sunil Kumar, S/O Des Raj, Ward No.2,VPO Kuneran, Tehsil Amb, Distt Una (177219) (IUID: 15453107) (Submission ID- 34508)**

The applicant has applied on **Form – 1** for grant of permit for sinking of borewell for **Irrigation Purpose**. As per the report of Sr. Hydrogeologist, G.W.O., JSV, Una, **No Govt. tubewell exists within 200 mtrs of the proposed tubewell of the applicant. The site falls in Una valley Satluj basin and as per the GEC 2020 report the area is safe and the stage of development is 61%. Lithologically the site falls in valley fill deposits of comprising of clays , gravels, pebbles, boulders & sand.**

A public notice of the application on Form-2/Form-5 has already been sent to float in the offices of concerned Executive Engineer (Una No-II) & Gram Panchayat to get it displayed on the notice board of the local authority, so that interested persons, if any, may file their objection/suggestions. No objection has been received.

Hence, the sub-committee approved the case subject to the following conditions:

- i) The applicant shall construct a rainwater harvesting structure for the conservation and re-charge of ground water in his/her/their premise as per section-15 of the Himachal Pradesh Ground Water (Regulation & Control of Development and Management) Act, 2005 and Guidelines to regulate and Control ground water extraction in the State of Himachal Pradesh vide Notification No. IPH-B (A) 3-1/2019-II dated 03.05.2021, within six months of issuance of the Certificate of Permit and intimation will be given to Executive Engineer, JSV Division Una No-II on its completion.

- ii) The applicant shall install a water meter/bulk meter on the ground water extraction pipe so as to check the water drawl at any time and will maintain its log book.
- iii) The applicant shall have to pay royalty based on the quantum of ground water extraction through Executive Engineer, JSV Division Una No-II for the use of ground water to the Member Secretary, Himachal Pradesh Ground Water Authority as per the Himachal Pradesh ground Water (Regulation and Control of development and Management) Rules, 2007 or the rules which may, subsequently, be made applicable by the State of HP.
- iv) In case of Industrial connection, the firm shall not use waste water of the Industry for recharging of ground Water.
- v) That the permission/sanction can be withdrawn or the quantity of water to be extracted can be restricted in case the ground water in the area is adversely affected in terms of quantity and/or quality.
- vi) Actual water requirement be computed taking into account recycling/reuse of treated water for flushing etc.
- vii) Certificate regarding non/partial availability of water supply from the public water supply agency.
- viii) The firm/applicant shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
- ix) The firm/applicant drawing water more than 10m<sup>3</sup> /day of ground water shall construct piezometer, equipped with DWLR of latest version within six months shall consultation with the Sr. Hydrogeologist, GWO, JSV, Una (HP) and monthly water level date shall be submitted to the Ground Water Organization and Himachal Pradesh Ground Water Authority.
- x) All stakeholders abstracting ground water in excess of 100 m<sup>3</sup>/d shall be required to undertake annual water audit through Confederation of India Industries (CII)/Federation Indian Chamber of Commerce and Industry (FICCI)/National Productivity Council (NPC) certified auditors and submit audit reports within three months of completion of the same to Himachal Pradesh Ground Water Authority. All such stakeholders shall be required to reduce their ground water use by at least 20% over the next three years through appropriate means
- xi) The holder of the Permit shall be duly bound to maintain the aforementioned source in an efficient, coordinated and economical manner and to use the water only for the purpose for which certificate of registration has been given.
- xii) Supporting document in respect of farm size and crop type.

Therefore, as per the unanimous decision taken by the Sub-Committee, the concerned Executive Engineer is directed to convey the decision of Sub-Committee to the firm/applicant.

**40. Sh. Ramesh Kumar Thakur, S/O Ram Krishan, Vill- Dhanog, P.O. Rehardhar Teh. Sadar Distt. Mandi (HP). (IUID: 39857416) (Submission ID- 33789)**

The applicant has applied on **Form – 1** for grant of permit for sinking of borewell for **Irrigation Purpose**. As per the report of Sr. Hydrogeologist, G.W.O., JSV, Una, **No Govt. tubewell exists within 300 mtrs of the proposed site of the applicant. Geologically area comprises of overburden underlain by metamorphites, water prospects in the area are good to moderate.**

A public notice of the application on Form-2/Form-5 has already been sent to float in the offices of concerned Executive Engineer (Mandi) & Gram Panchayat to get it displayed on the notice board of the local authority, so that interested persons, if any, may file their objection/suggestions. No objection has been received.

Hence, the sub-committee approved the case subject to the following conditions:

- i) The applicant shall construct a rainwater harvesting structure for the conservation and re-charge of ground water in his/her/their premise as per section-15 of the Himachal Pradesh Ground Water (Regulation & Control of Development and Management) Act, 2005 and Guidelines to regulate and Control ground water extraction in the State of Himachal Pradesh vide Notification No. IPH-B (A) 3-1/2019-II dated 03.05.2021, within six months of issuance of the Certificate of Permit and intimation will be given to Executive Engineer, JSV Division Mandi on its completion.
- ii) The applicant shall install a water meter/bulk meter on the ground water extraction pipe so as to check the water drawl at any time and will maintain its log book.
- iii) The applicant shall have to pay royalty based on the quantum of ground water extraction through Executive Engineer, JSV Division Mandi for the use of ground water to the Member Secretary, Himachal Pradesh Ground Water Authority as per the Himachal Pradesh ground Water (Regulation and Control of development and Management) Rules, 2007 or the rules which may, subsequently, be made applicable by the State of HP.
- iv) In case of Industrial connection, the firm shall not use waste water of the Industry for recharging of ground Water.
- v) That the permission/sanction can be withdrawn or the quantity of water to be extracted can be restricted in case the ground water in the area is adversely affected in terms of quantity and/or quality.
- vi) Actual water requirement be computed taking into account recycling/reuse of treated water for flushing etc.
- vii) Certificate regarding non/partial availability of water supply from the public water supply agency.
- viii) The firm/applicant shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
- ix) The firm/applicant drawing water more than 10m<sup>3</sup> /day of ground water shall construct piezometer, equipped with DWLR of latest version within six months shall consultation with the Sr. Hydrogeologist, GWO, JSV, Una (HP) and monthly water level date shall be submitted to the Ground Water Organization and Himachal Pradesh Ground Water Authority.
- x) All stakeholders abstracting ground water in excess of 100 m<sup>3</sup>/d shall be required to undertake annual water audit through Confederation of India Industries (CII)/Federation Indian Chamber of Commerce and Industry (FICCI)/National Productivity Council (NPC) certified auditors and submit audit reports within three months of completion of the same to Himachal Pradesh Ground Water Authority. All such stakeholders shall be required to reduce their ground water use by at least 20% over the next three years through appropriate means
- xi) The holder of the Permit shall be duly bound to maintain the aforementioned source in an efficient, coordinated and economical manner and to use the water only for the purpose for which certificate of registration has been given.
- xii) Supporting document in respect of farm size and crop type.

Therefore, as per the unanimous decision taken by the Sub-Committee, the concerned Executive Engineer is directed to convey the decision of Sub-Committee to the firm/applicant.

**41. Sh. Rajendra Prashad Sharma, S/O Sh. Pandit Mathura Dass, Vill Bijapur PO Kathiari Tehsil Amb Distt Una (HP). (UID: 31101977) (Submission ID-33738)**

The applicant has applied on **Form – 1** for grant of permit for sinking of borewell for **Irrigation Purpose**. As per the report of Sr. Hydrogeologist, G.W.O., JSV, Una, **No Govt. tubewell exists within 200 mtrs**

from the proposed borewell of the applicant. The site falls in Una valley Satluj basin and as per the GEC 2020 report the area is safe and the stage of development is 61%. Lithologically the site falls in valley fill deposits of comprising of clays, gravels, pebbles, boulders & sand.

A public notice of the application on Form-2/Form-5 has already been sent to float in the offices of concerned Executive Engineer (Gagret FC Div) & Gram Panchayat to get it displayed on the notice board of the local authority, so that interested persons, if any, may file their objection/suggestions. No objection has been received.

Hence, the sub-committee approved the case subject to the following conditions:

- i) The applicant shall construct a rainwater harvesting structure for the conservation and re-charge of ground water in his/her/their premise as per section-15 of the Himachal Pradesh Ground Water (Regulation & Control of Development and Management) Act, 2005 and Guidelines to regulate and Control ground water extraction in the State of Himachal Pradesh vide Notification No. IPH-B (A) 3-1/2019-II dated 03.05.2021, within six months of issuance of the Certificate of Permit and intimation will be given to Executive Engineer, JSV Division Gagret FC Div on its completion.
- ii) The applicant shall install a water meter/bulk meter on the ground water extraction pipe so as to check the water drawl at any time and will maintain its log book.
- iii) The applicant shall have to pay royalty based on the quantum of ground water extraction through Executive Engineer, JSV Division Gagret FC Div for the use of ground water to the Member Secretary, Himachal Pradesh Ground Water Authority as per the Himachal Pradesh ground Water (Regulation and Control of development and Management) Rules, 2007 or the rules which may, subsequently, be made applicable by the State of HP.
- iv) In case of Industrial connection, the firm shall not use waste water of the Industry for recharging of ground Water.
- v) That the permission/sanction can be withdrawn or the quantity of water to be extracted can be restricted in case the ground water in the area is adversely affected in terms of quantity and/or quality.
- vi) Actual water requirement be computed taking into account recycling/reuse of treated water for flushing etc.
- vii) Certificate regarding non/partial availability of water supply from the public water supply agency.
- viii) The firm/applicant shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
- ix) The firm/applicant drawing water more than 10m<sup>3</sup> /day of ground water shall construct piezometer, equipped with DWLR of latest version within six months shall consultation with the Sr. Hydrogeologist, GWO, JSV, Una (HP) and monthly water level date shall be submitted to the Ground Water Organization and Himachal Pradesh Ground Water Authority.
- x) All stakeholders abstracting ground water in excess of 100 m<sup>3</sup>/d shall be required to undertake annual water audit through Confederation of India Industries (CII)/Federation Indian Chamber of Commerce and Industry (FICCI)/National Productivity Council (NPC) certified auditors and submit audit reports within three months of completion of the same to Himachal Pradesh Ground Water Authority. All such stakeholders shall be required to reduce their ground water use by at least 20% over the next three years through appropriate means
- xi) The holder of the Permit shall be duly bound to maintain the aforementioned source in an efficient, coordinated and economical manner and to use the water only for the purpose for which certificate of registration has been given.
- xii) Supporting document in respect of farm size and crop type.

Therefore, as per the unanimous decision taken by the Sub-Committee, the concerned Executive Engineer is directed to convey the decision of Sub-Committee to the firm/applicant.

**42. Sh. Devi Chand, S/O Sh. Jangi Ram, Vill Surjapur PO Piplughat Teh Arki Distt Solan (HP). (IUID: 31328590) (Submission ID- 35307)**

The applicant has applied on **Form – 1** for grant of permit for sinking of borewell for **Irrigation Purpose**. As per the report of Sr. Hydrogeologist, G.W.O., JSV, Una, **There is no existing Departmental Energized Borewell within 300 mtrs. of the proposed Borewell site of the applicant. The proposed site of the applicant lies amidst sedimentary rocks, primarily shales and Sandstone.**

A public notice of the application on Form-2/Form-5 has already been sent to float in the offices of concerned Executive Engineer (Arki) & Gram Panchayat to get it displayed on the notice board of the local authority, so that interested persons, if any, may file their objection/suggestions. No objection has been received.

Hence, the sub-committee approved the case subject to the following conditions:

- i) The applicant shall construct a rainwater harvesting structure for the conservation and re-charge of ground water in his/her/their premise as per section-15 of the Himachal Pradesh Ground Water (Regulation & Control of Development and Management) Act, 2005 and Guidelines to regulate and Control ground water extraction in the State of Himachal Pradesh vide Notification No. IPH-B (A) 3-1/2019-II dated 03.05.2021, within six months of issuance of the Certificate of Permit and intimation will be given to Executive Engineer, JSV Division Arki on its completion.
- ii) The applicant shall install a water meter/bulk meter on the ground water extraction pipe so as to check the water drawl at any time and will maintain its log book.
- iii) The applicant shall have to pay royalty based on the quantum of ground water extraction through Executive Engineer, JSV Division Arki for the use of ground water to the Member Secretary, Himachal Pradesh Ground Water Authority as per the Himachal Pradesh ground Water (Regulation and Control of development and Management) Rules, 2007 or the rules which may, subsequently, be made applicable by the State of HP.
- iv) In case of Industrial connection, the firm shall not use waste water of the Industry for recharging of ground Water.
- v) That the permission/sanction can be withdrawn or the quantity of water to be extracted can be restricted in case the ground water in the area is adversely affected in terms of quantity and/or quality.
- vi) Actual water requirement be computed taking into account recycling/reuse of treated water for flushing etc.
- vii) Certificate regarding non/partial availability of water supply from the public water supply agency.
- viii) The firm/applicant shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
- ix) The firm/applicant drawing water more than 10m<sup>3</sup> /day of ground water shall construct piezometer, equipped with DWLR of latest version within six months shall consultation with the Sr. Hydrogeologist, GWO, JSV, Una (HP) and monthly water level date shall be submitted to the Ground Water Organization and Himachal Pradesh Ground Water Authority.
- x) All stakeholders abstracting ground water in excess of 100 m<sup>3</sup>/d shall be required to undertake annual water audit through Confederation of India Industries (CII)/Federation Indian Chamber of Commerce and Industry

(FICCI)/National Productivity Council (NPC) certified auditors and submit audit reports within three months of completion of the same to Himachal Pradesh Ground Water Authority. All such stakeholders shall be required to reduce their ground water use by at least 20% over the next three years through appropriate means

- xi) The holder of the Permit shall be duly bound to maintain the aforementioned source in an efficient, coordinated and economical manner and to use the water only for the purpose for which certificate of registration has been given.
- xii) Supporting document in respect of farm size and crop type.

Therefore, as per the unanimous decision taken by the Sub-Committee, the concerned Executive Engineer is directed to convey the decision of Sub-Committee to the firm/applicant.

**43. Smt. Nirmla Devi, W/O Sh Ram Kishan, Village Jaglog PO Gunaha kalan Tehsil Ramshehar Distt. Solan (HP). (UID: 26409601) (Submission ID- 8701)**

The applicant has applied on **Form – 1** for grant of permit for sinking of borewell for **Irrigation Purpose**. As per the report of Sr. Hydrogeologist, G.W.O., JSV, Una, **The applicant has applied for permit for sinking of borewell, but this borewell has already been drilled by the applicant in 07/2020, there is no existing Jal Shakti Vibhag tubewell within 300 mts. of the existing bore well of the applicant, The site falls in Nalagarh valley and as per the GEC 2020 report the area is safe and the stage of development is 58%. Lithologically the site falls in valley fill deposits of comprising of clays, gravels, pebbles, boulders & sand.**

**The case was discussed and after detailed discussions it was decided that as the borewell had already been drilled during 07/2020 as per site inspection report which is in contravention of the Himachal Pradesh Ground water Act, 2005, hence the concerned Executive Engineer (Nalagarh) shall intimate the action taken for the offence under various provisions of the Act.**

**44. M/S TVS Motor Company Limited S/O NA, TVS Motor Company Jayalakshmi Estate, No.29, Haddows road, Chennai-600006 (UID: 14954441) (Submission ID- 33003)**

The applicant has applied on **Form – 1A** for grant of permit for sinking of borewell for **Industrial Purpose**. As per the report of Sr. Hydrogeologist, G.W.O., JSV, Una, **No number Govt. tubewell exist within 300mtrs of the proposed site of the applicant. The site falls in Nalagarh valley and as per the GEC 2020 report the area is safe and the stage of development is 58%.Lithologically the site falls in valley fill deposits of comprising of clays , gravels, pebbles, boulders & sand.**

A public notice of the application on Form-2/Form-5 has already been sent to float in the offices of concerned Executive Engineer (Nalagarh) & Gram Panchayat to get it displayed on the notice board of the local authority, so that interested persons, if any, may file their objection/suggestions. No objection has been received.

Hence, the sub-committee approved the case subject to the following conditions:

- i) The applicant shall construct a rainwater harvesting structure for the conservation and re-charge of ground water in his/her/their premise as per section-15 of the Himachal Pradesh Ground Water (Regulation & Control of Development and Management) Act, 2005 and Guidelines to regulate and Control ground water extraction in the State of Himachal Pradesh vide Notification No. IPH-B(A)3-1/2019-II dated 03.05.2021, within six months of issuance of the Certificate of Permit and intimation

- will be given to Executive Engineer, JSV Division Nalagarh on its completion.
- ii) The applicant shall install a water meter/Digital Flow meter (Telemetry) on the ground water extraction pipe so as to check the water drawl at any time and will maintain its log book.
  - iii) The applicant shall have to pay royalty based on the quantum of ground water extraction through Executive Engineer, JSV Division Nalagarh for the use of ground water to the Member Secretary, Himachal Pradesh Ground Water Authority as per the Himachal Pradesh ground Water (Regulation and Control of development and Management) Rules, 2007 or the rules which may, subsequently, be made applicable by the State of HP.
  - iv) In case of Industrial connection, the firm shall not use waste water of the Industry for recharging of ground Water.
  - v) That the permission/sanction can be withdrawn or the quantity of water to be extracted can be restricted in case the ground water in the area is adversely affected in terms of quantity and/or quality.
  - vi) Actual water requirement be computed taking into account recycling/reuse of treated water for flushing etc.
  - vii) Certificate regarding non/partial availability of water supply from the public water supply agency.
  - viii) The firm/applicant shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
  - ix) The firm/applicant drawing water more than 10m<sup>3</sup> /day of ground water shall construct piezometer, equipped with DWLR of latest version within six months shall consultation with the Sr. Hydrogeologist, GWO, JSV, Una (HP) and monthly water level date shall be submitted to the Ground Water Organization and Himachal Pradesh Ground Water Authority.
  - x) All stakeholders abstracting ground water in excess of 100 m<sup>3</sup>/d shall be required to undertake annual water audit through Confederation of India Industries (CII)/Federation Indian Chamber of Commerce and Industry (FICCI)/National Productivity Council (NPC) certified auditors and submit audit reports within three months of completion of the same to Himachal Pradesh Ground Water Authority. All such stakeholders shall be required to reduce their ground water use by at least 20% over the next three years through appropriate means
  - xi) The holder of the Permit shall be duly bound to maintain the aforementioned source in an efficient, coordinated and economical manner and to use the water only for the purpose for which certificate of registration has been given.
  - xii) The supporting document in r/o water requirement mentioned at the time of registration with Industry Department.

Therefore, as per the unanimous decision taken by the Sub-Committee, the concerned Executive Engineer is directed to convey the decision of Sub-Committee to the firm/applicant.

**45. Sh. Dumnu Ram Chaudhary, S/O Sh. Mast Ram Chaudhary, village Uparla Majherana Near Railway Station P.O. Majherana Tehsil Baijnath Distt Kangra (HP) (UID: 81191899) (Submission ID- 33266)**

The applicant has applied on **Form – 1** for grant of permit for sinking of borewell for **Domestic Purpose**. As per the report of Sr. Hydrogeologist, G.W.O., JSV, Una, **Two number departmental energized borewell exists within a distance of 300m from the proposed borewell of the applicant. The site is located in alluvial fan deposits comprising of alluvium deposits of clays, gravels, pebbles, boulders & sand, underlain by boulder conglomerates of Upper Shiwalik formation.**

A public notice of the application on Form-2/Form-5 has already been sent to float in the offices of concerned Executive Engineer (Baijnath) & Gram Panchayat to get it displayed on the notice board of the local authority, so

that interested persons, if any, may file their objection/suggestions. No objection has been received.

**The Sub-Committee has considered the case and the applicant is requested to change the site for not fulfilling the minimum distance criteria as per Section 7(5)(f) of the Himachal Pradesh Ground Water Act, 2005.**

Therefore, as per the unanimous decision taken by the Sub-Committee, the concerned Executive Engineer (Baijnath) is directed to convey the decision of Sub-Committee to the firm/applicant.

**46. Sh. Surender Singh, S/O Sh. Amin chand VPO Mandhala Tehsil Baddi Distt Solan HP (IUID: 76357597) (Submission ID- 11196)**

The applicant has applied on **Form – 1** for grant of permit for sinking of borewell for **Irrigation Purpose**. As per the report of Sr. Hydrogeologist, G.W.O., JSV, Una, **The applicant has applied for Permit for sinking of borewell but the borewell was already drilled by the applicant in the year 2020. There is no existing departmental tubewell within 300 mts of the existing borewell of the applicant. The site falls in Nalagarh valley and as per the GEC 2020 report the area is safe and the stage of development is 58%.Lithologically the site falls in valley fill deposits comprising of clays , gravels, pebbles, boulders & sand.**

A public notice of the application on Form-2/Form-5 has already been sent to float in the offices of concerned Executive Engineer (Nalagarh) & Gram Panchayat to get it displayed on the notice board of the local authority, so that interested persons, if any, may file their objection/suggestions. No objection has been received.

**The case was discussed and after detailed discussions it was decided that as the borewell had already been drilled during 2020 as per site inspection report which is in contravention of the Himachal Pradesh Ground water Act, 2005, hence the concerned Executive Engineer (Nalagarh) shall intimate the action taken for the offence under various provisions of the Act.**

**47. Sh. Suresh Kumar Sharma, S/O Sh. Bhagat Ram, Vill Pachhiur PO Darlaghat Tehsil Arki Distt Solan (HP) (IUID: 72110253) (Submission ID-32903)**

The applicant has applied on **Form – 1** for grant of permit for sinking of borewell for **Irrigation Purpose**. As per the report of Sr. Hydrogeologist, G.W.O., JSV, Una, **There is no existing departmental handpump/ energized borewell within 300 meters of the proposed borewell site of the applicant. The proposed site of the applicant lies amidst sedimentary rocks primarily sandstone and shales.**

A public notice of the application on Form-2/Form-5 has already been sent to float in the offices of concerned Executive Engineer (Arki) & Gram Panchayat to get it displayed on the notice board of the local authority, so that interested persons, if any, may file their objection/suggestions. No objection has been received.

Hence, the sub-committee approved the case subject to the following conditions:

- i) The applicant shall construct a rainwater harvesting structure for the conservation and re-charge of ground water in his/her/their premise as per section-15 of the Himachal Pradesh Ground Water (Regulation & Control of Development and Management) Act, 2005 and Guidelines to regulate and Control ground water extraction in the State of Himachal Pradesh vide Notification No. IPH-B (A) 3-1/2019-II dated 03.05.2021, within six months of issuance of the Certificate of Permit and intimation will be given to Executive Engineer, JSV Division Arki on its completion.
- ii) The applicant shall install a water meter/bulk meter on the ground water extraction pipe so as to check the water drawl at any time and will maintain its log book.
- iii) The applicant shall have to pay royalty based on the quantum of ground water extraction through Executive Engineer, JSV Division Arki for the

use of ground water to the Member Secretary, Himachal Pradesh Ground Water Authority as per the Himachal Pradesh ground Water (Regulation and Control of development and Management) Rules, 2007 or the rules which may, subsequently, be made applicable by the State of HP.

- iv) In case of Industrial connection, the firm shall not use waste water of the Industry for recharging of ground Water.
- v) That the permission/sanction can be withdrawn or the quantity of water to be extracted can be restricted in case the ground water in the area is adversely affected in terms of quantity and/or quality.
- vi) Actual water requirement be computed taking into account recycling/reuse of treated water for flushing etc.
- vii) Certificate regarding non/partial availability of water supply from the public water supply agency.
- viii) The firm/applicant shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
- ix) The firm/applicant drawing water more than 10m<sup>3</sup> /day of ground water shall construct piezometer, equipped with DWLR of latest version within six months shall consultation with the Sr. Hydrogeologist, GWO, JSV, Una (HP) and monthly water level data shall be submitted to the Ground Water Organization and Himachal Pradesh Ground Water Authority.
- x) All stakeholders abstracting ground water in excess of 100 m<sup>3</sup>/d shall be required to undertake annual water audit through Confederation of India Industries (CII)/Federation Indian Chamber of Commerce and Industry (FICCI)/National Productivity Council (NPC) certified auditors and submit audit reports within three months of completion of the same to Himachal Pradesh Ground Water Authority. All such stakeholders shall be required to reduce their ground water use by at least 20% over the next three years through appropriate means
- xi) The holder of the Permit shall be duly bound to maintain the aforementioned source in an efficient, coordinated and economical manner and to use the water only for the purpose for which certificate of registration has been given.
- xii) Supporting document in respect of farm size and crop type.

Therefore, as per the unanimous decision taken by the Sub-Committee, the concerned Executive Engineer is directed to convey the decision of Sub-Committee to the firm/applicant.

**48. Sh. Bashir Bashir, S/O Fuman, Village bather PO Barotiwala Tehsil Baddi Distt Solan (HP). (IUID: 42430826) (Submission ID- 32824)**

The applicant has applied on **Form – 1** for grant of permit for sinking of borewell for **Irrigation Purpose**. As per the report of Sr. Hydrogeologist, G.W.O., JSV, Una, **There is no existing departmental energised borewell within 200 mtrs. of the proposed borewell site of the applicant. The proposed tubewell of the applicant lies in low dissected structural hills comprising of Sandstone and Clays of Shiwalik formations.**

A public notice of the application on Form-2/Form-5 has already been sent to float in the offices of concerned Executive Engineer (Nalagarh) & Gram Panchayat to get it displayed on the notice board of the local authority, so that interested persons, if any, may file their objection/suggestions. No objection has been received.

Hence, the sub-committee approved the case subject to the following conditions:

- i) The applicant shall construct a rainwater harvesting structure for the conservation and re-charge of ground water in his/her/their premise as per section-15 of the Himachal Pradesh Ground Water (Regulation &

Control of Development and Management) Act, 2005 and Guidelines to regulate and Control ground water extraction in the State of Himachal Pradesh vide Notification No. IPH-B (A) 3-1/2019-II dated 03.05.2021, within six months of issuance of the Certificate of Permit and intimation will be given to Executive Engineer, JSV Division Nalagarh on its completion.

- ii) The applicant shall install a water meter/bulk meter on the ground water extraction pipe so as to check the water drawl at any time and will maintain its log book.
- iii) The applicant shall have to pay royalty based on the quantum of ground water extraction through Executive Engineer, JSV Division Nalagarh for the use of ground water to the Member Secretary, Himachal Pradesh Ground Water Authority as per the Himachal Pradesh ground Water (Regulation and Control of development and Management) Rules, 2007 or the rules which may, subsequently, be made applicable by the State of HP.
- iv) In case of Industrial connection, the firm shall not use waste water of the Industry for recharging of ground Water.
- v) That the permission/sanction can be withdrawn or the quantity of water to be extracted can be restricted in case the ground water in the area is adversely affected in terms of quantity and/or quality.
- vi) Actual water requirement be computed taking into account recycling/reuse of treated water for flushing etc.
- vii) Certificate regarding non/partial availability of water supply from the public water supply agency.
- viii) The firm/applicant shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
- ix) The firm/applicant drawing water more than 10m<sup>3</sup> /day of ground water shall construct piezometer, equipped with DWLR of latest version within six months shall consultation with the Sr. Hydrogeologist, GWO, JSV, Una (HP) and monthly water level date shall be submitted to the Ground Water Organization and Himachal Pradesh Ground Water Authority.
- x) All stakeholders abstracting ground water in excess of 100 m<sup>3</sup>/d shall be required to undertake annual water audit through Confederation of India Industries (CII)/Federation Indian Chamber of Commerce and Industry (FICCI)/National Productivity Council (NPC) certified auditors and submit audit reports within three months of completion of the same to Himachal Pradesh Ground Water Authority. All such stakeholders shall be required to reduce their ground water use by at least 20% over the next three years through appropriate means
- xi) The holder of the Permit shall be duly bound to maintain the aforementioned source in an efficient, coordinated and economical manner and to use the water only for the purpose for which certificate of registration has been given.
- xii) Supporting document in respect of farm size and crop type.

Therefore, as per the unanimous decision taken by the Sub-Committee, the concerned Executive Engineer is directed to convey the decision of Sub-Committee to the firm/applicant.

**49. Smt. Satya Devi, W/o Sh. Janki Ram, VPO Bhaguri Tehsil Krishangarh (ST) Distt. Solan (HP) (IUID: 51398567) (Submission ID- 32701)**

The applicant has applied on **Form – 1** for grant of permit for sinking of borewell for **Irrigation Purpose**. As per the report of Sr. Hydrogeologist, G.W.O., JSV, Una, **There is no existing departmental energised borewell within 300mts. of the proposed borewell site of the applicant. However there is one number departmental manual handpump which lies within 100mts. of the proposed site of the applicant. The proposed site of the applicant lies amidst Sedimentary rocks primarily Sandstone and Shales**

A public notice of the application on Form-2/Form-5 has already been sent to float in the offices of concerned Executive Engineer (Solan) & Gram Panchayat to get it displayed on the notice board of the local authority, so that interested persons, if any, may file their objection/suggestions. No objection has been received.

Hence, the sub-committee approved the case subject to the following conditions:

- i) The applicant shall construct a rainwater harvesting structure for the conservation and re-charge of ground water in his/her/their premise as per section-15 of the Himachal Pradesh Ground Water (Regulation & Control of Development and Management) Act, 2005 and Guidelines to regulate and Control ground water extraction in the State of Himachal Pradesh vide Notification No. IPH-B (A) 3-1/2019-II dated 03.05.2021, within six months of issuance of the Certificate of Permit and intimation will be given to Executive Engineer, JSV Division Solan on its completion.
- ii) The applicant shall install a water meter/bulk meter on the ground water extraction pipe so as to check the water drawl at any time and will maintain its log book.
- iii) The applicant shall have to pay royalty based on the quantum of ground water extraction through Executive Engineer, JSV Division Solan for the use of ground water to the Member Secretary, Himachal Pradesh Ground Water Authority as per the Himachal Pradesh ground Water (Regulation and Control of development and Management) Rules, 2007 or the rules which may, subsequently, be made applicable by the State of HP.
- iv) In case of Industrial connection, the firm shall not use waste water of the Industry for recharging of ground Water.
- v) That the permission/sanction can be withdrawn or the quantity of water to be extracted can be restricted in case the ground water in the area is adversely affected in terms of quantity and/or quality.
- vi) Actual water requirement be computed taking into account recycling/reuse of treated water for flushing etc.
- vii) Certificate regarding non/partial availability of water supply from the public water supply agency.
- viii) The firm/applicant shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
- ix) The firm/applicant drawing water more than 10m<sup>3</sup> /day of ground water shall construct piezometer, equipped with DWLR of latest version within six months shall consultation with the Sr. Hydrogeologist, GWO, JSV, Una (HP) and monthly water level date shall be submitted to the Ground Water Organization and Himachal Pradesh Ground Water Authority.
- x) All stakeholders abstracting ground water in excess of 100 m<sup>3</sup>/d shall be required to undertake annual water audit through Confederation of India Industries (CII)/Federation Indian Chamber of Commerce and Industry (FICCI)/National Productivity Council (NPC) certified auditors and submit audit reports within three months of completion of the same to Himachal Pradesh Ground Water Authority. All such stakeholders shall be required to reduce their ground water use by at least 20% over the next three years through appropriate means
- xi) The holder of the Permit shall be duly bound to maintain the aforementioned source in an efficient, coordinated and economical manner and to use the water only for the purpose for which certificate of registration has been given.
- xii) Supporting document in respect of farm size and crop type.

Therefore, as per the unanimous decision taken by the Sub-Committee, the concerned Executive Engineer is directed to convey the decision of Sub-Committee to the firm/applicant.

50. **Sh. Het Ram Verma, S/o Karam Singh, VPO Kathalag, P.O. Padhiun Teh Sadar Distt. Mandi (HP) (IUID: 50785347) (Submission ID- 32641)**

The applicant has applied on **Form – 1** for grant of permit for sinking of borewell for **Irrigation Purpose**. As per the report of Sr. Hydrogeologist, G.W.O., JSV, Una, The applicant has applied for sinking of borewell but has already drilled the borewell in 2022. No Govt. tubewell exists within 300mtrs distance of the existing tubewell of the applicant. Geologically area comprises of Sandstone, shale and clay and they alternate each others. Ground water prospect in the area good to moderate.

The case was discussed and after detailed discussions it was decided that as the borewell had already been drilled during 2022 as per site inspection report which is in contravention of the Himachal Pradesh Ground water Act, 2005, hence the concerned Executive Engineer (Mandi) shall intimate the action taken for the offence under various provisions of the Act.

51. **Sh. Dalel Singh, S/O Sh. Ganga Ram, village Bhanglan, Basrali PO Dabhota Tehsil Nalagarh Distt Solan (HP) (IUID: 32994673) (Submission ID- 32635)**

The applicant has applied on **Form – 1** for grant of permit for sinking of borewell for **Irrigation Purpose**. As per the report of Sr. Hydrogeologist, G.W.O., JSV, Una, There is no existing departmental tubewell within 300 mtrs of the proposed tubewell site of the applicant. The proposed tubewell site of the applicant lies amidst valley full deposit of Nalagarh valley comprising of clays, gravels, pebbles, boulders & sand.

A public notice of the application on Form-2/Form-5 has already been sent to float in the offices of concerned Executive Engineer (Nalagarh) & Gram Panchayat to get it displayed on the notice board of the local authority, so that interested persons, if any, may file their objection/suggestions. No objection has been received.

Hence, the sub-committee approved the case subject to the following conditions:

- i) The applicant shall construct a rainwater harvesting structure for the conservation and re-charge of ground water in his/her/their premise as per section-15 of the Himachal Pradesh Ground Water (Regulation & Control of Development and Management) Act, 2005 and Guidelines to regulate and Control ground water extraction in the State of Himachal Pradesh vide Notification No. IPH-B (A) 3-1/2019-II dated 03.05.2021, within six months of issuance of the Certificate of Permit and intimation will be given to Executive Engineer, JSV Division Nalagarh on its completion.
- ii) The applicant shall install a water meter/bulk meter on the ground water extraction pipe so as to check the water drawl at any time and will maintain its log book.
- iii) The applicant shall have to pay royalty based on the quantum of ground water extraction through Executive Engineer, JSV Division Nalagarh for the use of ground water to the Member Secretary, Himachal Pradesh Ground Water Authority as per the Himachal Pradesh ground Water (Regulation and Control of development and Management) Rules, 2007 or the rules which may, subsequently, be made applicable by the State of HP.

- iv) In case of Industrial connection, the firm shall not use waste water of the Industry for recharging of ground Water.
- v) That the permission/sanction can be withdrawn or the quantity of water to be extracted can be restricted in case the ground water in the area is adversely affected in terms of quantity and/or quality.
- vi) Actual water requirement be computed taking into account recycling/reuse of treated water for flushing etc.
- vii) Certificate regarding non/partial availability of water supply from the public water supply agency.
- viii) The firm/applicant shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
- ix) The firm/applicant drawing water more than 10m<sup>3</sup> /day of ground water shall construct piezometer, equipped with DWLR of latest version within six months shall consultation with the Sr. Hydrogeologist, GWO, JSV, Una (HP) and monthly water level data shall be submitted to the Ground Water Organization and Himachal Pradesh Ground Water Authority.
- x) All stakeholders abstracting ground water in excess of 100 m<sup>3</sup>/d shall be required to undertake annual water audit through Confederation of India Industries (CII)/Federation Indian Chamber of Commerce and Industry (FICCI)/National Productivity Council (NPC) certified auditors and submit audit reports within three months of completion of the same to Himachal Pradesh Ground Water Authority. All such stakeholders shall be required to reduce their ground water use by at least 20% over the next three years through appropriate means
- xi) The holder of the Permit shall be duly bound to maintain the aforementioned source in an efficient, coordinated and economical manner and to use the water only for the purpose for which certificate of registration has been given.
- xii) Supporting document in respect of farm size and crop type.

Therefore, as per the unanimous decision taken by the Sub-Committee, the concerned Executive Engineer is directed to convey the decision of Sub-Committee to the firm/applicant.

**52. Sh. Sudarshan Kumar, S/O Nikku Ram, Village Lower Barol PO Dari Tehsil Dharamshala Distt Kangra (HP) (IUID: 88478285) (Submission ID- 32563)**

The applicant has applied on **Form – 1** for grant of permit for sinking of borewell for **Irrigation Purpose**. As per the report of Sr. Hydrogeologist, G.W.O., JSV, Una, **No departmental energized borewell exists within a distance of 200/ 300m from the proposed borewell of the applicant. The site located is in alluvial fan deposits comprising of sand, silt, clay -alluvium deposits.**

A public notice of the application on Form-2/Form-5 has already been sent to float in the offices of concerned Executive Engineer (Dharamshala) & Gram Panchayat to get it displayed on the notice board of the local authority, so that interested persons, if any, may file their objection/suggestions. No objection has been received.

Hence, the sub-committee approved the case subject to the following conditions:

- i) The applicant shall construct a rainwater harvesting structure for the conservation and re-charge of ground water in his/her/their premise as per section-15 of the Himachal Pradesh Ground Water (Regulation & Control of Development and Management) Act, 2005 and Guidelines to regulate and Control ground water extraction in the State of Himachal Pradesh vide Notification No. IPH-B (A) 3-1/2019-II dated 03.05.2021,

- within six months of issuance of the Certificate of Permit and intimation will be given to Executive Engineer, JSV Division Dharamshala on its completion.
- ii) The applicant shall install a water meter/bulk meter on the ground water extraction pipe so as to check the water drawl at any time and will maintain its log book.
  - iii) The applicant shall have to pay royalty based on the quantum of ground water extraction through Executive Engineer, JSV Division Dharamshala for the use of ground water to the Member Secretary, Himachal Pradesh Ground Water Authority as per the Himachal Pradesh ground Water (Regulation and Control of development and Management) Rules, 2007 or the rules which may, subsequently, be made applicable by the State of HP.
  - iv) In case of Industrial connection, the firm shall not use waste water of the Industry for recharging of ground Water.
  - v) That the permission/sanction can be withdrawn or the quantity of water to be extracted can be restricted in case the ground water in the area is adversely affected in terms of quantity and/or quality.
  - vi) Actual water requirement be computed taking into account recycling/reuse of treated water for flushing etc.
  - vii) Certificate regarding non/partial availability of water supply from the public water supply agency.
  - viii) The firm/applicant shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
  - ix) The firm/applicant drawing water more than 10m<sup>3</sup> /day of ground water shall construct piezometer, equipped with DWLR of latest version within six months shall consultation with the Sr. Hydrogeologist, GWO, JSV, Una (HP) and monthly water level date shall be submitted to the Ground Water Organization and Himachal Pradesh Ground Water Authority.
  - x) All stakeholders abstracting ground water in excess of 100 m<sup>3</sup>/d shall be required to undertake annual water audit through Confederation of India Industries (CII)/Federation Indian Chamber of Commerce and Industry (FICCI)/National Productivity Council (NPC) certified auditors and submit audit reports within three months of completion of the same to Himachal Pradesh Ground Water Authority. All such stakeholders shall be required to reduce their ground water use by at least 20% over the next three years through appropriate means
  - xi) The holder of the Permit shall be duly bound to maintain the aforementioned source in an efficient, coordinated and economical manner and to use the water only for the purpose for which certificate of registration has been given.
  - xii) Supporting document in respect of farm size and crop type.

Therefore, as per the unanimous decision taken by the Sub-Committee, the concerned Executive Engineer is directed to convey the decision of Sub-Committee to the firm/applicant.

**53. Sh. Kushal Singh, S/O Sh. Chattar Singh, V.P.O. Trilokpur, Tehsil- Jawali, Distt- Kangra (HP) (IUID: 88555021) (Submission ID- 30537)**

The applicant has applied on **Form – 1** for grant of permit for sinking of borewell for **Domestic Purpose**. As per the report of Sr. Hydrogeologist, G.W.O., JSV, Una, **No departmental energized borewell exists within a distance of around 200m from the proposed borewell site of the applicant. Lithologically the site falls in valley fill deposits of comprising of clays, gravels, pebbles, boulders & sand.**

A public notice of the application on Form-2/Form-5 has already been sent to float in the offices of concerned Executive Engineer (Nurpur) & Gram Panchayat to get it displayed on the notice board of the local authority, so that interested persons, if any, may file their objection/suggestions. No objection has been received.

Hence, the sub-committee approved the case subject to the following conditions:

- i) The applicant shall construct a rainwater harvesting structure for the conservation and re-charge of ground water in his/her/their premise as per section-15 of the Himachal Pradesh Ground Water (Regulation & Control of Development and Management) Act, 2005 and Guidelines to regulate and Control ground water extraction in the State of Himachal Pradesh vide Notification No. IPH-B (A) 3-1/2019-II dated 03.05.2021, within six months of issuance of the Certificate of Permit and intimation will be given to Executive Engineer, JSV Division Nurpur on its completion.
- ii) The applicant shall install a water meter/bulk meter on the ground water extraction pipe so as to check the water drawl at any time and will maintain its log book.
- iii) The applicant shall have to pay royalty based on the quantum of ground water extraction through Executive Engineer, JSV Division Nurpur for the use of ground water to the Member Secretary, Himachal Pradesh Ground Water Authority as per the Himachal Pradesh ground Water (Regulation and Control of development and Management) Rules, 2007 or the rules which may, subsequently, be made applicable by the State of HP.
- iv) In case of Industrial connection, the firm shall not use waste water of the Industry for recharging of ground Water.
- v) That the permission/sanction can be withdrawn or the quantity of water to be extracted can be restricted in case the ground water in the area is adversely affected in terms of quantity and/or quality.
- vi) Actual water requirement be computed taking into account recycling/reuse of treated water for flushing etc.
- vii) Certificate regarding non/partial availability of water supply from the public water supply agency.
- viii) The firm/applicant shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
- ix) The firm/applicant drawing water more than 10m<sup>3</sup> /day of ground water shall construct piezometer, equipped with DWLR of latest version within six months shall consultation with the Sr. Hydrogeologist, GWO, JSV, Una (HP) and monthly water level date shall be submitted to the Ground Water Organization and Himachal Pradesh Ground Water Authority.
- x) All stakeholders abstracting ground water in excess of 100 m<sup>3</sup>/d shall be required to undertake annual water audit through Confederation of India Industries (CII)/Federation Indian Chamber of Commerce and Industry (FICCI)/National Productivity Council (NPC) certified auditors and submit audit reports within three months of completion of the same to Himachal Pradesh Ground Water Authority. All such stakeholders shall be required to reduce their ground water use by at least 20% over the next three years through appropriate means
- xi) The holder of the Permit shall be duly bound to maintain the aforementioned source in an efficient, coordinated and economical manner and to use the water only for the purpose for which certificate of registration has been given.
- xii) Supporting document in respect of farm size and crop type.

Therefore, as per the unanimous decision taken by the Sub-Committee, the concerned Executive Engineer is directed to convey the decision of Sub-Committee to the firm/applicant.

**54. Sh. Navneet Singh, S/O Sh. Virender Singh, V-Jharmajri, PO-Barotiwala, Tehsil Baddi, Distt-Solan (HP) (IUID: 74430758) (Submission ID- 30201)**

The applicant has applied on **Form – 1** for grant of permit for sinking of borewell for **Irrigation Purpose**. As per the report of Sr. Hydrogeologist, G.W.O., JSV, Una, **The applicant has applied for Permit for sinking of borewell, however, the borewell was already drilled by the**

applicant in the year 2007. The existing borewell of the applicant lies amidst valley fill deposits of Nalagarh valley comprising of clays, Gravels, pebbles, boulders & sand. There is no existing departmental tubewell within 300 mtrs of the existing borewell of the applicant.

The applicant has applied on Form-1 which is for Permit for sinking of borewell but as per site inspection report the borewell was drilled during 2007. Therefore, the applicant is requested to apply on Form-4 i.e. for certificate of Registration of existing user of ground water once the permission for registration of existing borewells is accorded by the Government.

Therefore, as per the unanimous decision taken by the Sub-Committee, the concerned Executive Engineer (Nalagarh) is directed to convey the decision of Sub-Committee to the firm/applicant.

**55. Sh. Baldev Ram, S/O Nikna Ram, Village Glassin Post office Dabhla Tehsil Ghumarwin Distt. Bilaspur (HP) (IUID: 89642903) (Submission ID- 32456)**

The applicant has applied on **Form – 1** for grant of permit for sinking of borewell for **Irrigation Purpose**. As per the report of Sr. Hydrogeologist, G.W.O., JSV, Una, **No Govt tubewell exists within a distance of 300m from the proposed borewell of the applicant. The site is located in low dissected denudational hills comprising of alternate beds of sandstone and clays of Shiwalik group of rocks.**

A public notice of the application on Form-2/Form-5 has already been sent to float in the offices of concerned Executive Engineer (Ghumarwin) & Gram Panchayat to get it displayed on the notice board of the local authority, so that interested persons, if any, may file their objection/suggestions. No objection has been received.

Hence, the sub-committee approved the case subject to the following conditions:

- i) The applicant shall construct a rainwater harvesting structure for the conservation and re-charge of ground water in his/her/their premise as per section-15 of the Himachal Pradesh Ground Water (Regulation & Control of Development and Management) Act, 2005 and Guidelines to regulate and Control ground water extraction in the State of Himachal Pradesh vide Notification No. IPH-B (A) 3-1/2019-II dated 03.05.2021, within six months of issuance of the Certificate of Permit and intimation will be given to Executive Engineer, JSV Division Ghumarwin on its completion.
- ii) The applicant shall install a water meter/bulk meter on the ground water extraction pipe so as to check the water drawl at any time and will maintain its log book.
- iii) The applicant shall have to pay royalty based on the quantum of ground water extraction through Executive Engineer, JSV Division Ghumarwin for the use of ground water to the Member Secretary, Himachal Pradesh Ground Water Authority as per the Himachal Pradesh ground Water (Regulation and Control of development and Management) Rules, 2007 or the rules which may, subsequently, be made applicable by the State of HP.
- iv) In case of Industrial connection, the firm shall not use waste water of the Industry for recharging of ground Water.
- v) That the permission/sanction can be withdrawn or the quantity of water to be extracted can be restricted in case the ground water in the area is adversely affected in terms of quantity and/or quality.
- vi) Actual water requirement be computed taking into account recycling/reuse of treated water for flushing etc.
- vii) Certificate regarding non/partial availability of water supply from the public water supply agency.

- viii) The firm/applicant shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
- ix) The firm/applicant drawing water more than 10m<sup>3</sup> /day of ground water shall construct piezometer, equipped with DWLR of latest version within six months shall consultation with the Sr. Hydrogeologist, GWO, JSV, Una (HP) and monthly water level data shall be submitted to the Ground Water Organization and Himachal Pradesh Ground Water Authority.
- x) All stakeholders abstracting ground water in excess of 100 m<sup>3</sup>/d shall be required to undertake annual water audit through Confederation of India Industries (CII)/Federation Indian Chamber of Commerce and Industry (FICCI)/National Productivity Council (NPC) certified auditors and submit audit reports within three months of completion of the same to Himachal Pradesh Ground Water Authority. All such stakeholders shall be required to reduce their ground water use by at least 20% over the next three years through appropriate means
- xi) The holder of the Permit shall be duly bound to maintain the aforementioned source in an efficient, coordinated and economical manner and to use the water only for the purpose for which certificate of registration has been given.
- xii) Supporting document in respect of farm size and crop type.

Therefore, as per the unanimous decision taken by the Sub-Committee, the concerned Executive Engineer is directed to convey the decision of Sub-Committee to the firm/applicant.

**56. Sh. Bir Singh, S/O Sh Ajit Singh, VPO Bari Teh Fatehpur Distt. Kangra (HP). (UID: 37000268) (Submission ID- 32358)**

The applicant has applied on **Form – 1** for grant of permit for sinking of borewell for **Irrigation Purpose**. As per the report of Sr. Hydrogeologist, G.W.O., JSV, Una, **No departmental tubewell exists within a distance of 200m from the proposed borewell of the applicant. The site is located within the Nurpur Valley and area comprising of Sand Gravel Boulder intercalation with clay well and area falls under Safe Category.**

A public notice of the application on Form-2/Form-5 has already been sent to float in the offices of concerned Executive Engineer (Fatehpur) & Gram Panchayat to get it displayed on the notice board of the local authority, so that interested persons, if any, may file their objection/suggestions. No objection has been received.

Hence, the sub-committee approved the case subject to the following conditions:

- i) The applicant shall construct a rainwater harvesting structure for the conservation and re-charge of ground water in his/her/their premise as per section-15 of the Himachal Pradesh Ground Water (Regulation & Control of Development and Management) Act, 2005 and Guidelines to regulate and Control ground water extraction in the State of Himachal Pradesh vide Notification No. IPH-B (A) 3-1/2019-II dated 03.05.2021, within six months of issuance of the Certificate of Permit and intimation will be given to Executive Engineer, JSV Division Fatehpur on its completion.
- ii) The applicant shall install a water meter/bulk meter on the ground water extraction pipe so as to check the water drawl at any time and will maintain its log book.
- iii) The applicant shall have to pay royalty based on the quantum of ground water extraction through Executive Engineer, JSV Division Fatehpur for the use of ground water to the Member Secretary, Himachal Pradesh Ground Water Authority as per the Himachal Pradesh ground Water (Regulation and Control of development and Management) Rules, 2007

- or the rules which may, subsequently, be made applicable by the State of HP.
- iv) In case of Industrial connection, the firm shall not use waste water of the Industry for recharging of ground Water.
  - v) That the permission/sanction can be withdrawn or the quantity of water to be extracted can be restricted in case the ground water in the area is adversely affected in terms of quantity and/or quality.
  - vi) Actual water requirement be computed taking into account recycling/reuse of treated water for flushing etc.
  - vii) Certificate regarding non/partial availability of water supply from the public water supply agency.
  - viii) The firm/applicant shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
  - ix) The firm/applicant drawing water more than 10m<sup>3</sup> /day of ground water shall construct piezometer, equipped with DWLR of latest version within six months shall consultation with the Sr. Hydrogeologist, GWO, JSV, Una (HP) and monthly water level data shall be submitted to the Ground Water Organization and Himachal Pradesh Ground Water Authority.
  - x) All stakeholders abstracting ground water in excess of 100 m<sup>3</sup>/d shall be required to undertake annual water audit through Confederation of India Industries (CII)/Federation Indian Chamber of Commerce and Industry (FICCI)/National Productivity Council (NPC) certified auditors and submit audit reports within three months of completion of the same to Himachal Pradesh Ground Water Authority. All such stakeholders shall be required to reduce their ground water use by at least 20% over the next three years through appropriate means
  - xi) The holder of the Permit shall be duly bound to maintain the aforementioned source in an efficient, coordinated and economical manner and to use the water only for the purpose for which certificate of registration has been given.
  - xii) Supporting document in respect of farm size and crop type.

Therefore, as per the unanimous decision taken by the Sub-Committee, the concerned Executive Engineer is directed to convey the decision of Sub-Committee to the firm/applicant.

**57. Sh. Kulwant Singh, S/O Sh. Mukhtyar Singh, Vill Jhajhwan PO Raja Ka Talab Fatehpur Distt. Kangra (HP) (UID: 58466476) (Submission ID- 32129)**

The applicant has applied on **Form – 1** for grant of permit for sinking of borewell for **Irrigation Purpose**. As per the report of Sr. Hydrogeologist, G.W.O., JSV, Una, **No departmental energized borewell exists within a distance of around 200m from the proposed borewell site of the applicant. The site falls in Nurpur Indora valley and as per the GEC 2020 report the area is safe and the stage of development is 29%. Lithologically the site falls in alluvial deposits comprising of boulders, pebbles, sand, silt and clays.**

A public notice of the application on Form-2/Form-5 has already been sent to float in the offices of concerned Executive Engineer (Fatehpur) & Gram Panchayat to get it displayed on the notice board of the local authority, so that interested persons, if any, may file their objection/suggestions. No objection has been received.

Hence, the sub-committee approved the case subject to the following conditions:

- i) The applicant shall construct a rainwater harvesting structure for the conservation and re-charge of ground water in his/her/their premise as per section-15 of the Himachal Pradesh Ground Water (Regulation & Control of Development and Management) Act, 2005 and Guidelines to regulate and Control ground water extraction in the State of Himachal

Pradesh vide Notification No. IPH-B (A) 3-1/2019-II dated 03.05.2021, within six months of issuance of the Certificate of Permit and intimation will be given to Executive Engineer, JSV Division Fatehpur on its completion.

- ii) The applicant shall install a water meter/bulk meter on the ground water extraction pipe so as to check the water drawl at any time and will maintain its log book.
- iii) The applicant shall have to pay royalty based on the quantum of ground water extraction through Executive Engineer, JSV Division Fatehpur for the use of ground water to the Member Secretary, Himachal Pradesh Ground Water Authority as per the Himachal Pradesh ground Water (Regulation and Control of development and Management) Rules, 2007 or the rules which may, subsequently, be made applicable by the State of HP.
- iv) In case of Industrial connection, the firm shall not use waste water of the Industry for recharging of ground Water.
- v) That the permission/sanction can be withdrawn or the quantity of water to be extracted can be restricted in case the ground water in the area is adversely affected in terms of quantity and/or quality.
- vi) Actual water requirement be computed taking into account recycling/reuse of treated water for flushing etc.
- vii) Certificate regarding non/partial availability of water supply from the public water supply agency.
- viii) The firm/applicant shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
- ix) The firm/applicant drawing water more than 10m<sup>3</sup> /day of ground water shall construct piezometer, equipped with DWLR of latest version within six months shall consultation with the Sr. Hydrogeologist, GWO, JSV, Una (HP) and monthly water level data shall be submitted to the Ground Water Organization and Himachal Pradesh Ground Water Authority.
- x) All stakeholders abstracting ground water in excess of 100 m<sup>3</sup>/d shall be required to undertake annual water audit through Confederation of India Industries (CII)/Federation Indian Chamber of Commerce and Industry (FICCI)/National Productivity Council (NPC) certified auditors and submit audit reports within three months of completion of the same to Himachal Pradesh Ground Water Authority. All such stakeholders shall be required to reduce their ground water use by at least 20% over the next three years through appropriate means
- xi) The holder of the Permit shall be duly bound to maintain the aforementioned source in an efficient, coordinated and economical manner and to use the water only for the purpose for which certificate of registration has been given.
- xii) Supporting document in respect of farm size and crop type.

Therefore, as per the unanimous decision taken by the Sub-Committee, the concerned Executive Engineer is directed to convey the decision of Sub-Committee to the firm/applicant.

**58. Sh. Ram Pal, S/O Sh. Mangat Ram, VPO Ghangret, Tehsil Bharwain, Distt Una (HP) (IUID: 60722332) (Submission ID- 32088)**

The applicant has applied on **Form – 1** for grant of permit for sinking of borewell for **Irrigation Purpose**. As per the report of Sr. Hydrogeologist, G.W.O., JSV, Una, **No departmental energized borewell exists within a distance of 300m from the proposed borewell of the applicant. The site located is in highly dissected structural hills comprising of boulder conglomerates of Siwalik group of rocks.**

A public notice of the application on Form-2/Form-5 has already been sent to float in the offices of concerned Executive Engineer (Gagret FC Div) & Gram Panchayat to get it displayed on the notice board of the local authority, so that interested persons, if any, may file their objection/suggestions. No objection has been received.

Hence, the sub-committee approved the case subject to the following conditions:

- i) The applicant shall construct a rainwater harvesting structure for the conservation and re-charge of ground water in his/her/their premise as per section-15 of the Himachal Pradesh Ground Water (Regulation & Control of Development and Management) Act, 2005 and Guidelines to regulate and Control ground water extraction in the State of Himachal Pradesh vide Notification No. IPH-B (A) 3-1/2019-II dated 03.05.2021, within six months of issuance of the Certificate of Permit and intimation will be given to Executive Engineer, JSV Division Gagret FC Div on its completion.
- ii) The applicant shall install a water meter/bulk meter on the ground water extraction pipe so as to check the water drawl at any time and will maintain its log book.
- iii) The applicant shall have to pay royalty based on the quantum of ground water extraction through Executive Engineer, JSV Division Gagret FC Div for the use of ground water to the Member Secretary, Himachal Pradesh Ground Water Authority as per the Himachal Pradesh ground Water (Regulation and Control of development and Management) Rules, 2007 or the rules which may, subsequently, be made applicable by the State of HP.
- iv) In case of Industrial connection, the firm shall not use waste water of the Industry for recharging of ground Water.
- v) That the permission/sanction can be withdrawn or the quantity of water to be extracted can be restricted in case the ground water in the area is adversely affected in terms of quantity and/or quality.
- vi) Actual water requirement be computed taking into account recycling/reuse of treated water for flushing etc.
- vii) Certificate regarding non/partial availability of water supply from the public water supply agency.
- viii) The firm/applicant shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
- ix) The firm/applicant drawing water more than 10m<sup>3</sup> /day of ground water shall construct piezometer, equipped with DWLR of latest version within six months shall consultation with the Sr. Hydrogeologist, GWO, JSV, Una (HP) and monthly water level date shall be submitted to the Ground Water Organization and Himachal Pradesh Ground Water Authority.
- x) All stakeholders abstracting ground water in excess of 100 m<sup>3</sup>/d shall be required to undertake annual water audit through Confederation of India Industries (CII)/Federation Indian Chamber of Commerce and Industry (FICCI)/National Productivity Council (NPC) certified auditors and submit audit reports within three months of completion of the same to Himachal Pradesh Ground Water Authority. All such stakeholders shall be required to reduce their ground water use by at least 20% over the next three years through appropriate means
- xi) The holder of the Permit shall be duly bound to maintain the aforementioned source in an efficient, coordinated and economical manner and to use the water only for the purpose for which certificate of registration has been given.
- xii) Supporting document in respect of farm size and crop type.

Therefore, as per the unanimous decision taken by the Sub-Committee, the concerned Executive Engineer is directed to convey the decision of Sub-Committee to the firm/applicant.

**59. Sh. Nika Ram, S/O Sh Dev Ram, VPO Baloh, Mandi (HP) (UID: 14504510) (Submission ID- 32087)**

The applicant has applied on **Form – 1** for grant of permit for sinking of borewell for **Irrigation Purpose**. As per the report of Sr. Hydrogeologist, G.W.O., JSV, Una, **There is no existing departmental energised borewell within 300 mtrs. of the existing borewell site of the**

**applicant. The borewell of the applicant lies in highly dissected structural hills comprising of Sandstone, shale and Clays.**

A public notice of the application on Form-2/Form-5 has already been sent to float in the offices of concerned Executive Engineer (Mandi) & Gram Panchayat to get it displayed on the notice board of the local authority, so that interested persons, if any, may file their objection/suggestions. No objection has been received.

Hence, the sub-committee approved the case subject to the following conditions:

- i) The applicant shall construct a rainwater harvesting structure for the conservation and re-charge of ground water in his/her/their premise as per section-15 of the Himachal Pradesh Ground Water (Regulation & Control of Development and Management) Act, 2005 and Guidelines to regulate and Control ground water extraction in the State of Himachal Pradesh vide Notification No. IPH-B (A) 3-1/2019-II dated 03.05.2021, within six months of issuance of the Certificate of Permit and intimation will be given to Executive Engineer, JSV Division Mandi on its completion.
- ii) The applicant shall install a water meter/bulk meter on the ground water extraction pipe so as to check the water drawl at any time and will maintain its log book.
- iii) The applicant shall have to pay royalty based on the quantum of ground water extraction through Executive Engineer, JSV Division Mandi for the use of ground water to the Member Secretary, Himachal Pradesh Ground Water Authority as per the Himachal Pradesh ground Water (Regulation and Control of development and Management) Rules, 2007 or the rules which may, subsequently, be made applicable by the State of HP.
- iv) In case of Industrial connection, the firm shall not use waste water of the Industry for recharging of ground Water.
- v) That the permission/sanction can be withdrawn or the quantity of water to be extracted can be restricted in case the ground water in the area is adversely affected in terms of quantity and/or quality.
- vi) Actual water requirement be computed taking into account recycling/reuse of treated water for flushing etc.
- vii) Certificate regarding non/partial availability of water supply from the public water supply agency.
- viii) The firm/applicant shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
- ix) The firm/applicant drawing water more than 10m<sup>3</sup> /day of ground water shall construct piezometer, equipped with DWLR of latest version within six months shall consultation with the Sr. Hydrogeologist, GWO, JSV, Una (HP) and monthly water level date shall be submitted to the Ground Water Organization and Himachal Pradesh Ground Water Authority.
- x) All stakeholders abstracting ground water in excess of 100 m<sup>3</sup>/d shall be required to undertake annual water audit through Confederation of India Industries (CII)/Federation Indian Chamber of Commerce and Industry (FICCI)/National Productivity Council (NPC) certified auditors and submit audit reports within three months of completion of the same to Himachal Pradesh Ground Water Authority. All such stakeholders shall be required to reduce their ground water use by at least 20% over the next three years through appropriate means
- xi) The holder of the Permit shall be duly bound to maintain the aforementioned source in an efficient, coordinated and economical manner and to use the water only for the purpose for which certificate of registration has been given.
- xii) Supporting document in respect of farm size and crop type.

Therefore, as per the unanimous decision taken by the Sub-Committee, the concerned Executive Engineer is directed to convey the decision of Sub-Committee to the firm/applicant.

**60. Smt. Anuradha Sharma, D/O Mustaq Chand, Vill. Dukhi, P.O. Nehri Nauranga, Tehsil Amb, Distt Una (HP) (IUID: 40155993) (Submission ID-31910)**

The applicant has applied on **Form – 1** for grant of permit for sinking of borewell for **Irrigation Purpose**. As per the report of Sr. Hydrogeologist, G.W.O., JSV, Una, **No departmental energized borewell exists within a distance of 200m from the proposed borewell of the applicant. The site located is in low dissected structural hills comprising of sandstone and clays of Siwalik group of rocks.**

A public notice of the application on Form-2/Form-5 has already been sent to float in the offices of concerned Executive Engineer (Una No-II) & Gram Panchayat to get it displayed on the notice board of the local authority, so that interested persons, if any, may file their objection/suggestions. No objection has been received.

Hence, the sub-committee approved the case subject to the following conditions:

- i) The applicant shall construct a rainwater harvesting structure for the conservation and re-charge of ground water in his/her/their premise as per section-15 of the Himachal Pradesh Ground Water (Regulation & Control of Development and Management) Act, 2005 and Guidelines to regulate and Control ground water extraction in the State of Himachal Pradesh vide Notification No. IPH-B (A) 3-1/2019-II dated 03.05.2021, within six months of issuance of the Certificate of Permit and intimation will be given to Executive Engineer, JSV Division Una No-II on its completion.
- ii) The applicant shall install a water meter/bulk meter on the ground water extraction pipe so as to check the water drawl at any time and will maintain its log book.
- iii) The applicant shall have to pay royalty based on the quantum of ground water extraction through Executive Engineer, JSV Division Una No-II for the use of ground water to the Member Secretary, Himachal Pradesh Ground Water Authority as per the Himachal Pradesh ground Water (Regulation and Control of development and Management) Rules, 2007 or the rules which may, subsequently, be made applicable by the State of HP.
- iv) In case of Industrial connection, the firm shall not use waste water of the Industry for recharging of ground Water.
- v) That the permission/sanction can be withdrawn or the quantity of water to be extracted can be restricted in case the ground water in the area is adversely affected in terms of quantity and/or quality.
- vi) Actual water requirement be computed taking into account recycling/reuse of treated water for flushing etc.
- vii) Certificate regarding non/partial availability of water supply from the public water supply agency.
- viii) The firm/applicant shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
- ix) The firm/applicant drawing water more than 10m<sup>3</sup> /day of ground water shall construct piezometer, equipped with DWLR of latest version within six months shall consultation with the Sr. Hydrogeologist, GWO, JSV, Una (HP) and monthly water level date shall be submitted to the Ground Water Organization and Himachal Pradesh Ground Water Authority.

- x) All stakeholders abstracting ground water in excess of 100 m<sup>3</sup>/d shall be required to undertake annual water audit through Confederation of India Industries (CII)/Federation Indian Chamber of Commerce and Industry (FICCI)/National Productivity Council (NPC) certified auditors and submit audit reports within three months of completion of the same to Himachal Pradesh Ground Water Authority. All such stakeholders shall be required to reduce their ground water use by at least 20% over the next three years through appropriate means
- xi) The holder of the Permit shall be duly bound to maintain the aforementioned source in an efficient, coordinated and economical manner and to use the water only for the purpose for which certificate of registration has been given.
- xii) Supporting document in respect of farm size and crop type.

Therefore, as per the unanimous decision taken by the Sub-Committee, the concerned Executive Engineer is directed to convey the decision of Sub-Committee to the firm/applicant.

**61. Sh. Kulwant Singh, S/O Sh. Nathu Ram, Village Seri PO Nalagarh Tehsil Nalagarh Distt Solan HP (IUID: 72354294) (Submission ID- 31306)**

The applicant has applied on **Form – 1** for grant of permit for sinking of borewell for **Irrigation Purpose**. As per the report of Sr. Hydrogeologist, G.W.O., JSV, Una, **There is no Deptt. Tubewell within 300 mts of the proposed borewell site of the applicant. The proposed site of the applicant lies amidst valley fill deposits of Nalagarh valley comprising of Clays, Gravels, Pebbles, boulders & sand.**

A public notice of the application on Form-2/Form-5 has already been sent to float in the offices of concerned Executive Engineer (Nalagarh) & Gram Panchayat to get it displayed on the notice board of the local authority, so that interested persons, if any, may file their objection/suggestions. No objection has been received.

Hence, the sub-committee approved the case subject to the following conditions:

- i) The applicant shall construct a rainwater harvesting structure for the conservation and re-charge of ground water in his/her/their premise as per section-15 of the Himachal Pradesh Ground Water (Regulation & Control of Development and Management) Act, 2005 and Guidelines to regulate and Control ground water extraction in the State of Himachal Pradesh vide Notification No. IPH-B (A) 3-1/2019-II dated 03.05.2021, within six months of issuance of the Certificate of Permit and intimation will be given to Executive Engineer, JSV Division Nalagarh on its completion.
- ii) The applicant shall install a water meter/bulk meter on the ground water extraction pipe so as to check the water drawl at any time and will maintain its log book.
- iii) The applicant shall have to pay royalty based on the quantum of ground water extraction through Executive Engineer, JSV Division Nalagarh for the use of ground water to the Member Secretary, Himachal Pradesh Ground Water Authority as per the Himachal Pradesh ground Water (Regulation and Control of development and Management) Rules, 2007 or the rules which may, subsequently, be made applicable by the State of HP.
- iv) In case of Industrial connection, the firm shall not use waste water of the Industry for recharging of ground Water.
- v) That the permission/sanction can be withdrawn or the quantity of water to be extracted can be restricted in case the ground water in the area is adversely affected in terms of quantity and/or quality.

- vi) Actual water requirement be computed taking into account recycling/reuse of treated water for flushing etc.
- vii) Certificate regarding non/partial availability of water supply from the public water supply agency.
- viii) The firm/applicant shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
- ix) The firm/applicant drawing water more than 10m<sup>3</sup> /day of ground water shall construct piezometer, equipped with DWLR of latest version within six months shall consultation with the Sr. Hydrogeologist, GWO, JSV, Una (HP) and monthly water level data shall be submitted to the Ground Water Organization and Himachal Pradesh Ground Water Authority.
- x) All stakeholders abstracting ground water in excess of 100 m<sup>3</sup>/d shall be required to undertake annual water audit through Confederation of India Industries (CII)/Federation Indian Chamber of Commerce and Industry (FICCI)/National Productivity Council (NPC) certified auditors and submit audit reports within three months of completion of the same to Himachal Pradesh Ground Water Authority. All such stakeholders shall be required to reduce their ground water use by at least 20% over the next three years through appropriate means
- xi) The holder of the Permit shall be duly bound to maintain the aforementioned source in an efficient, coordinated and economical manner and to use the water only for the purpose for which certificate of registration has been given.
- xii) Supporting document in respect of farm size and crop type.

Therefore, as per the unanimous decision taken by the Sub-Committee, the concerned Executive Engineer is directed to convey the decision of Sub-Committee to the firm/applicant.

**62. Sh. Tarbij Singh, S/o Ram Singh, Ward No 7 VPO Bahdroya Sub Tehsil Gangath. Distt Kangra (HP) (UID: 39456051) (Submission ID- 30296)**

The applicant has applied on **Form – 1** for grant of permit for sinking of borewell for **Irrigation Purpose**. As per the report of Sr. Hydrogeologist, G.W.O., JSV, Una, **There is no existing departmental energised borewell within 200 mtrs. of the proposed borewell site of the applicant. The proposed borewell of the applicant lies in denudational hills comprising of Boulder Conglomerates of Upper Shiwalik formations.**

A public notice of the application on Form-2/Form-5 has already been sent to float in the offices of concerned Executive Engineer (Indora) & Gram Panchayat to get it displayed on the notice board of the local authority, so that interested persons, if any, may file their objection/suggestions. No objection has been received.

Hence, the sub-committee approved the case subject to the following conditions:

- i) The applicant shall construct a rainwater harvesting structure for the conservation and re-charge of ground water in his/her/their premise as per section-15 of the Himachal Pradesh Ground Water (Regulation & Control of Development and Management) Act, 2005 and Guidelines to regulate and Control ground water extraction in the State of Himachal Pradesh vide Notification No. IPH-B (A) 3-1/2019-II dated 03.05.2021, within six months of issuance of the Certificate of Permit and intimation will be given to Executive Engineer, JSV Division Indora on its completion.
- ii) The applicant shall install a water meter/bulk meter on the ground water extraction pipe so as to check the water drawl at any time and will maintain its log book.
- iii) The applicant shall have to pay royalty based on the quantum of ground water extraction through Executive Engineer, JSV Division Indora for the

- use of ground water to the Member Secretary, Himachal Pradesh Ground Water Authority as per the Himachal Pradesh ground Water (Regulation and Control of development and Management) Rules, 2007 or the rules which may, subsequently, be made applicable by the State of HP.
- iv) In case of Industrial connection, the firm shall not use waste water of the Industry for recharging of ground Water.
  - v) That the permission/sanction can be withdrawn or the quantity of water to be extracted can be restricted in case the ground water in the area is adversely affected in terms of quantity and/or quality.
  - vi) Actual water requirement be computed taking into account recycling/reuse of treated water for flushing etc.
  - vii) Certificate regarding non/partial availability of water supply from the public water supply agency.
  - viii) The firm/applicant shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
  - ix) The firm/applicant drawing water more than 10m<sup>3</sup> /day of ground water shall construct piezometer, equipped with DWLR of latest version within six months shall consultation with the Sr. Hydrogeologist, GWO, JSV, Una (HP) and monthly water level data shall be submitted to the Ground Water Organization and Himachal Pradesh Ground Water Authority.
  - x) All stakeholders abstracting ground water in excess of 100 m<sup>3</sup>/d shall be required to undertake annual water audit through Confederation of India Industries (CII)/Federation Indian Chamber of Commerce and Industry (FICCI)/National Productivity Council (NPC) certified auditors and submit audit reports within three months of completion of the same to Himachal Pradesh Ground Water Authority. All such stakeholders shall be required to reduce their ground water use by at least 20% over the next three years through appropriate means
  - xi) The holder of the Permit shall be duly bound to maintain the aforementioned source in an efficient, coordinated and economical manner and to use the water only for the purpose for which certificate of registration has been given.
  - xii) Supporting document in respect of farm size and crop type.

Therefore, as per the unanimous decision taken by the Sub-Committee, the concerned Executive Engineer is directed to convey the decision of Sub-Committee to the firm/applicant.

**63. Smt. Rachna Tandon w/o Kapil Tandon Kashi Vill Kasauli Distt Solan (HP) (IUID: 61809884) (Submission ID- 31293)**

The applicant has applied on **Form – 1** for grant of permit for sinking of borewell for **Irrigation Purpose**. As per the report of Sr. Hydrogeologist, G.W.O., JSV, Una, **There is no existing departmental energised borewell within 200mts. of the proposed borewell site of the applicant. The applicant proposes to drill a shallow borewell. The proposed site of the applicant lies amidst Sedimentary rocks primarily Sandstone and Shales where Sandstone are the dominant water bearing lithounits.**

A public notice of the application on Form-2/Form-5 has already been sent to float in the offices of concerned Executive Engineer (Solan) & Gram Panchayat to get it displayed on the notice board of the local authority, so that interested persons, if any, may file their objection/suggestions. No objection has been received.

Hence, the sub-committee approved the case subject to the following conditions:

- i) The applicant shall construct a rainwater harvesting structure for the conservation and re-charge of ground water in his/her/their premise as per section-15 of the Himachal Pradesh Ground Water (Regulation & Control of Development and Management) Act, 2005 and Guidelines to regulate and Control ground water extraction in the State of Himachal Pradesh vide Notification No. IPH-B (A) 3-1/2019-II dated 03.05.2021, within six months of issuance of the Certificate of Permit and intimation will be given to Executive Engineer, JSV Division Solan on its completion.
- ii) The applicant shall install a water meter/bulk meter on the ground water extraction pipe so as to check the water drawl at any time and will maintain its log book.
- iii) The applicant shall have to pay royalty based on the quantum of ground water extraction through Executive Engineer, JSV Division Solan for the use of ground water to the Member Secretary, Himachal Pradesh Ground Water Authority as per the Himachal Pradesh ground Water (Regulation and Control of development and Management) Rules, 2007 or the rules which may, subsequently, be made applicable by the State of HP.
- iv) In case of Industrial connection, the firm shall not use waste water of the Industry for recharging of ground Water.
- v) That the permission/sanction can be withdrawn or the quantity of water to be extracted can be restricted in case the ground water in the area is adversely affected in terms of quantity and/or quality.
- vi) Actual water requirement be computed taking into account recycling/reuse of treated water for flushing etc.
- vii) Certificate regarding non/partial availability of water supply from the public water supply agency.
- viii) The firm/applicant shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
- ix) The firm/applicant drawing water more than 10m<sup>3</sup> /day of ground water shall construct piezometer, equipped with DWLR of latest version within six months shall consultation with the Sr. Hydrogeologist, GWO, JSV, Una (HP) and monthly water level date shall be submitted to the Ground Water Organization and Himachal Pradesh Ground Water Authority.
- x) All stakeholders abstracting ground water in excess of 100 m<sup>3</sup>/d shall be required to undertake annual water audit through Confederation of India Industries (CII)/Federation Indian Chamber of Commerce and Industry (FICCI)/National Productivity Council (NPC) certified auditors and submit audit reports within three months of completion of the same to Himachal Pradesh Ground Water Authority. All such stakeholders shall be required to reduce their ground water use by at least 20% over the next three years through appropriate means
- xi) The holder of the Permit shall be duly bound to maintain the aforementioned source in an efficient, coordinated and economical manner and to use the water only for the purpose for which certificate of registration has been given.
- xii) Supporting document in respect of farm size and crop type.

Therefore, as per the unanimous decision taken by the Sub-Committee, the concerned Executive Engineer is directed to convey the decision of Sub-Committee to the firm/applicant.

**64. Sh. Vinod Kumar S/O Pyar Chand Vill. Near Achiever Hub School Chikli Dari, Dharamshala, Kangra HP (UID: 54007765) (Submission ID- 34989)**

The applicant has applied on **Form – 1** for grant of permit for sinking of borewell for **Domestic Purpose**. As per the report of Sr. Hydrogeologist, G.W.O., JSV, Una, **The applicant has applied for sinking of borewell however he has already drilled the borewell. No departmental energized borewell exists within a distance of 200m from the borewell of**

the applicant. The site located is in alluvium deposits comprising of boulders, pebbles, sand, and clays.

The case was discussed and after detailed discussions it was decided that as the borewell had already been drilled as per site inspection report which is in contravention of the Himachal Pradesh Ground water Act, 2005, hence the concerned Executive Engineer (Dharamshala) shall intimate the action taken for the offence under various provisions of the Act.

65. **Sh. MILANT Dogra S/O Madan Mohan Dogra Vill. Eliana Chaturbhuj cottage near Government primary school Dari Dharamshala (HP) (UID: 53435814) (Submission ID- 34926)**

The applicant has applied on **Form – 1** for grant of permit for sinking of borewell for **Domestic Purpose**. As per the report of Sr. Hydrogeologist, G.W.O., JSV, Una, **No departmental energized borewell exists within a distance of 200m from the existing borewell of the applicant. The site located is in alluvium deposits comprising of clays, gravels, pebbles, boulders & sand, underlain by boulder conglomerates of Upper Shiwalik formation.**

A public notice of the application on Form-2/Form-5 has already been sent to float in the offices of concerned Executive Engineer (Dharamshala) & Gram Panchayat to get it displayed on the notice board of the local authority, so that interested persons, if any, may file their objection/suggestions. No objection has been received.

Hence, the sub-committee approved the case subject to the following conditions:

- i) The applicant shall construct a rainwater harvesting structure for the conservation and re-charge of ground water in his/her/their premise as per section-15 of the Himachal Pradesh Ground Water (Regulation & Control of Development and Management) Act, 2005 and Guidelines to regulate and Control ground water extraction in the State of Himachal Pradesh vide Notification No. IPH-B (A) 3-1/2019-II dated 03.05.2021, within six months of issuance of the Certificate of Permit and intimation will be given to Executive Engineer, JSV Division Dharamshala on its completion.
- ii) The applicant shall install a water meter/bulk meter on the ground water extraction pipe so as to check the water drawl at any time and will maintain its log book.
- iii) The applicant shall have to pay royalty based on the quantum of ground water extraction through Executive Engineer, JSV Division Dharamshala for the use of ground water to the Member Secretary, Himachal Pradesh Ground Water Authority as per the Himachal Pradesh ground Water (Regulation and Control of development and Management) Rules, 2007 or the rules which may, subsequently, be made applicable by the State of HP.
- iv) In case of Industrial connection, the firm shall not use waste water of the Industry for recharging of ground Water.
- v) That the permission/sanction can be withdrawn or the quantity of water to be extracted can be restricted in case the ground water in the area is adversely affected in terms of quantity and/or quality.
- vi) Actual water requirement be computed taking into account recycling/reuse of treated water for flushing etc.
- vii) Certificate regarding non/partial availability of water supply from the public water supply agency.
- viii) The firm/applicant shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
- ix) The firm/applicant drawing water more than 10m<sup>3</sup> /day of ground water shall construct piezometer, equipped with DWLR of latest version

within six months shall consultation with the Sr. Hydrogeologist, GWO, JSV, Una (HP) and monthly water level data shall be submitted to the Ground Water Organization and Himachal Pradesh Ground Water Authority.

- x) All stakeholders abstracting ground water in excess of 100 m<sup>3</sup>/d shall be required to undertake annual water audit through Confederation of India Industries (CII)/Federation Indian Chamber of Commerce and Industry (FICCI)/National Productivity Council (NPC) certified auditors and submit audit reports within three months of completion of the same to Himachal Pradesh Ground Water Authority. All such stakeholders shall be required to reduce their ground water use by at least 20% over the next three years through appropriate means
- xi) The holder of the Permit shall be duly bound to maintain the aforementioned source in an efficient, coordinated and economical manner and to use the water only for the purpose for which certificate of registration has been given.

Therefore, as per the unanimous decision taken by the Sub-Committee, the concerned Executive Engineer is directed to convey the decision of Sub-Committee to the firm/applicant.

**66. Sh. GURDIAL SINGHS/O HARNAM SINGHVPO GHANDRAN, TEH INDORA Kangra (HP) (UID: 85765450) (Submission ID- 34805)**

The applicant has applied on **Form – 1** for grant of permit for sinking of borewell for **Irrigation Purpose**. As per the report of Sr. Hydrogeologist, G.W.O., JSV, Una, **No departmental energized borewell exists within a distance of around 200m from the proposed borewell site of the applicant. The site falls in Nurpur Indora valley and as per the GEC 2020 report the area is safe and the stage of development is 29%. Lithologically the site falls in alluvial deposits comprising of boulders, pebbles, sand, silt and clays.**

A public notice of the application on Form-2/Form-5 has already been sent to float in the offices of concerned Executive Engineer (Indora) & Gram Panchayat to get it displayed on the notice board of the local authority, so that interested persons, if any, may file their objection/suggestions. No objection has been received.

Hence, the sub-committee approved the case subject to the following conditions:

- i) The applicant shall construct a rainwater harvesting structure for the conservation and re-charge of ground water in his/her/their premise as per section-15 of the Himachal Pradesh Ground Water (Regulation & Control of Development and Management) Act, 2005 and Guidelines to regulate and Control ground water extraction in the State of Himachal Pradesh vide Notification No. IPH-B (A) 3-1/2019-II dated 03.05.2021, within six months of issuance of the Certificate of Permit and intimation will be given to Executive Engineer, JSV Division Indora on its completion.
- ii) The applicant shall install a water meter/bulk meter on the ground water extraction pipe so as to check the water drawl at any time and will maintain its log book.
- iii) The applicant shall have to pay royalty based on the quantum of ground water extraction through Executive Engineer, JSV Division Indora for the use of ground water to the Member Secretary, Himachal Pradesh Ground Water Authority as per the Himachal Pradesh ground Water (Regulation and Control of development and Management) Rules, 2007 or the rules which may, subsequently, be made applicable by the State of HP.

- iv) In case of Industrial connection, the firm shall not use waste water of the Industry for recharging of ground Water.
- v) That the permission/sanction can be withdrawn or the quantity of water to be extracted can be restricted in case the ground water in the area is adversely affected in terms of quantity and/or quality.
- vi) Actual water requirement be computed taking into account recycling/reuse of treated water for flushing etc.
- vii) Certificate regarding non/partial availability of water supply from the public water supply agency.
- viii) The firm/applicant shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
- ix) The firm/applicant drawing water more than 10m<sup>3</sup> /day of ground water shall construct piezometer, equipped with DWLR of latest version within six months shall consultation with the Sr. Hydrogeologist, GWO, JSV, Una (HP) and monthly water level data shall be submitted to the Ground Water Organization and Himachal Pradesh Ground Water Authority.
- x) All stakeholders abstracting ground water in excess of 100 m<sup>3</sup>/d shall be required to undertake annual water audit through Confederation of India Industries (CII)/Federation Indian Chamber of Commerce and Industry (FICCI)/National Productivity Council (NPC) certified auditors and submit audit reports within three months of completion of the same to Himachal Pradesh Ground Water Authority. All such stakeholders shall be required to reduce their ground water use by at least 20% over the next three years through appropriate means
- xi) The holder of the Permit shall be duly bound to maintain the aforementioned source in an efficient, coordinated and economical manner and to use the water only for the purpose for which certificate of registration has been given.
- xii) Supporting document in respect of farm size and crop type.

Therefore, as per the unanimous decision taken by the Sub-Committee, the concerned Executive Engineer is directed to convey the decision of Sub-Committee to the firm/applicant.

**67. Sh. PRAVEEN KUMAR S/O JAGAT RAM Vill. ROOG DOCHI , P.O BADO KHARI , TEH. RAMSHEHAR, DISTT. SOLAN , H.P (UID: 84426403) (Submission ID- 34799)**

The applicant has applied on **Form – 1** for grant of permit for sinking of borewell for **Irrigation Purpose**. As per the report of Sr. Hydrogeologist, G.W.O., JSV, Una, **There is no departmental energized borewell within 300 mts of the proposed borewell site of the applicant. The proposed site of the applicant lies amidst .Sedimentary rocks primarily sandstone & shales.**

A public notice of the application on Form-2/Form-5 has already been sent to float in the offices of concerned Executive Engineer (Nalagarh) & Gram Panchayat to get it displayed on the notice board of the local authority, so that interested persons, if any, may file their objection/suggestions. No objection has been received.

Hence, the sub-committee approved the case subject to the following conditions:

- i) The applicant shall construct a rainwater harvesting structure for the conservation and re-charge of ground water in his/her/their premise as per section-15 of the Himachal Pradesh Ground Water (Regulation & Control of Development and Management) Act, 2005 and Guidelines to regulate and Control ground water extraction in the State of Himachal Pradesh vide Notification No. IPH-B (A) 3-1/2019-II dated 03.05.2021, within six months of issuance of the Certificate of Permit and intimation

- will be given to Executive Engineer, JSV Division Nalagarh on its completion.
- ii) The applicant shall install a water meter/bulk meter on the ground water extraction pipe so as to check the water drawl at any time and will maintain its log book.
  - iii) The applicant shall have to pay royalty based on the quantum of ground water extraction through Executive Engineer, JSV Division Nalagarh for the use of ground water to the Member Secretary, Himachal Pradesh Ground Water Authority as per the Himachal Pradesh ground Water (Regulation and Control of development and Management) Rules, 2007 or the rules which may, subsequently, be made applicable by the State of HP.
  - iv) In case of Industrial connection, the firm shall not use waste water of the Industry for recharging of ground Water.
  - v) That the permission/sanction can be withdrawn or the quantity of water to be extracted can be restricted in case the ground water in the area is adversely affected in terms of quantity and/or quality.
  - vi) Actual water requirement be computed taking into account recycling/reuse of treated water for flushing etc.
  - vii) Certificate regarding non/partial availability of water supply from the public water supply agency.
  - viii) The firm/applicant shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
  - ix) The firm/applicant drawing water more than 10m<sup>3</sup> /day of ground water shall construct piezometer, equipped with DWLR of latest version within six months shall consultation with the Sr. Hydrogeologist, GWO, JSV, Una (HP) and monthly water level date shall be submitted to the Ground Water Organization and Himachal Pradesh Ground Water Authority.
  - x) All stakeholders abstracting ground water in excess of 100 m<sup>3</sup>/d shall be required to undertake annual water audit through Confederation of India Industries (CII)/Federation Indian Chamber of Commerce and Industry (FICCI)/National Productivity Council (NPC) certified auditors and submit audit reports within three months of completion of the same to Himachal Pradesh Ground Water Authority. All such stakeholders shall be required to reduce their ground water use by at least 20% over the next three years through appropriate means
  - xi) The holder of the Permit shall be duly bound to maintain the aforementioned source in an efficient, coordinated and economical manner and to use the water only for the purpose for which certificate of registration has been given.
  - xii) Supporting document in respect of farm size and crop type.

Therefore, as per the unanimous decision taken by the Sub-Committee, the concerned Executive Engineer is directed to convey the decision of Sub-Committee to the firm/applicant.

**68. Sh. KAPIL KAPOOR S/O JOG RAJ KAPOOR VPO -Tang Narwana, Tehsil-Dharamshala, Distt- Kangra, Himachal Pradesh (IUID: 21808005) (Submission ID- 334671)**

The applicant has applied on **Form – 1** for grant of permit for sinking of borewell for **Domestic Purpose**. As per the report of Sr. Hydrogeologist, G.W.O., JSV, Una, **There is no existing departmental energised borewell within 300 mtrs. of the proposed borewell site of the applicant. The proposed borewell of the applicant lies in moderately dissected structural hills comprising of Sandstone and Shales of Lower Shiwalik formations.**

A public notice of the application on Form-2/Form-5 has already been sent to float in the offices of concerned Executive Engineer (Shahpur) & Gram Panchayat to get it displayed on the notice board of the local authority, so that interested persons, if any, may file their objection/suggestions. No objection has been received.

Hence, the sub-committee approved the case subject to the following conditions:

- i) The applicant shall construct a rainwater harvesting structure for the conservation and re-charge of ground water in his/her/their premise as per section-15 of the Himachal Pradesh Ground Water (Regulation & Control of Development and Management) Act, 2005 and Guidelines to regulate and Control ground water extraction in the State of Himachal Pradesh vide Notification No. IPH-B (A) 3-1/2019-II dated 03.05.2021, within six months of issuance of the Certificate of Permit and intimation will be given to Executive Engineer, JSV Division Shahpur on its completion.
- ii) The applicant shall install a water meter/bulk meter on the ground water extraction pipe so as to check the water drawl at any time and will maintain its log book.
- iii) The applicant shall have to pay royalty based on the quantum of ground water extraction through Executive Engineer, JSV Division Shahpur for the use of ground water to the Member Secretary, Himachal Pradesh Ground Water Authority as per the Himachal Pradesh ground Water (Regulation and Control of development and Management) Rules, 2007 or the rules which may, subsequently, be made applicable by the State of HP.
- iv) In case of Industrial connection, the firm shall not use waste water of the Industry for recharging of ground Water.
- v) That the permission/sanction can be withdrawn or the quantity of water to be extracted can be restricted in case the ground water in the area is adversely affected in terms of quantity and/or quality.
- vi) Actual water requirement be computed taking into account recycling/reuse of treated water for flushing etc.
- vii) Certificate regarding non/partial availability of water supply from the public water supply agency.
- viii) The firm/applicant shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
- ix) The firm/applicant drawing water more than 10m<sup>3</sup> /day of ground water shall construct piezometer, equipped with DWLR of latest version within six months shall consultation with the Sr. Hydrogeologist, GWO, JSV, Una (HP) and monthly water level date shall be submitted to the Ground Water Organization and Himachal Pradesh Ground Water Authority.
- x) All stakeholders abstracting ground water in excess of 100 m<sup>3</sup>/d shall be required to undertake annual water audit through Confederation of India Industries (CII)/Federation Indian Chamber of Commerce and Industry (FICCI)/National Productivity Council (NPC) certified auditors and submit audit reports within three months of completion of the same to Himachal Pradesh Ground Water Authority. All such stakeholders shall be required to reduce their ground water use by at least 20% over the next three years through appropriate means
- xi) The holder of the Permit shall be duly bound to maintain the aforementioned source in an efficient, coordinated and economical manner and to use the water only for the purpose for which certificate of registration has been given.

Therefore, as per the unanimous decision taken by the Sub-Committee, the concerned Executive Engineer is directed to convey the decision of Sub-Committee to the firm/applicant.

**69. Sh. DALER SINGH PATHANIA S/O MUNSHI RAM PATHANIA, VILL THATHAR PO SUKHAR TEH NURPUR (UID: 98921369) (Submission ID-34595)**

The applicant has applied on **Form – 1** for grant of permit for sinking of borewell for **Irrigation Purpose**. As per the report of Sr. Hydrogeologist, G.W.O., JSV, Una, **No departmental energized borewell exists within a distance of around 200m from the proposed borewell of the applicant. The site falls in Nurpur Indora valley and as per the GEC 2020 report the area is safe and the stage of development is 29%. Lithologically the site falls in alluvial deposits comprising of clays, gravels, pebbles, boulders & sand.**

A public notice of the application on Form-2/Form-5 has already been sent to float in the offices of concerned Executive Engineer (Nurpur) & Gram Panchayat to get it displayed on the notice board of the local authority, so that interested persons, if any, may file their objection/suggestions. No objection has been received.

Hence, the sub-committee approved the case subject to the following conditions:

- i) The applicant shall construct a rainwater harvesting structure for the conservation and re-charge of ground water in his/her/their premise as per section-15 of the Himachal Pradesh Ground Water (Regulation & Control of Development and Management) Act, 2005 and Guidelines to regulate and Control ground water extraction in the State of Himachal Pradesh vide Notification No. IPH-B (A) 3-1/2019-II dated 03.05.2021, within six months of issuance of the Certificate of Permit and intimation will be given to Executive Engineer, JSV Division Nurpur on its completion.
- ii) The applicant shall install a water meter/bulk meter on the ground water extraction pipe so as to check the water drawl at any time and will maintain its log book.
- iii) The applicant shall have to pay royalty based on the quantum of ground water extraction through Executive Engineer, JSV Division Nurpur for the use of ground water to the Member Secretary, Himachal Pradesh Ground Water Authority as per the Himachal Pradesh ground Water (Regulation and Control of development and Management) Rules, 2007 or the rules which may, subsequently, be made applicable by the State of HP.
- iv) In case of Industrial connection, the firm shall not use waste water of the Industry for recharging of ground Water.
- v) That the permission/sanction can be withdrawn or the quantity of water to be extracted can be restricted in case the ground water in the area is adversely affected in terms of quantity and/or quality.
- vi) Actual water requirement be computed taking into account recycling/reuse of treated water for flushing etc.
- vii) Certificate regarding non/partial availability of water supply from the public water supply agency.
- viii) The firm/applicant shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
- ix) The firm/applicant drawing water more than 10m<sup>3</sup> /day of ground water shall construct piezometer, equipped with DWLR of latest version within six months shall consultation with the Sr. Hydrogeologist, GWO, JSV, Una (HP) and monthly water level date shall be submitted to the Ground Water Organization and Himachal Pradesh Ground Water Authority.
- x) All stakeholders abstracting ground water in excess of 100 m<sup>3</sup>/d shall be required to undertake annual water audit through Confederation of India Industries (CII)/Federation Indian Chamber of Commerce and Industry (FICCI)/National Productivity Council (NPC) certified auditors and submit audit reports within three months of completion of the same to Himachal Pradesh Ground Water Authority. All such stakeholders shall be required to reduce their ground water use by at least 20% over the next three years through appropriate means

- xi) The holder of the Permit shall be duly bound to maintain the aforementioned source in an efficient, coordinated and economical manner and to use the water only for the purpose for which certificate of registration has been given.
- xii) Supporting document in respect of farm size and crop type.

Therefore, as per the unanimous decision taken by the Sub-Committee, the concerned Executive Engineer is directed to convey the decision of Sub-Committee to the firm/applicant.

**70. Sh. Atter Chand S/O Mathru Teh. Sadar. Chela. Sehli Distt. Mandi (H.P) (HP) (IUID: 86720138) (Submission ID- 23877)**

The applicant has applied on **Form – 1** for grant of permit for sinking of borewell for **Irrigation Purpose**. As per the report of Sr. Hydrogeologist, G.W.O., JSV, Una, **There is no existing departmental energised borewell within 300 mtrs. of the proposed borewell site of the applicant. The proposed borewell of the applicant lies in low dissected structural hills comprising of Sandstone, shale and Clays of Dharamshala formations.**

A public notice of the application on Form-2/Form-5 has already been sent to float in the offices of concerned Executive Engineer (Mandi) & Gram Panchayat to get it displayed on the notice board of the local authority, so that interested persons, if any, may file their objection/suggestions. No objection has been received.

Hence, the sub-committee approved the case subject to the following conditions:

- i) The applicant shall construct a rainwater harvesting structure for the conservation and re-charge of ground water in his/her/their premise as per section-15 of the Himachal Pradesh Ground Water (Regulation & Control of Development and Management) Act, 2005 and Guidelines to regulate and Control ground water extraction in the State of Himachal Pradesh vide Notification No. IPH-B (A) 3-1/2019-II dated 03.05.2021, within six months of issuance of the Certificate of Permit and intimation will be given to Executive Engineer, JSV Division Mandi on its completion.
- ii) The applicant shall install a water meter/bulk meter on the ground water extraction pipe so as to check the water drawl at any time and will maintain its log book.
- iii) The applicant shall have to pay royalty based on the quantum of ground water extraction through Executive Engineer, JSV Division Mandi for the use of ground water to the Member Secretary, Himachal Pradesh Ground Water Authority as per the Himachal Pradesh ground Water (Regulation and Control of development and Management) Rules, 2007 or the rules which may, subsequently, be made applicable by the State of HP.
- iv) In case of Industrial connection, the firm shall not use waste water of the Industry for recharging of ground Water.
- v) That the permission/sanction can be withdrawn or the quantity of water to be extracted can be restricted in case the ground water in the area is adversely affected in terms of quantity and/or quality.
- vi) Actual water requirement be computed taking into account recycling/reuse of treated water for flushing etc.
- vii) Certificate regarding non/partial availability of water supply from the public water supply agency.
- viii) The firm/applicant shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
- ix) The firm/applicant drawing water more than 10m<sup>3</sup> /day of ground water shall construct piezometer, equipped with DWLR of latest version

within six months shall consultation with the Sr. Hydrogeologist, GWO, JSV, Una (HP) and monthly water level data shall be submitted to the Ground Water Organization and Himachal Pradesh Ground Water Authority.

- x) All stakeholders abstracting ground water in excess of 100 m<sup>3</sup>/d shall be required to undertake annual water audit through Confederation of India Industries (CII)/Federation Indian Chamber of Commerce and Industry (FICCI)/National Productivity Council (NPC) certified auditors and submit audit reports within three months of completion of the same to Himachal Pradesh Ground Water Authority. All such stakeholders shall be required to reduce their ground water use by at least 20% over the next three years through appropriate means
- xi) The holder of the Permit shall be duly bound to maintain the aforementioned source in an efficient, coordinated and economical manner and to use the water only for the purpose for which certificate of registration has been given.
- xii) Supporting document in respect of farm size and crop type.

Therefore, as per the unanimous decision taken by the Sub-Committee, the concerned Executive Engineer is directed to convey the decision of Sub-Committee to the firm/applicant.

**71. Sh. OM PARKASH SHARMAS/O HALAYUDH SHARMA VILLAGE GHARYANA PO AND TEH SUNNI DISTT SHIMLA 171301(H.P) (IUID: 13028741) (Submission ID- 32103)**

The applicant has applied on **Form – 1** for grant of permit for sinking of borewell for **Domestic Purpose**. As per the report of Sr. Hydrogeologist, G.W.O., JSV, Una, **There is no existing departmental energised borewell within 300 mtrs. of the proposed borewell site of the applicant. The proposed borewell of the applicant lies in piedmont alluvium shallow underlain by Shales with limestone of Shimla Group.**

A public notice of the application on Form-2/Form-5 has already been sent to float in the offices of concerned Executive Engineer (Sunni) & Gram Panchayat to get it displayed on the notice board of the local authority, so that interested persons, if any, may file their objection/suggestions. No objection has been received.

Hence, the sub-committee approved the case subject to the following conditions:

- i) The applicant shall construct a rainwater harvesting structure for the conservation and re-charge of ground water in his/her/their premise as per section-15 of the Himachal Pradesh Ground Water (Regulation & Control of Development and Management) Act, 2005 and Guidelines to regulate and Control ground water extraction in the State of Himachal Pradesh vide Notification No. IPH-B (A) 3-1/2019-II dated 03.05.2021, within six months of issuance of the Certificate of Permit and intimation will be given to Executive Engineer, JSV Division Sunni on its completion.
- ii) The applicant shall install a water meter/bulk meter on the ground water extraction pipe so as to check the water drawl at any time and will maintain its log book.
- iii) The applicant shall have to pay royalty based on the quantum of ground water extraction through Executive Engineer, JSV Division Sunni for the use of ground water to the Member Secretary, Himachal Pradesh Ground Water Authority as per the Himachal Pradesh ground Water (Regulation and Control of development and Management) Rules, 2007 or the rules which may, subsequently, be made applicable by the State of HP.

- iv) In case of Industrial connection, the firm shall not use waste water of the Industry for recharging of ground Water.
- v) That the permission/sanction can be withdrawn or the quantity of water to be extracted can be restricted in case the ground water in the area is adversely affected in terms of quantity and/or quality.
- vi) Actual water requirement be computed taking into account recycling/reuse of treated water for flushing etc.
- vii) Certificate regarding non/partial availability of water supply from the public water supply agency.
- viii) The firm/applicant shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
- ix) The firm/applicant drawing water more than 10m<sup>3</sup> /day of ground water shall construct piezometer, equipped with DWLR of latest version within six months shall consultation with the Sr. Hydrogeologist, GWO, JSV, Una (HP) and monthly water level data shall be submitted to the Ground Water Organization and Himachal Pradesh Ground Water Authority.
- x) All stakeholders abstracting ground water in excess of 100 m<sup>3</sup>/d shall be required to undertake annual water audit through Confederation of India Industries (CII)/Federation Indian Chamber of Commerce and Industry (FICCI)/National Productivity Council (NPC) certified auditors and submit audit reports within three months of completion of the same to Himachal Pradesh Ground Water Authority. All such stakeholders shall be required to reduce their ground water use by at least 20% over the next three years through appropriate means
- xi) The holder of the Permit shall be duly bound to maintain the aforementioned source in an efficient, coordinated and economical manner and to use the water only for the purpose for which certificate of registration has been given.

Therefore, as per the unanimous decision taken by the Sub-Committee, the concerned Executive Engineer is directed to convey the decision of Sub-Committee to the firm/applicant.

**72. Sh. Virender Gupta S/O Mohan Lal Gupta Vill Dohru p/o Thandapani Sub Teh. Pangana Distt. Mandi (H.P) (UID: 44491754) (Submission ID- 32149)**

The applicant has applied on **Form – 1** for grant of permit for sinking of borewell for **Irrigation Purpose**. As per the report of Sr. Hydrogeologist, G.W.O., JSV, Una, **There is no existing departmental energised borewell within 300 mtrs. of the proposed borewell site of the applicant. Geologically area comprises of metamorphites. Ground water prospect in the area are good to moderate.**

A public notice of the application on Form-2/Form-5 has already been sent to float in the offices of concerned Executive Engineer (Mandi) & Gram Panchayat to get it displayed on the notice board of the local authority, so that interested persons, if any, may file their objection/suggestions. No objection has been received.

Hence, the sub-committee approved the case subject to the following conditions:

- i) The applicant shall construct a rainwater harvesting structure for the conservation and re-charge of ground water in his/her/their premise as per section-15 of the Himachal Pradesh Ground Water (Regulation & Control of Development and Management) Act, 2005 and Guidelines to regulate and Control ground water extraction in the State of Himachal Pradesh vide Notification No. IPH-B (A) 3-1/2019-II dated 03.05.2021, within six months of issuance of the Certificate of Permit and intimation will be given to Executive Engineer, JSV Division Mandi on its completion.

- ii) The applicant shall install a water meter/bulk meter on the ground water extraction pipe so as to check the water drawl at any time and will maintain its log book.
- iii) The applicant shall have to pay royalty based on the quantum of ground water extraction through Executive Engineer, JSV Division Mandi for the use of ground water to the Member Secretary, Himachal Pradesh Ground Water Authority as per the Himachal Pradesh ground Water (Regulation and Control of development and Management) Rules, 2007 or the rules which may, subsequently, be made applicable by the State of HP.
- iv) In case of Industrial connection, the firm shall not use waste water of the Industry for recharging of ground Water.
- v) That the permission/sanction can be withdrawn or the quantity of water to be extracted can be restricted in case the ground water in the area is adversely affected in terms of quantity and/or quality.
- vi) Actual water requirement be computed taking into account recycling/reuse of treated water for flushing etc.
- vii) Certificate regarding non/partial availability of water supply from the public water supply agency.
- viii) The firm/applicant shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
- ix) The firm/applicant drawing water more than 10m<sup>3</sup> /day of ground water shall construct piezometer, equipped with DWLR of latest version within six months shall consultation with the Sr. Hydrogeologist, GWO, JSV, Una (HP) and monthly water level date shall be submitted to the Ground Water Organization and Himachal Pradesh Ground Water Authority.
- x) All stakeholders abstracting ground water in excess of 100 m<sup>3</sup>/d shall be required to undertake annual water audit through Confederation of India Industries (CII)/Federation Indian Chamber of Commerce and Industry (FICCI)/National Productivity Council (NPC) certified auditors and submit audit reports within three months of completion of the same to Himachal Pradesh Ground Water Authority. All such stakeholders shall be required to reduce their ground water use by at least 20% over the next three years through appropriate means
- xi) The holder of the Permit shall be duly bound to maintain the aforementioned source in an efficient, coordinated and economical manner and to use the water only for the purpose for which certificate of registration has been given.
- xii) Supporting document in respect of farm size and crop type.

Therefore, as per the unanimous decision taken by the Sub-Committee, the concerned Executive Engineer is directed to convey the decision of Sub-Committee to the firm/applicant.

**73. Sh. JEEWAN RANA S/O MOTI SINGH RANA VPO GHARJAROT TEH JAWALI DISTT KANGRA HP 176023 (IUID: 34545692) (Submission ID-30236)**

The applicant has applied on **Form – 1** for grant of permit for sinking of borewell for **Irrigation Purpose**. As per the report of Sr. Hydrogeologist, G.W.O., JSV, Una, **No departmental energized borewell exists within a distance of around 200m from the proposed borewell of the applicant. The site falls in Nurpur Indora valley and as per the GEC 2020 report the area is safe and the stage of development is 29%. Lithologically the site falls in alluvial deposits comprising of clays, gravels, pebbles, boulders & sand.**

A public notice of the application on Form-2/Form-5 has already been sent to float in the offices of concerned Executive Engineer (Jawali) & Gram Panchayat to get it displayed on the notice board of the local authority, so that interested persons, if any, may file their objection/suggestions. No objection has been received.

Hence, the sub-committee approved the case subject to the following conditions:

- i) The applicant shall construct a rainwater harvesting structure for the conservation and re-charge of ground water in his/her/their premise as per section-15 of the Himachal Pradesh Ground Water (Regulation & Control of Development and Management) Act, 2005 and Guidelines to regulate and Control ground water extraction in the State of Himachal Pradesh vide Notification No. IPH-B (A) 3-1/2019-II dated 03.05.2021, within six months of issuance of the Certificate of Permit and intimation will be given to Executive Engineer, JSV Division Jawali on its completion.
- ii) The applicant shall install a water meter/bulk meter on the ground water extraction pipe so as to check the water drawl at any time and will maintain its log book.
- iii) The applicant shall have to pay royalty based on the quantum of ground water extraction through Executive Engineer, JSV Division Jawali for the use of ground water to the Member Secretary, Himachal Pradesh Ground Water Authority as per the Himachal Pradesh ground Water (Regulation and Control of development and Management) Rules, 2007 or the rules which may, subsequently, be made applicable by the State of HP.
- iv) In case of Industrial connection, the firm shall not use waste water of the Industry for recharging of ground Water.
- v) That the permission/sanction can be withdrawn or the quantity of water to be extracted can be restricted in case the ground water in the area is adversely affected in terms of quantity and/or quality.
- vi) Actual water requirement be computed taking into account recycling/reuse of treated water for flushing etc.
- vii) Certificate regarding non/partial availability of water supply from the public water supply agency.
- viii) The firm/applicant shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
- ix) The firm/applicant drawing water more than 10m<sup>3</sup> /day of ground water shall construct piezometer, equipped with DWLR of latest version within six months shall consultation with the Sr. Hydrogeologist, GWO, JSV, Una (HP) and monthly water level date shall be submitted to the Ground Water Organization and Himachal Pradesh Ground Water Authority.
- x) All stakeholders abstracting ground water in excess of 100 m<sup>3</sup>/d shall be required to undertake annual water audit through Confederation of India Industries (CII)/Federation Indian Chamber of Commerce and Industry (FICCI)/National Productivity Council (NPC) certified auditors and submit audit reports within three months of completion of the same to Himachal Pradesh Ground Water Authority. All such stakeholders shall be required to reduce their ground water use by at least 20% over the next three years through appropriate means
- xi) The holder of the Permit shall be duly bound to maintain the aforementioned source in an efficient, coordinated and economical manner and to use the water only for the purpose for which certificate of registration has been given.
- xii) Supporting document in respect of farm size and crop type.

Therefore, as per the unanimous decision taken by the Sub-Committee, the concerned Executive Engineer is directed to convey the decision of Sub-Committee to the firm/applicant.

**74. Sh. Sunil Kumar S/O Gurdas Ram Vill. Behlan, P.O. SohariTakoli, Tehsil Bangana, Distt. Una (177039) (IUID: 19641973) (Submission ID- 37771)**

The applicant has applied on **Form – 1** for grant of permit for sinking of borewell for **Irrigation Purpose**. As per the report of Sr. Hydrogeologist, G.W.O., JSV, Una, **No Govt. tubewell exists within 200 mtrs of the existing tubewell of the applicant. The site falls in Una valley Satluj basin and as per the GEC 2020 report the area is safe and the stage of development is 61%. Lithologically the site falls in valley fill deposits of comprising of clays, gravels, pebbles, boulders & sand.**

A public notice of the application on Form-2/Form-5 has already been sent to float in the offices of concerned Executive Engineer (Una No-II) & Gram Panchayat to get it displayed on the notice board of the local authority, so that interested persons, if any, may file their objection/suggestions. No objection has been received.

Hence, the sub-committee approved the case subject to the following conditions:

- i) The applicant shall construct a rainwater harvesting structure for the conservation and re-charge of ground water in his/her/their premise as per section-15 of the Himachal Pradesh Ground Water (Regulation & Control of Development and Management) Act, 2005 and Guidelines to regulate and Control ground water extraction in the State of Himachal Pradesh vide Notification No. IPH-B (A) 3-1/2019-II dated 03.05.2021, within six months of issuance of the Certificate of Permit and intimation will be given to Executive Engineer, JSV Division Una No-II on its completion.
- ii) The applicant shall install a water meter/bulk meter on the ground water extraction pipe so as to check the water drawl at any time and will maintain its log book.
- iii) The applicant shall have to pay royalty based on the quantum of ground water extraction through Executive Engineer, JSV Division Una No-II for the use of ground water to the Member Secretary, Himachal Pradesh Ground Water Authority as per the Himachal Pradesh ground Water (Regulation and Control of development and Management) Rules, 2007 or the rules which may, subsequently, be made applicable by the State of HP.
- iv) In case of Industrial connection, the firm shall not use waste water of the Industry for recharging of ground Water.
- v) That the permission/sanction can be withdrawn or the quantity of water to be extracted can be restricted in case the ground water in the area is adversely affected in terms of quantity and/or quality.
- vi) Actual water requirement be computed taking into account recycling/reuse of treated water for flushing etc.
- vii) Certificate regarding non/partial availability of water supply from the public water supply agency.
- viii) The firm/applicant shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
- ix) The firm/applicant drawing water more than 10m<sup>3</sup> /day of ground water shall construct piezometer, equipped with DWLR of latest version within six months shall consultation with the Sr. Hydrogeologist, GWO, JSV, Una (HP) and monthly water level date shall be submitted to the Ground Water Organization and Himachal Pradesh Ground Water Authority.
- x) All stakeholders abstracting ground water in excess of 100 m<sup>3</sup>/d shall be required to undertake annual water audit through Confederation of India Industries (CII)/Federation Indian Chamber of Commerce and Industry (FICCI)/National Productivity Council (NPC) certified auditors and submit audit reports within three months of completion of the same to Himachal Pradesh Ground Water Authority. All such stakeholders shall be required to reduce their ground water use by at least 20% over the next three years through appropriate means
- xi) The holder of the Permit shall be duly bound to maintain the aforementioned source in an efficient, coordinated and economical

- manner and to use the water only for the purpose for which certificate of registration has been given.
- xii) Supporting document in respect of farm size and crop type.

Therefore, as per the unanimous decision taken by the Sub-Committee, the concerned Executive Engineer is directed to convey the decision of Sub-Committee to the firm/applicant.

**75. Smt. REKHA RANI W/O SANJEEV KUMAR WARD NO 5, MEHATPUR BASDEHRA DIST UNA HP (IUID: 37769209) (Submission ID- 32846)**

The applicant has applied on **Form – 1A** for grant of permit for sinking of borewell for **Commercial Purpose**. As per the report of Sr. Hydrogeologist, G.W.O., JSV, Una, **No Govt. tubewell exists within 200 mtrs of the existing tubewell of the applicant. The site falls in Una valley Satluj basin and as per the GEC 2020 report the area is safe and the stage of development is 61%. Lithologically the site falls in valley fill deposits of comprising of clays , gravels, pebbles, boulders & sand.**

A public notice of the application on Form-2/Form-5 has already been sent to float in the offices of concerned Executive Engineer (Una NO-I) & Gram Panchayat to get it displayed on the notice board of the local authority, so that interested persons, if any, may file their objection/suggestions. No objection has been received.

Hence, the sub-committee approved the case subject to the following conditions:

- i) The applicant shall construct a rainwater harvesting structure for the conservation and re-charge of ground water in his/her/their premise as per section-15 of the Himachal Pradesh Ground Water (Regulation & Control of Development and Management) Act, 2005 and Guidelines to regulate and Control ground water extraction in the State of Himachal Pradesh vide Notification No. IPH-B (A) 3-1/2019-II dated 03.05.2021, within six months of issuance of the Certificate of Permit and intimation will be given to Executive Engineer, JSV Division Una No-I on its completion.
- ii) The applicant shall install a digital flow meter with Telemetry system on the ground water extraction pipe so as to check the water drawl at any time and will maintain its log book.
- iii) The applicant shall have to pay royalty based on the quantum of ground water extraction through Executive Engineer, JSV Division Una No-I for the use of ground water to the Member Secretary, Himachal Pradesh Ground Water Authority as per the Himachal Pradesh ground Water (Regulation and Control of development and Management) Rules, 2007 or the rules which may, subsequently, be made applicable by the State of HP.
- iv) In case of Industrial connection, the firm shall not use waste water of the Industry for recharging of ground Water.
- v) That the permission/sanction can be withdrawn or the quantity of water to be extracted can be restricted in case the ground water in the area is adversely affected in terms of quantity and/or quality.
- vi) Actual water requirement be computed taking into account recycling/reuse of treated water for flushing etc.
- vii) Certificate regarding non/partial availability of water supply from the public water supply agency.
- viii) The firm/applicant shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
- ix) The firm/applicant drawing water more than 10m<sup>3</sup> /day of ground water shall construct piezometer, equipped with DWLR of latest version within six months shall consultation with the Sr. Hydrogeologist, GWO, JSV, Una (HP) and monthly water level date shall be submitted to the

- Ground Water Organization and Himachal Pradesh Ground Water Authority.
- x) All stakeholders abstracting ground water in excess of 100 m<sup>3</sup>/d shall be required to undertake annual water audit through Confederation of India Industries (CII)/Federation Indian Chamber of Commerce and Industry (FICCI)/National Productivity Council (NPC) certified auditors and submit audit reports within three months of completion of the same to Himachal Pradesh Ground Water Authority. All such stakeholders shall be required to reduce their ground water use by at least 20% over the next three years through appropriate means
  - xi) The holder of the Permit shall be duly bound to maintain the aforementioned source in an efficient, coordinated and economical manner and to use the water only for the purpose for which certificate of registration has been given.

Therefore, as per the unanimous decision taken by the Sub-Committee, the concerned Executive Engineer is directed to convey the decision of Sub-Committee to the firm/applicant.

**76. Sh. Mohan Singh S/O Naryan Singh Village Chandni Post Office Bharog Baneri Tehsil Kamrou Distt. Sirmour (HP) pin 173022 (IUID: 87740127) (Submission ID- 37113)**

The applicant has applied on **Form – 1** for grant of permit for sinking of borewell for **Irrigation Purpose**. As per the report of Sr. Hydrogeologist, G.W.O., JSV, Una, **No Govt. tubewell exist within 300 mtrs of the proposed site of the applicant. The site falls in Paonta valley and as per the GEC 2020 report the area is safe and the stage of development is 22 %. Lithologically the site falls in valley fill deposits of comprising of clays , gravels, pebbles, boulders & sand.**

A public notice of the application on Form-2/Form-5 has already been sent to float in the offices of concerned Executive Engineer (Paonta Sahib) & Gram Panchayat to get it displayed on the notice board of the local authority, so that interested persons, if any, may file their objection/suggestions. No objection has been received.

Hence, the sub-committee approved the case subject to the following conditions:

- i) The applicant shall construct a rainwater harvesting structure for the conservation and re-charge of ground water in his/her/their premise as per section-15 of the Himachal Pradesh Ground Water (Regulation & Control of Development and Management) Act, 2005 and Guidelines to regulate and Control ground water extraction in the State of Himachal Pradesh vide Notification No. IPH-B (A) 3-1/2019-II dated 03.05.2021, within six months of issuance of the Certificate of Permit and intimation will be given to Executive Engineer, JSV Division Paonta Sahib on its completion.
- ii) The applicant shall install a water meter/bulk meter on the ground water extraction pipe so as to check the water drawl at any time and will maintain its log book.
- iii) The applicant shall have to pay royalty based on the quantum of ground water extraction through Executive Engineer, JSV Division Paonta Sahib for the use of ground water to the Member Secretary, Himachal Pradesh Ground Water Authority as per the Himachal Pradesh ground Water (Regulation and Control of development and Management) Rules, 2007 or the rules which may, subsequently, be made applicable by the State of HP.
- iv) In case of Industrial connection, the firm shall not use waste water of the Industry for recharging of ground Water.

- v) That the permission/sanction can be withdrawn or the quantity of water to be extracted can be restricted in case the ground water in the area is adversely affected in terms of quantity and/or quality.
- vi) Actual water requirement be computed taking into account recycling/reuse of treated water for flushing etc.
- vii) Certificate regarding non/partial availability of water supply from the public water supply agency.
- viii) The firm/applicant shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
- ix) The firm/applicant drawing water more than 10m<sup>3</sup> /day of ground water shall construct piezometer, equipped with DWLR of latest version within six months shall consultation with the Sr. Hydrogeologist, GWO, JSV, Una (HP) and monthly water level data shall be submitted to the Ground Water Organization and Himachal Pradesh Ground Water Authority.
- x) All stakeholders abstracting ground water in excess of 100 m<sup>3</sup>/d shall be required to undertake annual water audit through Confederation of India Industries (CII)/Federation Indian Chamber of Commerce and Industry (FICCI)/National Productivity Council (NPC) certified auditors and submit audit reports within three months of completion of the same to Himachal Pradesh Ground Water Authority. All such stakeholders shall be required to reduce their ground water use by at least 20% over the next three years through appropriate means
- xi) The holder of the Permit shall be duly bound to maintain the aforementioned source in an efficient, coordinated and economical manner and to use the water only for the purpose for which certificate of registration has been given.
- xii) Supporting document in respect of farm size and crop type.

Therefore, as per the unanimous decision taken by the Sub-Committee, the concerned Executive Engineer is directed to convey the decision of Sub-Committee to the firm/applicant.

**77. Sh. JATINDER KUMAR S/O ROSHAN LAL VILL BHAGLAHAR PO JHONKA RATIAL TEH JAWALI Kangra (HP) (UID: 63688214) (Submission ID- 32337)**

The applicant has applied on **Form – 1** for grant of permit for sinking of borewell for **Irrigation Purpose**. As per the report of Sr. Hydrogeologist, G.W.O., JSV, Una, **No departmental energized borewell exists within a distance of around 200m from the proposed borewell of the applicant. The site falls in Nurpur Indora valley and as per the GEC 2020 report the area is safe and the stage of development is 29%. Lithologically the site falls in alluvial deposits comprising of clays , gravels, pebbles, boulders & sand.**

A public notice of the application on Form-2/Form-5 has already been sent to float in the offices of concerned Executive Engineer (Jawali) & Gram Panchayat to get it displayed on the notice board of the local authority, so that interested persons, if any, may file their objection/suggestions. No objection has been received.

Hence, the sub-committee approved the case subject to the following conditions:

- i) The applicant shall construct a rainwater harvesting structure for the conservation and re-charge of ground water in his/her/their premise as per section-15 of the Himachal Pradesh Ground Water (Regulation & Control of Development and Management) Act, 2005 and Guidelines to regulate and Control ground water extraction in the State of Himachal Pradesh vide Notification No. IPH-B (A) 3-1/2019-II dated 03.05.2021, within six months of issuance of the Certificate of Permit and intimation will be given to Executive Engineer, JSV Division Jawali on its completion.

- ii) The applicant shall install a water meter/bulk meter on the ground water extraction pipe so as to check the water drawl at any time and will maintain its log book.
- iii) The applicant shall have to pay royalty based on the quantum of ground water extraction through Executive Engineer, JSV Division Jawali for the use of ground water to the Member Secretary, Himachal Pradesh Ground Water Authority as per the Himachal Pradesh ground Water (Regulation and Control of development and Management) Rules, 2007 or the rules which may, subsequently, be made applicable by the State of HP.
- iv) In case of Industrial connection, the firm shall not use waste water of the Industry for recharging of ground Water.
- v) That the permission/sanction can be withdrawn or the quantity of water to be extracted can be restricted in case the ground water in the area is adversely affected in terms of quantity and/or quality.
- vi) Actual water requirement be computed taking into account recycling/reuse of treated water for flushing etc.
- vii) Certificate regarding non/partial availability of water supply from the public water supply agency.
- viii) The firm/applicant shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
- ix) The firm/applicant drawing water more than 10m<sup>3</sup> /day of ground water shall construct piezometer, equipped with DWLR of latest version within six months shall consultation with the Sr. Hydrogeologist, GWO, JSV, Una (HP) and monthly water level data shall be submitted to the Ground Water Organization and Himachal Pradesh Ground Water Authority.
- x) All stakeholders abstracting ground water in excess of 100 m<sup>3</sup>/d shall be required to undertake annual water audit through Confederation of India Industries (CII)/Federation Indian Chamber of Commerce and Industry (FICCI)/National Productivity Council (NPC) certified auditors and submit audit reports within three months of completion of the same to Himachal Pradesh Ground Water Authority. All such stakeholders shall be required to reduce their ground water use by at least 20% over the next three years through appropriate means
- xi) The holder of the Permit shall be duly bound to maintain the aforementioned source in an efficient, coordinated and economical manner and to use the water only for the purpose for which certificate of registration has been given.
- xii) Supporting document in respect of farm size and crop type.

Therefore, as per the unanimous decision taken by the Sub-Committee, the concerned Executive Engineer is directed to convey the decision of Sub-Committee to the firm/applicant.

**78. Smt. Anjali Thakur W/O Sudershan Pal Thakur hotel hilltop manali Gurudwara road Kullu (HP) (IUID: 32973965) (Submission ID- 37783)**

The applicant has applied on **Form – 1** for grant of permit for sinking of borewell for **Domestic Purpose**. As per the report of Sr. Hydrogeologist, G.W.O., JSV, Una, **No departmental energized borewell exists within a distance of 300m from the proposed borewell of the applicant. The site is located in moderately dissected denudational hills comprising of phyllites of Sundernagar formations.**

A public notice of the application on Form-2/Form-5 has already been sent to float in the offices of concerned Executive Engineer (Kullu) & Gram Panchayat to get it displayed on the notice board of the local authority, so that interested persons, if any, may file their objection/suggestions. No objection has been received.

Hence, the sub-committee approved the case subject to the following conditions:

- i) The applicant shall construct a rainwater harvesting structure for the conservation and re-charge of ground water in his/her/their premise as per section-15 of the Himachal Pradesh Ground Water (Regulation & Control of Development and Management) Act, 2005 and Guidelines to regulate and Control ground water extraction in the State of Himachal Pradesh vide Notification No. IPH-B (A) 3-1/2019-II dated 03.05.2021, within six months of issuance of the Certificate of Permit and intimation will be given to Executive Engineer, JSV Division Kullu on its completion.
- ii) The applicant shall install a water meter/bulk meter on the ground water extraction pipe so as to check the water drawl at any time and will maintain its log book.
- iii) The applicant shall have to pay royalty based on the quantum of ground water extraction through Executive Engineer, JSV Division Kullu for the use of ground water to the Member Secretary, Himachal Pradesh Ground Water Authority as per the Himachal Pradesh ground Water (Regulation and Control of development and Management) Rules, 2007 or the rules which may, subsequently, be made applicable by the State of HP.
- iv) In case of Industrial connection, the firm shall not use waste water of the Industry for recharging of ground Water.
- v) That the permission/sanction can be withdrawn or the quantity of water to be extracted can be restricted in case the ground water in the area is adversely affected in terms of quantity and/or quality.
- vi) Actual water requirement be computed taking into account recycling/reuse of treated water for flushing etc.
- vii) Certificate regarding non/partial availability of water supply from the public water supply agency.
- viii) The firm/applicant shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
- ix) The firm/applicant drawing water more than 10m<sup>3</sup> /day of ground water shall construct piezometer, equipped with DWLR of latest version within six months shall consultation with the Sr. Hydrogeologist, GWO, JSV, Una (HP) and monthly water level date shall be submitted to the Ground Water Organization and Himachal Pradesh Ground Water Authority.
- x) All stakeholders abstracting ground water in excess of 100 m<sup>3</sup>/d shall be required to undertake annual water audit through Confederation of India Industries (CII)/Federation Indian Chamber of Commerce and Industry (FICCI)/National Productivity Council (NPC) certified auditors and submit audit reports within three months of completion of the same to Himachal Pradesh Ground Water Authority. All such stakeholders shall be required to reduce their ground water use by at least 20% over the next three years through appropriate means
- xi) The holder of the Permit shall be duly bound to maintain the aforementioned source in an efficient, coordinated and economical manner and to use the water only for the purpose for which certificate of registration has been given.

Therefore, as per the unanimous decision taken by the Sub-Committee, the concerned Executive Engineer is directed to convey the decision of Sub-Committee to the firm/applicant.

**79. Sh. Sucha Singh S/O Bhag Singh Village Jagatpur PO Joghon Tehsil Nalagarh Distt Solan HP (UID: 57263717) (Submission ID- 38105)**

The applicant has applied on **Form – 1** for grant of permit for sinking of borewell for **Irrigation Purpose**. As per the report of Sr. Hydrogeologist, G.W.O., JSV, Una, **No Govt. tubewell exist within 300mtrs of the proposed site of the applicant. The site falls in Nalagarh valley and as per the GEC 2020 report the area is safe and the stage of development is 58%.Lithologically the site falls in valley fill deposits of comprising of clays , gravels, pebbles, boulders & sand.**

A public notice of the application on Form-2/Form-5 has already been sent to float in the offices of concerned Executive Engineer (Nalagarh) & Gram Panchayat to get it displayed on the notice board of the local authority, so that interested persons, if any, may file their objection/suggestions. No objection has been received.

Hence, the sub-committee approved the case subject to the following conditions:

- i) The applicant shall construct a rainwater harvesting structure for the conservation and re-charge of ground water in his/her/their premise as per section-15 of the Himachal Pradesh Ground Water (Regulation & Control of Development and Management) Act, 2005 and Guidelines to regulate and Control ground water extraction in the State of Himachal Pradesh vide Notification No. IPH-B (A) 3-1/2019-II dated 03.05.2021, within six months of issuance of the Certificate of Permit and intimation will be given to Executive Engineer, JSV Division Nalagarh on its completion.
- ii) The applicant shall install a water meter/bulk meter on the ground water extraction pipe so as to check the water drawl at any time and will maintain its log book.
- iii) The applicant shall have to pay royalty based on the quantum of ground water extraction through Executive Engineer, JSV Division Nalagarh for the use of ground water to the Member Secretary, Himachal Pradesh Ground Water Authority as per the Himachal Pradesh ground Water (Regulation and Control of development and Management) Rules, 2007 or the rules which may, subsequently, be made applicable by the State of HP.
- iv) In case of Industrial connection, the firm shall not use waste water of the Industry for recharging of ground Water.
- v) That the permission/sanction can be withdrawn or the quantity of water to be extracted can be restricted in case the ground water in the area is adversely affected in terms of quantity and/or quality.
- vi) Actual water requirement be computed taking into account recycling/reuse of treated water for flushing etc.
- vii) Certificate regarding non/partial availability of water supply from the public water supply agency.
- viii) The firm/applicant shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
- ix) The firm/applicant drawing water more than 10m<sup>3</sup> /day of ground water shall construct piezometer, equipped with DWLR of latest version within six months shall consultation with the Sr. Hydrogeologist, GWO, JSV, Una (HP) and monthly water level date shall be submitted to the Ground Water Organization and Himachal Pradesh Ground Water Authority.
- x) All stakeholders abstracting ground water in excess of 100 m<sup>3</sup>/d shall be required to undertake annual water audit through Confederation of India Industries (CII)/Federation Indian Chamber of Commerce and Industry (FICCI)/National Productivity Council (NPC) certified auditors and submit audit reports within three months of completion of the same to Himachal Pradesh Ground Water Authority. All such stakeholders shall be required to reduce their ground water use by at least 20% over the next three years through appropriate means
- xi) The holder of the Permit shall be duly bound to maintain the aforementioned source in an efficient, coordinated and economical

- manner and to use the water only for the purpose for which certificate of registration has been given.
- xii) Supporting document in respect of farm size and crop type.

Therefore, as per the unanimous decision taken by the Sub-Committee, the concerned Executive Engineer is directed to convey the decision of Sub-Committee to the firm/applicant.

**80. Abhishek Jaswal S/O Surjeet Singh Upmohaal Galua, near bus stand Takka road Una (HP) (IUID: 16111429) (Submission ID- 31655)**

The applicant has applied on **Form – 1A** for grant of permit for sinking of borewell for **Commercial Purpose**. As per the report of Sr. Hydrogeologist, G.W.O., JSV, Una, **No Govt. tubewell exists within 200 mtrs of the proposed tubewell of the applicant. The site falls in Una valley Satluj basin and as per the GEC 2020 report the area is safe and the stage of development is 61%. Lithologically the site falls in valley fill deposits of comprising of clays, gravels, pebbles, boulders & sand.**

A public notice of the application on Form-2/Form-5 has already been sent to float in the offices of concerned Executive Engineer (Una No-I) & Gram Panchayat to get it displayed on the notice board of the local authority, so that interested persons, if any, may file their objection/suggestions. No objection has been received.

Hence, the sub-committee approved the case subject to the following conditions:

- i) The applicant shall construct a rainwater harvesting structure for the conservation and re-charge of ground water in his/her/their premise as per section-15 of the Himachal Pradesh Ground Water (Regulation & Control of Development and Management) Act, 2005 and Guidelines to regulate and Control ground water extraction in the State of Himachal Pradesh vide Notification No. IPH-B (A) 3-1/2019-II dated 03.05.2021, within six months of issuance of the Certificate of Permit and intimation will be given to Executive Engineer, JSV Division Una No-I on its completion.
- ii) The applicant shall install a water meter/bulk meter on the ground water extraction pipe so as to check the water drawl at any time and will maintain its log book.
- iii) The applicant shall have to pay royalty based on the quantum of ground water extraction through Executive Engineer, JSV Division Una No-I for the use of ground water to the Member Secretary, Himachal Pradesh Ground Water Authority as per the Himachal Pradesh ground Water (Regulation and Control of development and Management) Rules, 2007 or the rules which may, subsequently, be made applicable by the State of HP.
- iv) In case of Industrial connection, the firm shall not use waste water of the Industry for recharging of ground Water.
- v) That the permission/sanction can be withdrawn or the quantity of water to be extracted can be restricted in case the ground water in the area is adversely affected in terms of quantity and/or quality.
- vi) Actual water requirement be computed taking into account recycling/reuse of treated water for flushing etc.
- vii) Certificate regarding non/partial availability of water supply from the public water supply agency.
- viii) The firm/applicant shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
- ix) The firm/applicant drawing water more than 10m<sup>3</sup> /day of ground water shall construct piezometer, equipped with DWLR of latest version within six months shall consultation with the Sr. Hydrogeologist, GWO,

JSV, Una (HP) and monthly water level data shall be submitted to the Ground Water Organization and Himachal Pradesh Ground Water Authority.

- x) All stakeholders abstracting ground water in excess of 100 m<sup>3</sup>/d shall be required to undertake annual water audit through Confederation of India Industries (CII)/Federation Indian Chamber of Commerce and Industry (FICCI)/National Productivity Council (NPC) certified auditors and submit audit reports within three months of completion of the same to Himachal Pradesh Ground Water Authority. All such stakeholders shall be required to reduce their ground water use by at least 20% over the next three years through appropriate means
- xi) The holder of the Permit shall be duly bound to maintain the aforementioned source in an efficient, coordinated and economical manner and to use the water only for the purpose for which certificate of registration has been given.

Therefore, as per the unanimous decision taken by the Sub-Committee, the concerned Executive Engineer is directed to convey the decision of Sub-Committee to the firm/applicant.

**81. Sh. YASH PAL S/O RAJINDER KUMAR VILLAGE KALYAN, SUB TEHSIL KRISHANGARH, DISTT.SOLAN. H.P (UID: 13881885) (Submission ID-35406)**

The applicant has applied on **Form – 1** for grant of permit for sinking of borewell for **Irrigation Purpose**. As per the report of Sr. Hydrogeologist, G.W.O., JSV, Una, **There is no existing departmental energized borewell within 300mts. of the proposed borewell site of the applicant. The proposed site of the applicant lies amidst Shales, Quartzites and Limestones of Subathu formation.**

A public notice of the application on Form-2/Form-5 has already been sent to float in the offices of concerned Executive Engineer (Solan) & Gram Panchayat to get it displayed on the notice board of the local authority, so that interested persons, if any, may file their objection/suggestions. No objection has been received.

Hence, the sub-committee approved the case subject to the following conditions:

- i) The applicant shall construct a rainwater harvesting structure for the conservation and re-charge of ground water in his/her/their premise as per section-15 of the Himachal Pradesh Ground Water (Regulation & Control of Development and Management) Act, 2005 and Guidelines to regulate and Control ground water extraction in the State of Himachal Pradesh vide Notification No. IPH-B (A) 3-1/2019-II dated 03.05.2021, within six months of issuance of the Certificate of Permit and intimation will be given to Executive Engineer, JSV Division Solan on its completion.
- ii) The applicant shall install a water meter/bulk meter on the ground water extraction pipe so as to check the water drawl at any time and will maintain its log book.
- iii) The applicant shall have to pay royalty based on the quantum of ground water extraction through Executive Engineer, JSV Division Solan for the use of ground water to the Member Secretary, Himachal Pradesh Ground Water Authority as per the Himachal Pradesh ground Water (Regulation and Control of development and Management) Rules, 2007 or the rules which may, subsequently, be made applicable by the State of HP.

- iv) In case of Industrial connection, the firm shall not use waste water of the Industry for recharging of ground Water.
- v) That the permission/sanction can be withdrawn or the quantity of water to be extracted can be restricted in case the ground water in the area is adversely affected in terms of quantity and/or quality.
- vi) Actual water requirement be computed taking into account recycling/reuse of treated water for flushing etc.
- vii) Certificate regarding non/partial availability of water supply from the public water supply agency.
- viii) The firm/applicant shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
- ix) The firm/applicant drawing water more than 10m<sup>3</sup> /day of ground water shall construct piezometer, equipped with DWLR of latest version within six months shall consultation with the Sr. Hydrogeologist, GWO, JSV, Una (HP) and monthly water level data shall be submitted to the Ground Water Organization and Himachal Pradesh Ground Water Authority.
- x) All stakeholders abstracting ground water in excess of 100 m<sup>3</sup>/d shall be required to undertake annual water audit through Confederation of India Industries (CII)/Federation Indian Chamber of Commerce and Industry (FICCI)/National Productivity Council (NPC) certified auditors and submit audit reports within three months of completion of the same to Himachal Pradesh Ground Water Authority. All such stakeholders shall be required to reduce their ground water use by at least 20% over the next three years through appropriate means
- xi) The holder of the Permit shall be duly bound to maintain the aforementioned source in an efficient, coordinated and economical manner and to use the water only for the purpose for which certificate of registration has been given.
- xii) Supporting document in respect of farm size and crop type.

Therefore, as per the unanimous decision taken by the Sub-Committee, the concerned Executive Engineer is directed to convey the decision of Sub-Committee to the firm/applicant.

**82. Vishal Rana S/o Rakesh Kumar, VPO Bathri, Tehsil Haroli, Una (UID: 40197553) (Submission ID- 36962)**

The applicant has applied on **Form – 1A** for grant of permit for sinking of borewell for **Industrial Purpose**. As per the report of Sr. Hydrogeologist, G.W.O., JSV, Una, **No Govt. tubewell exists within 200 mtrs of the proposed tubewell of the applicant. The site falls in Una valley Satluj basin and as per the GEC 2020 report the area is safe and the stage of development is 61%. Lithologically the site falls in valley fill deposits of comprising of clays, gravels, pebbles, boulders & sand.**

A public notice of the application on Form-2/Form-5 has already been sent to float in the offices of concerned Executive Engineer (Una No-I) & Gram Panchayat to get it displayed on the notice board of the local authority, so that interested persons, if any, may file their objection/suggestions. No objection has been received.

Hence, the sub-committee approved the case subject to the following conditions:

- i) The applicant shall construct a rainwater harvesting structure for the conservation and re-charge of ground water in his/her/their premise as per section-15 of the Himachal Pradesh Ground Water (Regulation & Control of Development and Management) Act, 2005 and Guidelines to regulate and Control ground water extraction in the State of Himachal Pradesh vide Notification No. IPH-B(A)3-1/2019-II dated 03.05.2021, within six months of issuance of the Certificate of Permit and intimation

- will be given to Executive Engineer, JSV Division Una No-I on its completion.
- ii) The applicant shall install a digital flow meter of telemetry system on the ground water extraction pipe so as to check the water drawl at any time and will maintain its log book.
  - iii) The applicant shall have to pay royalty based on the quantum of ground water extraction through Executive Engineer, JSV Division Una No-I for the use of ground water to the Member Secretary, Himachal Pradesh Ground Water Authority as per the Himachal Pradesh ground Water (Regulation and Control of development and Management) Rules, 2007 or the rules which may, subsequently, be made applicable by the State of HP.
  - iv) In case of Industrial connection, the firm shall not use waste water of the Industry for recharging of ground Water.
  - v) That the permission/sanction can be withdrawn or the quantity of water to be extracted can be restricted in case the ground water in the area is adversely affected in terms of quantity and/or quality.
  - vi) Actual water requirement be computed taking into account recycling/reuse of treated water for flushing etc.
  - vii) Certificate regarding non/partial availability of water supply from the public water supply agency.
  - viii) The firm/applicant shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
  - ix) The firm/applicant drawing water more than 10m<sup>3</sup> /day of ground water shall construct piezometer, equipped with DWLR of latest version within six months shall consultation with the Sr. Hydrogeologist, GWO, JSV, Una (HP) and monthly water level data shall be submitted to the Ground Water Organization and Himachal Pradesh Ground Water Authority.
  - x) All stakeholders abstracting ground water in excess of 100 m<sup>3</sup>/d shall be required to undertake annual water audit through Confederation of India Industries (CII)/Federation Indian Chamber of Commerce and Industry (FICCI)/National Productivity Council (NPC) certified auditors and submit audit reports within three months of completion of the same to Himachal Pradesh Ground Water Authority. All such stakeholders shall be required to reduce their ground water use by at least 20% over the next three years through appropriate means
  - xi) The holder of the Permit shall be duly bound to maintain the aforementioned source in an efficient, coordinated and economical manner and to use the water only for the purpose for which certificate of registration has been given.
  - xii) The supporting document in r/o water requirement mentioned at the time of registration with Industry Department.

Therefore, as per the unanimous decision taken by the Sub-Committee, the concerned Executive Engineer is directed to convey the decision of Sub-Committee to the firm/applicant.

**83. Smt. Seema Devi W/o Sh. Tejeshvi Kumar, Village Hatkot, P.O. Kunihar, Tehsil Arki, Distt. Solan (HP) (IUID: 12020246) (Submission ID- 37509)**

The applicant has applied on **Form – 1** for grant of permit for sinking of borewell for **Irrigation Purpose**. As per the report of Sr. Hydrogeologist, G.W.O., JSV, Una, **There is no existing departmental energized borewell within 200 mtrs. of the proposed borewell site of the applicant. The applicant proposes to drill a shallow borewell. The proposed site of the applicant lies amidst sedimentary rocks primarily sandstone and shales.**

A public notice of the application on Form-2/Form-5 has already been sent to float in the offices of concerned Executive Engineer (Arki) & Gram Panchayat to get it displayed on the notice board of the local authority, so that interested persons, if any, may file their objection/suggestions. No objection has been received.

Hence, the sub-committee approved the case subject to the following conditions:

- i) The applicant shall construct a rainwater harvesting structure for the conservation and re-charge of ground water in his/her/their premise as per section-15 of the Himachal Pradesh Ground Water (Regulation & Control of Development and Management) Act, 2005 and Guidelines to regulate and Control ground water extraction in the State of Himachal Pradesh vide Notification No. IPH-B (A) 3-1/2019-II dated 03.05.2021, within six months of issuance of the Certificate of Permit and intimation will be given to Executive Engineer, JSV Division Arki on its completion.
- ii) The applicant shall install a water meter/bulk meter on the ground water extraction pipe so as to check the water drawl at any time and will maintain its log book.
- iii) The applicant shall have to pay royalty based on the quantum of ground water extraction through Executive Engineer, JSV Division Arki for the use of ground water to the Member Secretary, Himachal Pradesh Ground Water Authority as per the Himachal Pradesh ground Water (Regulation and Control of development and Management) Rules, 2007 or the rules which may, subsequently, be made applicable by the State of HP.
- iv) In case of Industrial connection, the firm shall not use waste water of the Industry for recharging of ground Water.
- v) That the permission/sanction can be withdrawn or the quantity of water to be extracted can be restricted in case the ground water in the area is adversely affected in terms of quantity and/or quality.
- vi) Actual water requirement be computed taking into account recycling/reuse of treated water for flushing etc.
- vii) Certificate regarding non/partial availability of water supply from the public water supply agency.
- viii) The firm/applicant shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
- ix) The firm/applicant drawing water more than 10m<sup>3</sup> /day of ground water shall construct piezometer, equipped with DWLR of latest version within six months shall consultation with the Sr. Hydrogeologist, GWO, JSV, Una (HP) and monthly water level date shall be submitted to the Ground Water Organization and Himachal Pradesh Ground Water Authority.
- x) All stakeholders abstracting ground water in excess of 100 m<sup>3</sup>/d shall be required to undertake annual water audit through Confederation of India Industries (CII)/Federation Indian Chamber of Commerce and Industry (FICCI)/National Productivity Council (NPC) certified auditors and submit audit reports within three months of completion of the same to Himachal Pradesh Ground Water Authority. All such stakeholders shall be required to reduce their ground water use by at least 20% over the next three years through appropriate means
- xi) The holder of the Permit shall be duly bound to maintain the aforementioned source in an efficient, coordinated and economical manner and to use the water only for the purpose for which certificate of registration has been given.
- xii) Supporting document in respect of farm size and crop type.

Therefore, as per the unanimous decision taken by the Sub-Committee, the concerned Executive Engineer is directed to convey the decision of Sub-Committee to the firm/applicant.

The applicant has applied on **Form – 1** for grant of permit for sinking of borewell for **Irrigation Purpose**. As per the report of Sr. Hydrogeologist, G.W.O., JSV, Una, **There is no existing departmental energized borewell within 300 mtrs. of the proposed borewell site of the applicant. The proposed borewell of the applicant lies in highly dissected structural hills comprising of Sandstone and Shales of Dharamshala formation.**

A public notice of the application on Form-2/Form-5 has already been sent to float in the offices of concerned Executive Engineer (Bilaspur) & Gram Panchayat to get it displayed on the notice board of the local authority, so that interested persons, if any, may file their objection/suggestions. No objection has been received.

Hence, the sub-committee approved the case subject to the following conditions:

- i) The applicant shall construct a rainwater harvesting structure for the conservation and re-charge of ground water in his/her/their premise as per section-15 of the Himachal Pradesh Ground Water (Regulation & Control of Development and Management) Act, 2005 and Guidelines to regulate and Control ground water extraction in the State of Himachal Pradesh vide Notification No. IPH-B (A) 3-1/2019-II dated 03.05.2021, within six months of issuance of the Certificate of Permit and intimation will be given to Executive Engineer, JSV Division Bilaspur on its completion.
- ii) The applicant shall install a water meter/bulk meter on the ground water extraction pipe so as to check the water drawl at any time and will maintain its log book.
- iii) The applicant shall have to pay royalty based on the quantum of ground water extraction through Executive Engineer, JSV Division Bilaspur for the use of ground water to the Member Secretary, Himachal Pradesh Ground Water Authority as per the Himachal Pradesh ground Water (Regulation and Control of development and Management) Rules, 2007 or the rules which may, subsequently, be made applicable by the State of HP.
- iv) In case of Industrial connection, the firm shall not use waste water of the Industry for recharging of ground Water.
- v) That the permission/sanction can be withdrawn or the quantity of water to be extracted can be restricted in case the ground water in the area is adversely affected in terms of quantity and/or quality.
- vi) Actual water requirement be computed taking into account recycling/reuse of treated water for flushing etc.
- vii) Certificate regarding non/partial availability of water supply from the public water supply agency.
- viii) The firm/applicant shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
- ix) The firm/applicant drawing water more than 10m<sup>3</sup> /day of ground water shall construct piezometer, equipped with DWLR of latest version within six months shall consultation with the Sr. Hydrogeologist, GWO, JSV, Una (HP) and monthly water level data shall be submitted to the Ground Water Organization and Himachal Pradesh Ground Water Authority.
- x) All stakeholders abstracting ground water in excess of 100 m<sup>3</sup>/d shall be required to undertake annual water audit through Confederation of India Industries (CII)/Federation Indian Chamber of Commerce and Industry (FICCI)/National Productivity Council (NPC) certified auditors and submit audit reports within three months of completion of the same to Himachal Pradesh Ground Water Authority. All such stakeholders shall

- be required to reduce their ground water use by at least 20% over the next three years through appropriate means
- xi) The holder of the Permit shall be duly bound to maintain the aforementioned source in an efficient, coordinated and economical manner and to use the water only for the purpose for which certificate of registration has been given.
  - xii) Supporting document in respect of farm size and crop type.

Therefore, as per the unanimous decision taken by the Sub-Committee, the concerned Executive Engineer is directed to convey the decision of Sub-Committee to the firm/applicant.

**85. Sh. Ram Asra S/o Sh. Geeta Ram, Village Bhangla, P.O. Dabhota, Tehsil Nalagarh, Distt. Solan (HP) (IUID: 95580834) (Submission ID- 7170)**

The applicant has applied on **Form – 1** for grant of permit for sinking of borewell for **Irrigation Purpose**. As per the report of Sr. Hydrogeologist, G.W.O., JSV, Una, **No Govt. tubewell exists within 300mtrs of the proposed site of the applicant. The site falls in Nalagarh valley and as per the GEC 2020 report the area is safe and the stage of development is 58%.Lithologically the site falls in valley fill deposits of comprising of clays, gravels, pebbles, boulders & sand.**

**The sub-committee considered the case and as per site inspection report the borewell was drilled during 05/2020 in contravention of the Himachal Pradesh Ground water Act, 2005. Executive Engineer Nalagarh shall intimate the action taken for the offence under various provisions of the Act.**

**Offline applications for Grant of Permit for sinking of borewell**

**86. Sh. Baljit Singh S/o Sh. Shiv Hari Singh Village PO. Chururu Tehsil Amb Distt. Una (HP)**

The applicant has applied on **Form – 1** for grant of permit for sinking of borewell for **Irrigation Purpose**. As per the report of Sr. Hydrogeologist, G.W.O., JSV, Una, **No Govt tubewell exists within a radius of 200'm from the proposed borewell of the applicant.**

A Public notice of the application prepared in this office on Form-2 has already been sent to Executive Engineer JSV Division Amb (HP) & Secy. Gram Panchayat Chururu, Tehsil Amb, Distt. Kangra (HP) to get it displayed on the notice board of the local authority. However, no objection has been received.

Hence, the sub-committee approved the case subject to the following conditions:

- i) The applicant shall construct a rainwater harvesting structure for the conservation and re-charge of ground water in his/her/their premise as per section-15 of the Himachal Pradesh Ground Water (Regulation & Control of Development and Management) Act, 2005 and Guidelines to regulate and Control ground water extraction in the State of Himachal Pradesh vide Notification No. IPH-B(A)3-1/2019-II dated 03.05.2021, within six months of issuance of the Certificate of Permit and intimation will be given to Executive Engineer, JSV Division Amb on its completion.

- ii) The applicant shall install a water meter/bulk meter on the ground water extraction pipe so as to check the water drawl at any time and will maintain its log book.
- iii) The applicant shall have to pay royalty based on the quantum of ground water extraction through Executive Engineer, JSV Division Amb for the use of ground water to the Member Secretary, Himachal Pradesh Ground Water Authority as per the Himachal Pradesh ground Water (Regulation and Control of development and Management) Rules, 2007 or the rules which may, subsequently, be made applicable by the State of HP.
- iv) In case of Industrial connection, the firm shall not use waste water of the Industry for recharging of ground Water.
- v) That the permission/sanction can be withdrawn or the quantity of water to be extracted can be restricted in case the ground water in the area is adversely affected in terms of quantity and/or quality.
- vi) Actual water requirement be computed taking into account recycling/reuse of treated water for flushing etc.
- vii) Certificate regarding non/partial availability of water supply from the public water supply agency.
- viii) The firm/applicant shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
- ix) The firm/applicant drawing water more than 10m<sup>3</sup> /day of ground water shall construct piezometer, equipped with DWLR of latest version within six months shall consultation with the Sr. Hydrogeologist, GWO, JSV, Una (HP) and monthly water level data shall be submitted to the Ground Water Organization and Himachal Pradesh Ground Water Authority.
- x) All stakeholders abstracting ground water in excess of 100 m<sup>3</sup>/d shall be required to undertake annual water audit through Confederation of India Industries (CII)/Federation Indian Chamber of Commerce and Industry (FICCI)/National Productivity Council (NPC) certified auditors and submit audit reports within three months of completion of the same to Himachal Pradesh Ground Water Authority. All such stakeholders shall be required to reduce their ground water use by at least 20% over the next three years through appropriate means
- xi) The holder of the Permit shall be duly bound to maintain the aforementioned source in an efficient, coordinated and economical manner and to use the water only for the purpose for which certificate of registration has been given.
- xii) Supporting document in respect of farm size and crop type.

The sub-committee approved the case subject to the condition the grant of permit for sinking of borewell will be issued by the Member Secy. (HPGWA)-cum-S.E. P&I-II to the firm/applicant only after submission of the following document mentioned below:

#### **Detail of documents**

- 1) Affidavit or Undertaking for construction of Ground Water Extraction Structure on Non-judicial stamp paper.

Therefore, as per the unanimous decision taken by the Sub-Committee, the concerned Executive Engineer is directed to convey the decision of Sub-Committee to the firm/applicant and ensure the submission of the above required documents to this office on or before 25.09.2022 failing which the case will be referred to the Main Committee (HPGWA) for taking the final decision.

**87. Sh. Mukesh Kumar S/o Late Sh. Gian Chand Vill. Chhatroli Po. Jassur Tehsil Nurpur Distt. Kangra (HP)**

The applicant has applied on **Form – 1** for grant of permit for sinking of borewell for **Irrigation Purpose**. As per the report of Sr.

Hydrogeologist, G.W.O., JSV, Una, **No Govt tubewell exists within a radius of 200'm from the proposed borewell of the applicant.**

A Public notice of the application prepared in this office on Form-2 has already been sent to Executive Engineer, JSV Division Nurpur (HP) & Secy. Gram Panchayat Chhatroli, Tehsil Nurpur, Distt. Kangra (HP) to get it displayed on the notice board of the local authority. However, no objection has been received.

Hence, the sub-committee approved the case subject to the following conditions:

- i) The applicant shall construct a rainwater harvesting structure for the conservation and re-charge of ground water in his/her/their premise as per section-15 of the Himachal Pradesh Ground Water (Regulation & Control of Development and Management) Act, 2005 and Guidelines to regulate and Control ground water extraction in the State of Himachal Pradesh vide Notification No. IPH-B(A)3-1/2019-II dated 03.05.2021, within six months of issuance of the Certificate of Permit and intimation will be given to Executive Engineer, JSV Division Nurpur on its completion.
- ii) The applicant shall install a water meter/bulk meter on the ground water extraction pipe so as to check the water drawl at any time and will maintain its log book.
- iii) The applicant shall have to pay royalty based on the quantum of ground water extraction through Executive Engineer, JSV Division Nurpur for the use of ground water to the Member Secretary, Himachal Pradesh Ground Water Authority as per the Himachal Pradesh ground Water (Regulation and Control of development and Management) Rules, 2007 or the rules which may, subsequently, be made applicable by the State of HP.
- iv) In case of Industrial connection, the firm shall not use waste water of the Industry for recharging of ground Water.
- v) That the permission/sanction can be withdrawn or the quantity of water to be extracted can be restricted in case the ground water in the area is adversely affected in terms of quantity and/or quality.
- vi) Actual water requirement be computed taking into account recycling/reuse of treated water for flushing etc.
- vii) Certificate regarding non/partial availability of water supply from the public water supply agency.
- viii) The firm/applicant shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
- ix) The firm/applicant drawing water more than 10m<sup>3</sup> /day of ground water shall construct piezometer, equipped with DWLR of latest version within six months shall consultation with the Sr. Hydrogeologist, GWO, JSV, Una (HP) and monthly water level date shall be submitted to the Ground Water Organization and Himachal Pradesh Ground Water Authority.
- x) All stakeholders abstracting ground water in excess of 100 m<sup>3</sup>/d shall be required to undertake annual water audit through Confederation of India Industries (CII)/Federation Indian Chamber of Commerce and Industry (FICCI)/National Productivity Council (NPC) certified auditors and submit audit reports within three months of completion of the same to Himachal Pradesh Ground Water Authority. All such stakeholders shall be required to reduce their ground water use by at least 20% over the next three years through appropriate means
- xi) The holder of the Permit shall be duly bound to maintain the aforementioned source in an efficient, coordinated and economical manner and to use the water only for the purpose for which certificate of registration has been given.
- xii) Supporting document in respect of farm size and crop type.

The sub-committee approved the case subject to the condition the grant of permit for sinking of borewell will be issued by the Member Secy. (HPGWA)-cum-S.E. P&I-II to the firm/applicant only after submission of the following document mentioned below:

#### **Detail of documents**

- 1) Affidavit or Undertaking for construction of Ground Water Extraction Structure on Non-judicial stamp paper.

Therefore, as per the unanimous decision taken by the Sub Committee, the concerned Executive Engineer is directed to convey the decision of Sub-Committee to the firm/applicant and ensure the submission of the above required documents to this office on or before 25.09.2022 failing which the case will be referred to the Main Committee (HPGWA) for taking the final decision.

**88. Sh. Davinder Singh S/O Late Sh. Hakim Singh VPO. Badoh Tehsil Ghanari Distt. Una (HP)**

The applicant has applied on **Form – 1** for grant of permit for sinking of borewell for **Irrigation Purpose**. As per the report of Sr. Hydrogeologist, G.W.O., JSV, Una, **No Govt tubewell exists within a radius of 200'm from the proposed borewell of the applicant.**

A Public notice of the application prepared in this office on Form-2 has already been sent to Executive Engineer, JSV Division Amb (HP) & Secy. Gram Panchayat Badoh, Tehsil Ghanari, Distt. Una (HP) to get it displayed on the notice board of the local authority. However, no objection has been received.

Hence, the sub-committee approved the case subject to the following conditions:

- i) The applicant shall construct a rainwater harvesting structure for the conservation and re-charge of ground water in his/her/their premise as per section-15 of the Himachal Pradesh Ground Water (Regulation & Control of Development and Management) Act, 2005 and Guidelines to regulate and Control ground water extraction in the State of Himachal Pradesh vide Notification No. IPH-B(A)3-1/2019-II dated 03.05.2021, within six months of issuance of the Certificate of Permit and intimation will be given to Executive Engineer, JSV Division Amb on its completion.
- ii) The applicant shall install a water meter/bulk meter on the ground water extraction pipe so as to check the water drawl at any time and will maintain its log book.
- iii) The applicant shall have to pay royalty based on the quantum of ground water extraction through Executive Engineer, JSV Division Amb for the use of ground water to the Member Secretary, Himachal Pradesh Ground Water Authority as per the Himachal Pradesh ground Water (Regulation and Control of development and Management) Rules, 2007 or the rules which may, subsequently, be made applicable by the State of HP.
- iv) In case of Industrial connection, the firm shall not use waste water of the Industry for recharging of ground Water.
- v) That the permission/sanction can be withdrawn or the quantity of water to be extracted can be restricted in case the ground water in the area is adversely affected in terms of quantity and/or quality.
- vi) Actual water requirement be computed taking into account recycling/reuse of treated water for flushing etc.
- vii) Certificate regarding non/partial availability of water supply from the public water supply agency.

- viii) The firm/applicant shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
- ix) The firm/applicant drawing water more than 10m<sup>3</sup> /day of ground water shall construct piezometer, equipped with DWLR of latest version within six months shall consultation with the Sr. Hydrogeologist, GWO, JSV, Una (HP) and monthly water level data shall be submitted to the Ground Water Organization and Himachal Pradesh Ground Water Authority.
- x) All stakeholders abstracting ground water in excess of 100 m<sup>3</sup>/d shall be required to undertake annual water audit through Confederation of India Industries (CII)/Federation Indian Chamber of Commerce and Industry (FICCI)/National Productivity Council (NPC) certified auditors and submit audit reports within three months of completion of the same to Himachal Pradesh Ground Water Authority. All such stakeholders shall be required to reduce their ground water use by at least 20% over the next three years through appropriate means
- xi) The holder of the Permit shall be duly bound to maintain the aforementioned source in an efficient, coordinated and economical manner and to use the water only for the purpose for which certificate of registration has been given.
- xii) Supporting document in respect of farm size and crop type.

The sub-committee approved the case subject to the condition the grant of permit for sinking of borewell will be issued by the Member Secy. (HPGWA)-cum-S.E. P&I-II to the firm/applicant only after submission of the following document mentioned below:

#### **Detail of documents**

- i) Affidavit or Undertaking for construction of Ground Water Extraction Structure on Non-judicial stamp paper.

Therefore, as per the unanimous decision taken by the Sub-Committee, the concerned Executive Engineer is directed to convey the decision of Sub-Committee to the firm/applicant and ensure the submission of the above required documents to this office on or before 25.09.2022 failing which the case will be referred to the Main Committee (HPGWA) for taking the final decision.

#### **Online cases for certificate of registration**

- 89. Jay Aay Alloys Pvt Ltd S/O Sunil Aggarwal, M/S Jay Aay Alloys Pvt Ltd., Trilokpur Road, Kala Amb , The. Nahan , Distt Sirmour (IUID No.- 23647842, Submission ID No.- 6880)**

The applicant has applied on **form – 4A** for certificate of registration of borewell/tubewell and use of ground water for **Industrial purpose**. As per the report of Sr. Hydrogeologist, G.W.O., JSV, Una, It is **pertinent to mention that the site falls in Kala Amb valley and as per the GEC 2020 report the area is safe and the stage of ground water development is 27%. One borewell exist at a distance of 410m.**

A public notice of the application on Form-2/Form-5 has already been sent to the offices of concerned Executive Engineer (Nahan) & Gram Panchayat to get it displayed on the notice board of the local authority, so that interested persons, if any, may file their objection/suggestions. No objection has been received.

As per the report of Sr. Hydrogeologist GWO, JSV, Una, the borewell/tubewell has been drilled **during 2005**. However, the HP Ground Water Act, 2005 & Rules, 2007 came into force w.e.f. 09.08.2011. Hence, the sub-committee approved the case subject to the following conditions:

- i) The applicant shall construct a rainwater harvesting structure for the conservation and re-charge of ground water in his/her/their premise as per section-15 of the Himachal Pradesh Ground Water (Regulation & Control of Development and Management) Act, 2005 and Guidelines to regulate and Control ground water extraction in the State of Himachal Pradesh vide Notification No. IPH-B(A)3-1/2019-II dated 03.05.2021 within six months of issuance of the Certificate of Registration and intimation will be given to Executive Engineer, JSV Division Nahan on its completion.
- ii) The applicant shall install a water meter/bulk meter on the ground water extraction pipe so as to check the water drawl at any time and will maintain its log book.
- iii) The applicant shall have to pay royalty based on the quantum of ground water extraction through Executive Engineer, JSV Division Nahan for the use of ground water to the Member Secretary, Himachal Pradesh Ground Water Authority as per the Himachal Pradesh ground Water (Regulation and Control of development and Management) Rules, 2007 or the rules which may, subsequently, be made applicable by the State of HP.
- iv) In case of Industrial connection, the firm shall not use waste water of the Industry for recharging of ground Water.
- v) That the permission/sanction can be withdrawn or the quantity of water to be extracted can be restricted in case the ground water in the area is adversely affected in terms of quantity and/or quality.
- vi) Actual water requirement be computed taking into account recycling/reuse of treated water for flushing etc.
- vii) Certificate regarding non/partial availability of water supply from the public water supply agency.
- viii) The firm/applicant shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
- ix) The firm/applicant drawing water more than 10m<sup>3</sup> /day of ground water shall construct piezometer, equipped with DWLR of latest version within six months in consultation with the Sr. Hydrogeologist, GWO, JSV, Una (HP) and monthly water level data shall be submitted to the Ground Water Organization and Himachal Pradesh Ground Water Authority.
- x) All stakeholders abstracting ground water in excess of 100 m<sup>3</sup>/d shall be required to undertake annual water audit through Confederation of India Industries (CII)/Federation Indian Chamber of Commerce and Industry (FICCI)/National Productivity Council (NPC) certified auditors and submit audit reports within three months of completion of the same to Himachal Pradesh Ground Water Authority. All such stakeholders shall be required to reduce their ground water use by at least 20% over the next three years through appropriate means
- xi) The holder of the registration of certificate shall be duly bound to maintain the aforementioned source in an efficient, coordinated and economical manner and to use the water only for the purpose for which certificate of registration has been given.
- xii) The supporting document in r/o water requirement mentioned at the time of registration with Industry Department.

The sub-committee approved the case subject to the condition the certificate of registration will be issued by the Member Secy. (HPGWA)-cum-S.E. P&I-II to the firm/applicant only after submission of any one of the following documents by the firm/applicant to the HP Ground Water Authority Shimla for ascertaining the authenticity of the year of construction of the borewell/tubewell.

#### **Detail of documents**

- 1) Award letter issued by the firm/applicant to the drilling agency for sinking of the borewell/tubewell.

**Or**

Handing over reports of complete borewell/tubewell submitted by the drilling agency to the firm/applicant.

**Or**

Details of the payment made by the firm/applicant to the drilling agency.

**Or**

Any other relevant document.

- 2) Shall pay the royalty from the date of notification of notified area i.e. 09.08.2011

Therefore, as per the unanimous decision taken by the Sub-Committee, the concerned Executive Engineer (Nahan) is directed to convey the decision of Sub-Committee to the firm/applicant and ensure the submission of the above required documents to this office on or before 25.09.2022 failing which the case will be referred to the Main Committee (HPGWA) for taking the final decision.

90.

**Sandeep Guleria S/O Lt Sh Parmodh Singh Guleria, Lower Barol (Jhakri), PO Dari, Dharamshala, HP - 176057 (IUID No.- 79603974, Submission ID No.- 21422)**

The applicant has applied on **Form-4** for certificate of registration of borewell/tubewell and use of ground water for **Domestic purpose**. As per the report of Sr. Hydrogeologist, G.W.O., JSV, Una, **No departmental energized borewell exists within a distance of 300m from the proposed borewell of the applicant. The site is located in alluvial deposits comprising of fluvio-glacial deposits of clays, gravels, pebbles, boulders & sand, underlain by boulder conglomerates of Upper Shiwalik formation.**

A public notice of the application on Form-2/Form-5 has already been sent to the offices of concerned Executive Engineer & Gram Panchayat to get it displayed on the notice board of the local authority, so that interested persons, if any, may file their objection/suggestions. No objection has been received.

As per the report of Sr. Hydrogeologist GWO, JSV, Una, the borewell/tubewell has been drilled **during 2017**. However, the HP Ground Water Act, 2005 & Rules, 2007 came into force w.e.f. 29.11.2019. Hence, the sub-committee approved the case subject to the following conditions:

- i) The applicant shall construct a rainwater harvesting structure for the conservation and re-charge of ground water in his/her/their premise as per section-15 of the Himachal Pradesh Ground Water (Regulation & Control of Development and Management) Act, 2005 and Guidelines to regulate and Control ground water extraction in the State of Himachal Pradesh vide Notification No. IPH-B(A)3-1/2019-II dated 03.05.2021 within six months of issuance of the Certificate of Registration and intimation will be given to Executive Engineer, JSV Division Dharamshala on its completion.
- ii) The applicant shall install a water meter/bulk meter on the ground water extraction pipe so as to check the water drawl at any time and will maintain its log book.
- iii) The applicant shall have to pay royalty based on the quantum of ground water extraction through Executive Engineer, JSV Division Dharamshala for the use of ground water to the Member Secretary, Himachal Pradesh Ground Water Authority as per the Himachal Pradesh ground Water (Regulation and Control of development and Management) Rules, 2007 or the rules which may, subsequently, be made applicable by the State of HP.
- iv) In case of Industrial connection, the firm shall not use waste water of the Industry for recharging of ground Water.
- v) That the permission/sanction can be withdrawn or the quantity of water to be extracted can be restricted in case the ground water in the area is adversely affected in terms of quantity and/or quality.

- vi) Actual water requirement be computed taking into account recycling/reuse of treated water for flushing etc.
- vii) Certificate regarding non/partial availability of water supply from the public water supply agency.
- viii) The firm/applicant shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
- ix) The firm/applicant drawing water more than 10m<sup>3</sup> /day of ground water shall construct piezometer, equipped with DWLR of latest version within six months in consultation with the Sr. Hydrogeologist, GWO, JSV, Una (HP) and monthly water level data shall be submitted to the Ground Water Organization and Himachal Pradesh Ground Water Authority.
- x) All stakeholders abstracting ground water in excess of 100 m<sup>3</sup>/d shall be required to undertake annual water audit through Confederation of India Industries (CII)/Federation Indian Chamber of Commerce and Industry (FICCI)/National Productivity Council (NPC) certified auditors and submit audit reports within three months of completion of the same to Himachal Pradesh Ground Water Authority. All such stakeholders shall be required to reduce their ground water use by at least 20% over the next three years through appropriate means
- xi) The holder of the registration of certificate shall be duly bound to maintain the aforementioned source in an efficient, coordinated and economical manner and to use the water only for the purpose for which certificate of registration has been given.

Therefore, as per the unanimous decision taken by the Sub-Committee, the concerned Executive Engineer is directed to convey the decision of Sub-Committee to the firm/applicant.

**91. Sh. Harvinder Singh Ahuja S/o Sh. Gurcharan Singh village Anesh P.O. Dagshai Tehsil and District Solan H.P. (HP)176210 (IUID No.- 64603246, Submission ID No.- 8267)**

The applicant has applied on **Form – 4** for grant of permit for sinking of borewell for **Irrigation Purpose**. As per the report of Sr. Hydrogeologist, G.W.O., JSV, Una, **No departmental tubewell exists within a distance of 200m from the existing borewell of the applicant. The site is located in moderately dissected structural hills comprising of alternate beds of sandstone and shales.**

A public notice of the application on Form-2/Form-5 has already been sent to the offices of concerned Executive Engineer & Gram Panchayat to get it displayed on the notice board of the local authority, so that interested persons, if any, may file their objection/suggestions. No objection has been received.

As per the report of Sr. Hydrogeologist GWO, JSV, Una, the borewell/tubewell has been drilled **during 2006**. However, the HP Ground Water Act, 2005 & Rules, 2007 came into force w.e.f. 29.11.2019. Hence, the sub-committee approved the case subject to the following conditions:

- i) The applicant shall construct a rainwater harvesting structure for the conservation and re-charge of ground water in his/her/their premise as per section-15 of the Himachal Pradesh Ground Water (Regulation & Control of Development and Management) Act, 2005 and Guidelines to regulate and Control ground water extraction in the State of Himachal Pradesh vide Notification No. IPH-B(A)3-1/2019-II dated 03.05.2021 within six months of issuance of the Certificate of Registration and intimation will be given to Executive Engineer, JSV Division Solan on its completion.
- ii) The applicant shall install a water meter/bulk meter on the ground water extraction pipe so as to check the water drawl at any time and will maintain its log book.

- iii) The applicant shall have to pay royalty based on the quantum of ground water extraction through Executive Engineer, JSV Division Solan for the use of ground water to the Member Secretary, Himachal Pradesh Ground Water Authority as per the Himachal Pradesh ground Water (Regulation and Control of development and Management) Rules, 2007 or the rules which may, subsequently, be made applicable by the State of HP.
- iv) In case of Industrial connection, the firm shall not use waste water of the Industry for recharging of ground Water.
- v) That the permission/sanction can be withdrawn or the quantity of water to be extracted can be restricted in case the ground water in the area is adversely affected in terms of quantity and/or quality.
- vi) Actual water requirement be computed taking into account recycling/reuse of treated water for flushing etc.
- vii) Certificate regarding non/partial availability of water supply from the public water supply agency.
- viii) The firm/applicant shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
- ix) The firm/applicant drawing water more than 10m<sup>3</sup> /day of ground water shall construct piezometer, equipped with DWLR of latest version within six months in consultation with the Sr. Hydrogeologist, GWO, JSV, Una (HP) and monthly water level data shall be submitted to the Ground Water Organization and Himachal Pradesh Ground Water Authority.
- x) All stakeholders abstracting ground water in excess of 100 m<sup>3</sup>/d shall be required to undertake annual water audit through Confederation of India Industries (CII)/Federation Indian Chamber of Commerce and Industry (FICCI)/National Productivity Council (NPC) certified auditors and submit audit reports within three months of completion of the same to Himachal Pradesh Ground Water Authority. All such stakeholders shall be required to reduce their ground water use by at least 20% over the next three years through appropriate means
- xi) The holder of the registration of certificate shall be duly bound to maintain the aforementioned source in an efficient, coordinated and economical manner and to use the water only for the purpose for which certificate of registration has been given.
- xii) Supporting document in respect of farm size and crop type.

Therefore, as per the unanimous decision taken by the Sub-Committee, the concerned Executive Engineer is directed to convey the decision of Sub-Committee to the firm/applicant.

**92. Sh. Lachhi Ram S/O Late Sh Shankar Dass R/O Vill. Radyana, PO. Subathu, Tehsil - Distt. Solan (HP) (IUID No.- 44441892, Submission ID No.- 16367)**

The applicant has applied on **form – 4A** for certificate of registration of borewell/tubewell and use of ground water for **Commercial purpose**. As per the report of Sr. Hydrogeologist, G.W.O., JSV, Una, **There is no existing departmental energized borewell within 300 mtrs. from the borewell site of the applicant. The borewell of the applicant lies in highly dissected denudational hills comprising of limestone and dolomites.**

A public notice of the application on Form-2/Form-5 has already been sent to the offices of concerned Executive Engineer (Arki) & Gram Panchayat to get it displayed on the notice board of the local authority, so that interested persons, if any, may file their objection/suggestions. No objection has been received.

As per the report of Sr. Hydrogeologist GWO, JSV, Una, the borewell/tubewell has been drilled **during 03/2020**. However, the HP Ground Water Act, 2005 & Rules, 2007 came into force w.e.f. 29.11.2019. After detailed discussions, it has been decided by the committee that this case may be

approved subject to the action/compounding of Rs. 5000 /- under section 22 of Himachal Pradesh Ground Water Act, 2005 & Rule 32 of Himachal Pradesh Ground Water Rules, 2007 as already decided in the 36<sup>th</sup> meeting of Sub-committee and advised to deposit the fine in the HP Ground Water Authority account No. 41710105552 through RTGS/Demand Draft. Hence, the sub-committee approved the case subject to the following conditions:

- i) The applicant shall construct a rainwater harvesting structure for the conservation and re-charge of ground water in his/her/their premise as per section-15 of the Himachal Pradesh Ground Water (Regulation & Control of Development and Management) Act, 2005 and Guidelines to regulate and Control ground water extraction in the State of Himachal Pradesh vide Notification No. IPH-B(A)3-1/2019-II dated 03.05.2021 within six months of issuance of the Certificate of Registration and intimation will be given to Executive Engineer, JSV Division Arki on its completion.
- ii) The applicant shall install a water meter/bulk meter on the ground water extraction pipe so as to check the water drawl at any time and will maintain its log book.
- iii) The applicant shall have to pay royalty based on the quantum of ground water extraction through Executive Engineer, JSV Division Arki for the use of ground water to the Member Secretary, Himachal Pradesh Ground Water Authority as per the Himachal Pradesh ground Water (Regulation and Control of development and Management) Rules, 2007 or the rules which may, subsequently, be made applicable by the State of HP.
- iv) In case of Industrial connection, the firm shall not use waste water of the Industry for recharging of ground Water.
- v) That the permission/sanction can be withdrawn or the quantity of water to be extracted can be restricted in case the ground water in the area is adversely affected in terms of quantity and/or quality.
- vi) Actual water requirement be computed taking into account recycling/reuse of treated water for flushing etc.
- vii) Certificate regarding non/partial availability of water supply from the public water supply agency.
- viii) The firm/applicant shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
- ix) The firm/applicant drawing water more than 10m<sup>3</sup> /day of ground water shall construct piezometer, equipped with DWLR of latest version within six months in consultation with the Sr. Hydrogeologist, GWO, JSV, Una (HP) and monthly water level data shall be submitted to the Ground Water Organization and Himachal Pradesh Ground Water Authority.
- x) All stakeholders abstracting ground water in excess of 100 m<sup>3</sup>/d shall be required to undertake annual water audit through Confederation of India Industries (CII)/Federation Indian Chamber of Commerce and Industry (FICCI)/National Productivity Council (NPC) certified auditors and submit audit reports within three months of completion of the same to Himachal Pradesh Ground Water Authority. All such stakeholders shall be required to reduce their ground water use by at least 20% over the next three years through appropriate means
- xi) The holder of the registration of certificate shall be duly bound to maintain the aforementioned source in an efficient, coordinated and economical manner and to use the water only for the purpose for which certificate of registration has been given.

The sub-committee approved the case subject to the condition the certificate of registration will be issued by the Member Secy. (HPGWA)-cum-S.E. P&I-II to the firm/applicant only after submission of any one of the following documents by the firm/applicant to the HP Ground Water Authority Shimla for ascertaining the authenticity of the year of construction of the borewell/tubewell.

#### **Detail of documents**

- 1) Award letter issued by the firm/applicant to the drilling agency for sinking of the borewell/tubewell.

**Or**

Handing over reports of complete borewell/tubewell submitted by the drilling agency to the firm/applicant.

**Or**

Details of the payment made by the firm/applicant to the drilling agency.

**Or**

Any other relevant document.

- 2) Shall pay the royalty from the date of notification of notified area i.e. 29.11.2019

Therefore, as per the unanimous decision taken by the Sub-Committee, the concerned Executive Engineer is directed to convey the decision of Sub-Committee to the firm/applicant and ensure the submission of the above required documents to this office on or before 25.09.2022 failing which the case will be referred to the Main Committee (HPGWA) for taking the final decision.

### **Offline cases for certificate of registration**

**93. M/S Shivam Enterprises Pharma Division Suketi Road, P.O. Kala Amb, Distt. Sirmour (HP)**

The applicant has applied offline on **form – 4A** for certificate of registration of borewell/tubewell and use of ground water for **Industrial purpose**. As per the report of Sr. Hydrogeologist, G.W.O., JSV, Una, **No tubewell exists within a distance of 300 m from the existing tubewell of the applicant. As per report of DGWRE (As on March 2020), the stage of ground water development of the valley is considered under safe category.**

A Public notice of the application prepared in this office on Form-5 has already been sent to Executive Engineer, JSV Division Nahan (HP) & Secy. Gram Panchayat Kala Amb, Distt. Sirmour (HP) to get it displayed on the notice board of the local authority. However, no objection has been received.

As per the report of Sr. Hydrogeologist GWO, JSV, Una, the borewell/tubewell has been drilled **during 2007**. However, the HP Ground Water Act, 2005 & Rules, 2007 came into force w.e.f. 09.08.2011. Hence, the sub-committee approved the case subject to the following conditions:

- i) The applicant shall construct a rainwater harvesting structure for the conservation and re-charge of ground water in his/her/their premise as per section-15 of the Himachal Pradesh Ground Water (Regulation & Control of Development and Management) Act, 2005 and Guidelines to regulate and Control ground water extraction in the State of Himachal Pradesh vide Notification No. IPH-B(A)3-1/2019-II dated 03.05.2021 within six months of issuance of the Certificate of Registration and intimation will be given to Executive Engineer, JSV Division Nahan on its completion.
- ii) The applicant shall install a digital flow meter of telemetry system on the ground water extraction pipe so as to check the water drawl at any time and will maintain its log book.
- iii) The applicant shall have to pay royalty based on the quantum of ground water extraction through Executive Engineer, JSV Division Nahan for the use of ground water to the Member Secretary, Himachal Pradesh Ground Water Authority as per the Himachal Pradesh ground Water (Regulation and Control of development and Management) Rules, 2007

or the rules which may, subsequently, be made applicable by the State of HP.

- iv) In case of Industrial connection, the firm shall not use waste water of the Industry for recharging of ground Water.
- v) That the permission/sanction can be withdrawn or the quantity of water to be extracted can be restricted in case the ground water in the area is adversely affected in terms of quantity and/or quality.
- vi) Actual water requirement be computed taking into account recycling/reuse of treated water for flushing etc.
- vii) Certificate regarding non/partial availability of water supply from the public water supply agency.
- viii) The firm/applicant shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
- ix) The firm/applicant drawing water more than 10m<sup>3</sup> /day of ground water shall construct piezometer, equipped with DWLR of latest version within six months in consultation with the Sr. Hydrogeologist, GWO, JSV, Una (HP) and monthly water level data shall be submitted to the Ground Water Organization and Himachal Pradesh Ground Water Authority.
- x) All stakeholders abstracting ground water in excess of 100 m<sup>3</sup>/d shall be required to undertake annual water audit through Confederation of India Industries (CII)/Federation Indian Chamber of Commerce and Industry (FICCI)/National Productivity Council (NPC) certified auditors and submit audit reports within three months of completion of the same to Himachal Pradesh Ground Water Authority. All such stakeholders shall be required to reduce their ground water use by at least 20% over the next three years through appropriate means
- xi) The holder of the registration of certificate shall be duly bound to maintain the aforementioned source in an efficient, coordinated and economical manner and to use the water only for the purpose for which certificate of registration has been given.
- xii) The supporting document in r/o water requirement mentioned at the time of registration with Industry Department.

The sub-committee approved the case subject to the condition the certificate of registration will be issued by the Member Secy. (HPGWA)-cum-S.E. P&I-II to the firm/applicant only after submission of the following documents by the firm/applicant to the HP Ground Water Authority Shimla for ascertaining the authenticity of the year of construction of the borewell/tubewell.

#### **Detail of documents**

- 1) Award letter issued by the firm/applicant to the drilling agency for sinking of the borewell/tubewell.

**Or**

Handing over reports of complete borewell/tubewell submitted by the drilling agency to the firm/applicant.

**Or**

Details of the payment made by the firm/applicant to the drilling agency.

**Or**

Any other relevant document.

- 2) Shall pay the royalty from the date of notification of notified area i.e. 09.08.2011

Therefore, as per the unanimous decision taken by the Sub-Committee, the concerned Executive Engineer is directed to convey the decision of Sub-Committee to the firm/applicant and ensure the submission of the above required documents to this office on or before 25.09.2022 failing which the case will be referred to the Main Committee (HPGWA) for taking the final decision.

**94. M/S Zamil Air Conditioners India Pvt., Unit-II, Vill. Theda, Tehsil Baddi, Distt. Solan (HP)**

The applicant has applied offline on **form – 4A** for certificate of registration of borewell/tubewell and use of ground water for **Industrial purpose**. As per the report of Sr. Hydrogeologist, G.W.O., JSV, Una, **No Govt. tubewell exists within a distance of 300 m from the existing tubewell of the applicant.**

A Public notice of the application prepared in this office on Form-5 has already been sent to Executive Engineer, JSV Division Nalagarh (HP) & Secy. Gram Panchayat Theda, Tehsil Baddi, Distt. Solan (HP) to get it displayed on the notice board of the local authority. However, no objection has been received.

As per the report of Sr. Hydrogeologist GWO, JSV, Una, the borewell/tubewell has been drilled **during 01/2008**. However, the HP Ground Water Act, 2005 & Rules, 2007 came into force w.e.f. 09.08.2011. Hence, the sub-committee approved the case subject to the following conditions:

- i) The applicant shall construct a rainwater harvesting structure for the conservation and re-charge of ground water in his/her/their premise as per section-15 of the Himachal Pradesh Ground Water (Regulation & Control of Development and Management) Act, 2005 and Guidelines to regulate and Control ground water extraction in the State of Himachal Pradesh vide Notification No. IPH-B(A)3-1/2019-II dated 03.05.2021 within six months of issuance of the Certificate of Registration and intimation will be given to Executive Engineer, JSV Division Nalagarh on its completion.
- ii) The applicant shall install a digital flow meter of telemetry system on the ground water extraction pipe so as to check the water drawl at any time and will maintain its log book.
- iii) The applicant shall have to pay royalty based on the quantum of ground water extraction through Executive Engineer, JSV Division Nalagarh for the use of ground water to the Member Secretary, Himachal Pradesh Ground Water Authority as per the Himachal Pradesh ground Water (Regulation and Control of development and Management) Rules, 2007 or the rules which may, subsequently, be made applicable by the State of HP.
- iv) In case of Industrial connection, the firm shall not use waste water of the Industry for recharging of ground Water.
- v) That the permission/sanction can be withdrawn or the quantity of water to be extracted can be restricted in case the ground water in the area is adversely affected in terms of quantity and/or quality.
- vi) Actual water requirement be computed taking into account recycling/reuse of treated water for flushing etc.
- vii) Certificate regarding non/partial availability of water supply from the public water supply agency.
- viii) The firm/applicant shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
- ix) The firm/applicant drawing water more than 10m<sup>3</sup> /day of ground water shall construct piezometer, equipped with DWLR of latest version within six months in consultation with the Sr. Hydrogeologist, GWO, JSV, Una (HP) and monthly water level data shall be submitted to the Ground Water Organization and Himachal Pradesh Ground Water Authority.
- x) All stakeholders abstracting ground water in excess of 100 m<sup>3</sup>/d shall be required to undertake annual water audit through Confederation of India Industries (CII)/Federation Indian Chamber of Commerce and Industry (FICCI)/National Productivity Council (NPC) certified auditors and submit audit reports within three months of completion of the same to Himachal Pradesh Ground Water Authority. All such stakeholders shall be required to reduce their ground water use by at least 20% over the next three years through appropriate means

- xi) The holder of the registration of certificate shall be duly bound to maintain the aforementioned source in an efficient, coordinated and economical manner and to use the water only for the purpose for which certificate of registration has been given.
- xii) The supporting document in r/o water requirement mentioned at the time of registration with Industry Department.

The sub-committee approved the case subject to the condition the certificate of registration will be issued by the Member Secy. (HPGWA)-cum-S.E. P&I-II to the firm/applicant only after submission of the following documents by the firm/applicant to the HP Ground Water Authority Shimla for ascertaining the authenticity of the year of construction of the borewell/tubewell.

#### **Detail of documents**

- 1) Award letter issued by the firm/applicant to the drilling agency for sinking of the borewell/tubewell.

**Or**

Handing over reports of complete borewell/tubewell submitted by the drilling agency to the firm/applicant.

**Or**

Details of the payment made by the firm/applicant to the drilling agency.

**Or**

Any other relevant document.

- 2) Shall pay the royalty from the date of notification of notified area i.e. 09.08.2011

Therefore, as per the unanimous decision taken by the Sub-Committee, the concerned Executive Engineer is directed to convey the decision of Sub-Committee to the firm/applicant and ensure the submission of the above required documents to this office on or before 25.09.2022 failing which the case will be referred to the Main Committee (HPGWA) for taking the final decision.

#### **95. M/S Nectar Life Science Ltd. Village Bhatoli Kalan, P.O. Barotiwala, Tehsil Baddi, Distt. Solan (HP)**

The applicant has applied offline on **Form – 4A** for certificate of registration of borewell/tubewell and use of ground water for **Industrial purpose**. As per the report of Sr. Hydrogeologist, G.W.O., JSV, Una, **No Govt. tubewell exists within a distance of 300 m from the existing tubewell of the applicant.**

A Public notice of the application prepared in this office on Form-5 has already been sent to Executive Engineer, JSV Division Nalagarh (HP) & Secy. Gram Panchayat Bhatolikalan, Tehsil Baddi, Distt. Solan (HP) to get it displayed on the notice board of the local authority. However, no objection has been received.

As per the report of Sr. Hydrogeologist GWO, JSV, Una, the borewell/tubewell has been drilled **during 11/2005**. However, the HP Ground Water Act, 2005 & Rules, 2007 came into force w.e.f. 09.08.2011. Hence, the sub-committee approved the case subject to the following conditions:

- i) The applicant shall construct a rainwater harvesting structure for the conservation and re-charge of ground water in his/her/their premise as per section-15 of the Himachal Pradesh Ground Water (Regulation & Control of Development and Management) Act, 2005 and Guidelines to regulate and Control ground water extraction in the State of Himachal Pradesh vide Notification No. IPH-B(A)3-1/2019-II dated 03.05.2021 within six months of issuance of the Certificate of Registration and intimation will be given to Executive Engineer, JSV Division Nalagarh on its completion.

- ii) The applicant shall install a digital flow meter of telemetry system on the ground water extraction pipe so as to check the water drawl at any time and will maintain its log book.
- iii) The applicant shall have to pay royalty based on the quantum of ground water extraction through Executive Engineer, JSV Division Nalagarh for the use of ground water to the Member Secretary, Himachal Pradesh Ground Water Authority as per the Himachal Pradesh ground Water (Regulation and Control of development and Management) Rules, 2007 or the rules which may, subsequently, be made applicable by the State of HP.
- iv) In case of Industrial connection, the firm shall not use waste water of the Industry for recharging of ground Water.
- v) That the permission/sanction can be withdrawn or the quantity of water to be extracted can be restricted in case the ground water in the area is adversely affected in terms of quantity and/or quality.
- vi) Actual water requirement be computed taking into account recycling/reuse of treated water for flushing etc.
- vii) Certificate regarding non/partial availability of water supply from the public water supply agency.
- viii) The firm/applicant shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
- ix) The firm/applicant drawing water more than 10m<sup>3</sup> /day of ground water shall construct piezometer, equipped with DWLR of latest version within six months in consultation with the Sr. Hydrogeologist, GWO, JSV, Una (HP) and monthly water level data shall be submitted to the Ground Water Organization and Himachal Pradesh Ground Water Authority.
- x) All stakeholders abstracting ground water in excess of 100 m<sup>3</sup>/d shall be required to undertake annual water audit through Confederation of India Industries (CII)/Federation Indian Chamber of Commerce and Industry (FICCI)/National Productivity Council (NPC) certified auditors and submit audit reports within three months of completion of the same to Himachal Pradesh Ground Water Authority. All such stakeholders shall be required to reduce their ground water use by at least 20% over the next three years through appropriate means
- xi) The holder of the registration of certificate shall be duly bound to maintain the aforementioned source in an efficient, coordinated and economical manner and to use the water only for the purpose for which certificate of registration has been given.
- xii) The supporting document in r/o water requirement mentioned at the time of registration with Industry Department.

The sub-committee approved the case subject to the condition the certificate of registration will be issued by the Member Secy. (HPGWA)-cum-S.E. P&I-II to the firm/applicant only after submission of the following documents by the firm/applicant to the HP Ground Water Authority Shimla for ascertaining the authenticity of the year of construction of the borewell/tubewell.

#### **Detail of documents**

- 1) Award letter issued by the firm/applicant to the drilling agency for sinking of the borewell/tubewell.

**Or**

Handing over reports of complete borewell/tubewell submitted by the drilling agency to the firm/applicant.

**Or**

Details of the payment made by the firm/applicant to the drilling agency.

**Or**

Any other relevant document.

- 2) Shall pay the royalty from the date of notification of notified area i.e. 09.08.2011

Therefore, as per the unanimous decision taken by the Sub-Committee, the concerned Executive Engineer is directed to convey the decision of Sub-Committee to the firm/applicant and ensure the submission of the above required documents to this office on or before 25.09.2022 failing which the case will be referred to the Main Committee (HPGWA) for taking the final decision.

### **Applications for name change**

**96. M/S Panacea Biotech Ltd. (Unit-I), Vill Malpur, P.O. Bhud, Tehsil Baddi, Distt. Solan (HP). -173205 (Registration No. HPGWA-EU/334)**

The firm has applied to Himachal Pradesh Ground Water Authority for name change from **M/s Panacea Biotech Ltd.** to **M/s Panacea Biotech Pharma Limited** on Certificate of Registration. The sub-committee approved the case.

Therefore, as per the unanimous decision taken by the Sub-Committee, the concerned Executive Engineer is directed to convey the decision of Sub-Committee to the firm/applicant.

### **Additional**

**97. Sh. Jiwan Kumar S/o Sh. Desh Raj, Village & PO. Baduhi Tehsil Nurpur Distt. Kangra (HP)**

The applicant has applied on **Form – 1** for grant of permit for sinking of borewell for **Irrigation Purpose**. As per the report of Sr. Hydrogeologist, G.W.O., JSV, Una, **No Govt tubewell exists within a radius of 200 m from the proposed site of the applicant.**

A Public notice of the application prepared in this office on Form-2 has already been sent to Executive Engineer JSV Division Nurpur (HP) & Secy. Gram Panchayat Baduhi, Tehsil Nurpur, Distt. Kangra (HP) to get it displayed on the notice board of the local authority. However, no objection has been received.

Hence, the sub-committee approved the case subject to the following conditions:

- i) The applicant shall construct a rainwater harvesting structure for the conservation and re-charge of ground water in his/her/their premise as per section-15 of the Himachal Pradesh Ground Water (Regulation & Control of Development and Management) Act, 2005 and Guidelines to regulate and Control ground water extraction in the State of Himachal Pradesh vide Notification No. IPH-B(A)3-1/2019-II dated 03.05.2021, within six months of issuance of the Certificate of Permit and intimation will be given to Executive Engineer, JSV Division Nurpur on its completion.
- ii) The applicant shall install a water meter/bulk meter on the ground water extraction pipe so as to check the water drawl at any time and will maintain its log book.
- iii) The applicant shall have to pay royalty based on the quantum of ground water extraction through Executive Engineer, JSV Division Nurpur for the use of ground water to the Member Secretary, Himachal Pradesh Ground Water Authority as per the Himachal Pradesh ground Water (Regulation and Control of development and Management) Rules, 2007 or the rules which may, subsequently, be made applicable by the State of HP.
- iv) In case of Industrial connection, the firm shall not use waste water of the Industry for recharging of ground Water.

- v) That the permission/sanction can be withdrawn or the quantity of water to be extracted can be restricted in case the ground water in the area is adversely affected in terms of quantity and/or quality.
- vi) Actual water requirement be computed taking into account recycling/reuse of treated water for flushing etc.
- vii) Certificate regarding non/partial availability of water supply from the public water supply agency.
- viii) The firm/applicant shall be required to adopt latest water efficient technologies so as to reduce dependence on ground water resources.
- ix) The firm/applicant drawing water more than 10m<sup>3</sup> /day of ground water shall construct piezometer, equipped with DWLR of latest version within six months shall consultation with the Sr. Hydrogeologist, GWO, JSV, Una (HP) and monthly water level data shall be submitted to the Ground Water Organization and Himachal Pradesh Ground Water Authority.
- x) All stakeholders abstracting ground water in excess of 100 m<sup>3</sup>/d shall be required to undertake annual water audit through Confederation of India Industries (CII)/Federation Indian Chamber of Commerce and Industry (FICCI)/National Productivity Council (NPC) certified auditors and submit audit reports within three months of completion of the same to Himachal Pradesh Ground Water Authority. All such stakeholders shall be required to reduce their ground water use by at least 20% over the next three years through appropriate means
- xi) The holder of the Permit shall be duly bound to maintain the aforementioned source in an efficient, coordinated and economical manner and to use the water only for the purpose for which certificate of registration has been given.
- xii) Supporting document in respect of farm size and crop type.

Therefore, as per the unanimous decision taken by the Sub-Committee, the concerned Executive Engineer is directed to convey the decision of Sub-Committee to the firm/applicant.